

SECTION 1 : Identification of the substance/mixture and of the company/undertaking**1.1. Product identifier**

Product Name : VEHS01-01LB

1.2. Relevant identified uses of the substance or mixture and uses advised against**Relevant identified uses** : Solvent-based ink for inkjet printer**Uses advised against** : Do not use for the other application. Restricted to professional users**1.3. Details of the supplier of the safety data sheet**

Company Name : InkTec Co.,Ltd.

Address : #108, Neungan-ro, Danwon-gu, Ansan-city, Gyeonggi-do, 425-839, Korea

Tel : +82-31-494-0001

Fax : +82-31-492-2041

Website : <http://kr.inktec.com/>**1.4. Emergency telephone number**

Emergency number : Centro Antiveleni (Poisons Centre)

: Dipartimento di Tossicologia Clinica Universita Cattolica del Sacro Cuore Roma

Emergency Telephone Number : +39 06 305 4343

SECTION 2 : Hazards identification**2.1. Classification of the substance or mixture****Classification according to** : Acute Toxicity – Dermal Category. 4

Acute Toxicity – Inhalation Category. 4

Flammable Liquids Category. 3

Classification according to Directive 1999/45/EC (DPD) : Xn; R20/21/22, Xi; R38, Xi; R41**2.2. Label elements****Labeling according to Regulation (EC) No 1272/2008 (CLP)**

Hazard symbols :



Signal word : Warning

Hazard statements : H226 Flammable liquid and vapour
: H312 Harmful in contact with skin
: H332 Harmful if inhaledPrecautionary statements
Precautionary : P210 Obtain Special instructions before use.
: P233 Keep container tightly closed.
: P240 Ground/bond container and receiving equipment.
: P241 Use explosion-proof electrical/ventilating/lighting/equipment..
: P242 Use only non-sparking tools.
: P243 Take precautionary measures against static discharge.
: P261 Avoid breathing dust/fume/gas/mist/vapours/spray.
Manufacturer/ supplier or the competent authority to specify applicable conditions.
: P271 Use only outdoors or in a well-ventilated area.



VEHS01-01LB

Safety Data Sheet

In accordance with Regulation (EC) No. 1907/2006 of the European Parliament and the Council (REACH) and Commission Regulation (EU) No. 830/2015

Date of issue : 07/22/2010

Revision date : 05/17/2019

Revision No : 1.6

Page 2/10

Countermeasure	: P280	Wear protective gloves/protective clothing/eye protection/face protection.	
	: P302+P352	If on skin – Wash with plenty of soap and water.	
	: P303+P361+P353	If on skin(or hair) – Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.	
	: P312	Call a POISON CENTER or doctor/physician if you feel unwell.	
	: P322	Specific measures (see ... on this label). ... Reference to supplemental first aid	
Storage	: P363	Wash contaminated clothing before reuse.	
	: P370+P378	In case of fire – Use... for extinction. ... Manufacturer/supplier or the competent authority to specify appropriate media	
	: P403+P235	Store in a well-ventilated place. Keep cool..	
	Disposal	: P501	Dispose of contents/container to... in accordance with local/regional/national/international regulation(to be specified).

2.3. Other hazards

Other hazards : No information available

SECTION 3 : Composition/information on ingredients

3.1. Substance

Substances : No information available

3.2. Mixture

Ingredients	% By weight	CAS No.	EC No.	EU Classification				Note
				67/548/EEC (DSD)	CLP		Pictogram/Signal word codes	
					Hazard class and category codes	Hazard statement codes		
CARBON BLACK	1<C<5	Proprietary	Proprietary	-	-	-	-	
2-butoxyethyl acetate	30 < C < 40	112-07-2	903-933-3	-	Acute Tox. 4	H312 H332	GHS07 Wng	
2-methoxy-1-methylethyl Acetate	15 < C < 25	108-65-6	203-603-9	R10	Flam. Liq. 3	H226	GHS02 Wng	
cyclohexanone	3 < C < 10	108-94-1	203-631-1	R10 Xn; R20	Flam. Liq. 3 Acute Tox.(inhalation) 4	H226 H332	GHS02 GHS07 Wng	
1-ethoxy-2-(2-methoxyethoxy) ethane	20 < C < 30	1002-67-1	213-690-5					
Vinyl chloride/vinyl acetate copolymer resin	1<C<5	25086-48-0	-	-	-	-	-	

※ Substance is classified in terms of Regulation (EC) No. 1272/2008 Annex VI.

※ Substance with workplace exposure limits.

※ Substance is included in the Candidate List of Substances of Very High Concern for Authorisation.

SECTION 4 : First aid measures

4.1. Description of first aid measures

First-aid measures general	: If you feel unwell, seek medical advice.
First-aid measures after inhalation	: If breathing is difficult, give oxygen.
	: Give artificial respiration if not breathing, and get immediate medical attention.
	: If the person develops a symptom, move him to an area where fresh air is available.



VEHS01-01LB

Safety Data Sheet

In accordance with Regulation (EC) No. 1907/2006 of the European Parliament and the Council (REACH) and Commission Regulation (EU) No. 830/2015

Date of issue : 07/22/2010

Revision date : 05/17/2019

Revision No : 1.6

Page 3/10

	: If the person develops a side effect, move him to an area free of contamination.
	: Get medical attention.
First-aid measures after skin contact	: Get medical attention, if needed.
	: Wash skin with soap and plenty of water for at least 15 minutes
	: Thoroughly clean and dry contaminated clothing and shoes before reuse.
	: Remove contaminated clothing and shoes and wash skin with water and soap for at least 15 minutes.
	: If skin is irritated or shows other symptoms, get medical attention.
First-aid measures after eye contact	: While lifting upper eyelid, flush eyes with plenty of water for at least 15 minutes and then get immediate medical attention.
First-aid measures after ingestion	: Get medical attention.
	: Never make an unconscious person vomit or drink fluids.
	: If vomiting occurs, keep head lower than hips to help prevent aspiration.
	: If person is unconscious, turn head to side.
	: If the person has swallowed a large quantity, let him get medical attention.

4.2. Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in section 2 and/or in section 11.

4.3. Indication of any immediate medical attention and special treatment needed

Other Information : Treat symptomatically.

SECTION 5 : Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media	: Powder fire extinguishing agent.
	: Spray stream.
	: Carbon dioxide
	: General foam extinguishing agent
	: Alcohol resistant foam extinguishing agent
	: Water spray.
Unsuitable extinguishing media	: No data available.

5.2. Special hazards arising from the substance or mixture

Fire and explosion hazards	: There's a small change of fire.
	: A mixture of vapor and air can be explosive at above a certain ignition point
	: Vapor or gas can spread instantly after being ignited from a distanced ignition point.
	: Vapor is heavier than air.
	: Halogen gas can be produced when it contacts metal
	: May develop irritating, corrosive, or toxic gases by fire.
Hazardous combustion products	: Discharge of toxic smoke, like carbon oxide, sulfur compounds, acrolein and nitrooxide.

5.3. Advice for firefighters

Precautionary measures fire	: Exposure to fume/heat : keep upwind.
	: Exposure to fume/heat : have neighbourhood close doors and windows
	: Move containers from fire area if it can be done without risk.
	: Do not approach both ends of the tank
	: Withdraw immediately in case of rising sound from safety devices due to the fire or discoloration of tank.
Firefighting instructions	: Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire-fighting water from entering environment.
	: Cool container with flooding quantities of water until well after fire is out.
	: When there's a fire in shipping and unloading or storage area : Cool container with flooding quantities of water until well after fire is out by using unmanned hose holders or monitor nozzles.
	: If that is not possible, consider following preventive measures



VEHS01-01LB

Safety Data Sheet

In accordance with Regulation (EC) No. 1907/2006 of the European Parliament and the Council (REACH) and Commission Regulation (EU) No. 830/2015

Date of issue : 07/22/2010

Revision date : 05/17/2019

Revision No : 1.6

Page 4/10

- Protection during firefighting
- : Keep unnecessary people away, isolate hazard area and deny entry.
 - : And allow the fire to burn itself out.
 - : Flood with fine water spray.
 - : Do not scatter spilled material with high-pressure water streams
 - : Cool containers with water spray until well after the fire is out.
 - : Stay upwind and keep out of low areas.
 - : Dike for later disposal.
 - : Use extinguishing agent appropriate for surrounding fire. : Flood with fine water spray.
 - : The most effect measures would be removing fuel source and suffocating by blocking air supply.
 - : Do not enter fire area without proper protective equipment, including respiratory protection.
 - : Fire involving tank, rail, car, or tank truck : Evacuation for 0.8Km (1/2 mile) in all directions.
 - : Shut off the source of the leakage before trying to extinguish fire.
 - : Apply water from a protected location or from a safe distance.
 - : Avoid inhalation of material or combustion by-products.
 - : Dike for later disposal.

SECTION 6 : Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

- Protective equipment : Gloves, Protective clothing, see "Material-Handling" to select protective clothing
- Emergency procedures : Evacuate unnecessary personnel.

For emergency responders

- Protective equipment : Equip cleanup crew with proper protection.
- Emergency procedures : Ventilate area
- : Absorb with paper.
 - : Ventilate to eliminate all vapors, and burn papers.
 - : Eliminate all ignition sources.
 - : Absorb with dry earth, sand or other non-combustible material, and place in a container.
 - : Ventilate a closed area before entering.
 - : Use water spray to reduce vapors.
 - : Store in an area separated from water supply and sewer
 - : Check shipping information and included documents, and contact related agencies and companies to find detailed information on the material.
 - : Keep unnecessary people away, isolate hazard area and deny entry.
 - : Keep away from heat, fire, flame and other sources of ignition
 - : Stop leak if without risk.
 - : Deny entry to an area within 25~50m radius from leak, and keep unnecessary people away
 - : Stop leak, if it can be done without risk to worker.
 - : Stay upwind.
 - : Place leaked material in an appropriate container to dispose.

6.2. Environmental precautions

- Environmental precautions : Prevent entry to sewers and public waters. Store in an area separated from water supply and sewer.
- : Notify authorities if liquid enters sewers or public waters Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

- Cleaning Methods : Collect spillage. Store away from other materials.
- : Place leaked material in an appropriate container to dispose.
 - : Absorb with dry earth, sand or other non-combustible material.
 - : Prevent entry into waterways, sewers, basements or confined areas.
 - : Stay upwind and keep out of low areas.
 - : Dike for later disposal.



VEHS01-01LB

Safety Data Sheet

In accordance with Regulation (EC) No. 1907/2006 of the European Parliament and the Council (REACH) and Commission Regulation (EU) No. 830/2015

Date of issue : 07/22/2010

Revision date : 05/17/2019

Revision No : 1.6

Page 5/10

- Containment
- : Keep unnecessary people away, isolate hazard area and deny entry.
 - : Do not touch a damaged container or spilled material without wearing proper protective gears.
 - : Notify the central government and local independent commission for discharge of amounts greater than or equal to the standard..
 - : Keep unnecessary people away, isolate hazard area and deny entry.

6.4. Reference to other sections

- Other sections
- : See Section 7 for information on safe handling.
 - : See Section 8 for information on personal protection equipment.
 - : See Section 13 for disposal information.

SECTION 7 : Handling and storage

7.1. Precautions for safe handling

- Precautions for safe handling
- : Wash hands and other exposed areas with mild soap and water before eating, drinking
 - : Do not press, cut, weld, solder, join, perforate, grind, or heat.
 - : An empty container containing residues (liquid, steam) can be dangerous.
 - : Store by closing a container.
 - : Store in a closed container.
 - : Do not inhale dust, steam, mist or gas.
 - : Minimize development and accumulation of dust.
 - : Use spark-proof tools and explosion-proof equipment.
 - : Do not inhale or ingest.
 - : Wash hands before eating.
 - : Remove contaminated clothing and wash before reuse.
 - : Perform proper ventilation.
 - : Wash thoroughly after handling.
 - : Use only in a well ventilated area.
 - : Handle according to current laws and regulations.
 - : Do not get in eyes, on skin and clothing.
 - : Avoid flame, sparks, static electricity and other ignition sources.

7.2. Conditions for safe storage, including any incompatibilities

- Storage conditions
- : Keep only in the original container in a cool, well ventilated place away from : Ignition sources, Incompatible materials. Keep container closed when not in use.
 - : Keep container closed when not in use.
 - : Store and handle in accordance with all current regulations and standards.
- Incompatible products
- : Avoid contacting strong oxidizer.
- Incompatible materials
- : Sources of ignition. Direct sunlight.
 - : Keep separated from incompatible substances
- Heat and ignition sources
- : Keep substance away from heat source
 - : Keep away from sources of ignition.
- Prohibitions on mixed storage
- : Keep substance away from oxidizing agents
 - : Avoid contacting halogen or halogen compounds.
- Storage area
- : Store in a cool, dry place.
 - : Store at ambient temperature
- Special rules on packing
- : Special requirements closing, clean, correctly labelled, meet the legal requirements.
 - : Secure fragile packagings in solid container.
- Packaging materials
- : Suitable material : No data available
 - : Material to avoid : No data available

7.3. Specific end use(s)

- Specific end use(s)
- : No data available

SECTION 8 : Exposure controls/personal protection



VEHS01-01LB

Safety Data Sheet

In accordance with Regulation (EC) No. 1907/2006 of the European Parliament and the Council (REACH) and Commission Regulation (EU) No. 830/2015

Date of issue : 07/22/2010

Revision date : 05/17/2019

Revision No : 1.6

Page 6/10

8.1. Control parameters

Ingredients	CAS No.	Workplace exposure limit				Notation
		Long-term exposure limit (8-hour TWA reference period)		Short-term exposure limit (15-minute reference period)		
		ppm	mg/m ³	ppm	mg/m ³	
Carbon Black	1333-86-4	-	3.5	-	7	EH40/2005

※ Workplace exposure limits for substances contained in the mixture

8.2. Exposure controls

Personal protective equipment	: Avoid all unnecessary exposure.
Hand protection	: Protective gloves are not required.
	: Wear appropriate chemical resistant gloves.
Eye protection	: Provide an emergency eye wash fountain and quick drench shower in the immediate work area.
	: Wear splash-proof eye goggles.
	: Wear splash resistant safety goggles with a face shield.
Respiratory protection	: Consider warning properties before use.
	: None required under normal operating conditions.
	: None required under normal operating conditions.
	: Respiratory protection is ranked in order from minimum to maximum.
	: Wear respiratory protection that has received the Korea Occupational Safety and Health Agency's black "Safety" mark
Body protection	: Body protection clothing is not required
	: Wear appropriate chemical resistant clothing.
Environmental exposure controls	: Do not allow to enter sewers, surface and ground water
Other information	: Do not eat, drink or smoke during use.

SECTION 9 : Physical and chemical properties

9.1. Information on basic physical and chemical properties

Properties	Data	Properties	Data
Appearance	Black liquid	Upper/lower flammability or explosive limits	No data available
Odor	Characteristic	Vapor pressure	<1mmHg at 25 °C
Odor threshold	No data available	Vapor density	No data available
pH	No data available	Relative density	1.90 – 1.00 at 25 °C
Melting point/ Freezing point	<-40 °C	Solubility in water	Not readily soluble in water
Boiling point	>150 °C	Partition coefficient n-octanol/water	No data available
Flash point	>81 °C	Auto ignition temperature	No data available
Evaporation rate	<0.05 (BuAc=1)	Decomposition temperature	No data available
Flammability (Solid/Gas)	No data available	Viscosity	17-25 cP at 25 °C

9.2. Other information

Other information : No data available



VEHS01-01LB

Safety Data Sheet

In accordance with Regulation (EC) No. 1907/2006 of the European Parliament and the Council (REACH) and Commission Regulation (EU) No. 830/2015

Date of issue : 07/22/2010

Revision date : 05/17/2019

Revision No : 1.6

Page 7/10

SECTION 10 : Stability and reactivity

10.1. Reactivity

Reactivity : No data available

10.2. Chemical stability

Chemical stability : Do not store for an extended period, or store or use in an area in direct contact with air and sun and above room temperature.
: May form explosive peroxides.
: Stable at room temperature and atmospheric pressure.

10.3. Possibility of hazardous reactions

Possibility of hazardous reactions : Stable at room temperature and atmospheric pressure.
: Polymerization will not occur.

10.4. Conditions to avoid

Conditions to avoid : Avoid heat, flames, sparks and other sources of ignition.
: Keep separated from incompatible substances.
: If container is exposed to heat, it may rupture or explode

10.5. Incompatible materials

Incompatible materials : acid, base, oxidizing agents, metallic oxide, peroxides, reducing agents, halogen,
: inflammables, mineral salt.

10.6. Hazardous decomposition products

Hazardous decomposition products : Produce carbon oxide and sulfur compounds during thermal decomposition.
: Variety of organic matters, cyanide compounds, ammonia, nitrogen oxide.

SECTION 11 : Toxicological information

11.1. Information on toxicological effects

Acute toxicity :

Ingredients	CAS No.	Oral	skin	Inhalation
1-ethoxy-2-(2-methoxyethoxy)ethane	1002-67-1	LD50 6500 mg/kg Rat	LD50 7070 mg/kg Rat	No data available
2-butoxyethyl acetate	112-07-2	LD50 1180 mg/kg Rat	LD50 1500 mg/kg Rat	LC40 > 400 ppm 4 hr
2-methoxy-1-methylethyl Acetate	108-65-6	LD50 8532 mg/kg Rat	LD50 >5000 mg/kg Rat	LC50 > 4345 ppm 4 hr
cyclohexanone	108-94-1	LD50 1890 mg/kg Rat	LD50 1000 mg/kg Rat	LC50 > 6.2 mg/L 4 hr

Skin corrosion/irritation : Skin rabbit, according to skin Irritation test.
Serious eye damage/irritation : According to rabbit tests, it can develop corneal opacity with pain to human, .
: but it was recovered in a few days.
Respiratory or skin sensitization : Not classified
Germ cell mutagenicity : Not classified
Carcinogenicity : Not classified
Reproductive toxicity : Not classified
Specific target organ toxicity : Not classified
(STOT-single exposure)
Specific target organ toxicity : Not classified.



VEHS01-01LB

Safety Data Sheet

In accordance with Regulation (EC) No. 1907/2006 of the European Parliament and the Council (REACH) and Commission Regulation (EU) No. 830/2015

Date of issue : 07/22/2010

Revision date : 05/17/2019

Revision No : 1.6

Page 8/10

(STOT-repeated exposure)

Aspiration hazard : Not classified

Potential Adverse human health effects and Symptoms : Not classified

Symptoms

SECTION 12 : Ecological information

12.1. Toxicity

Toxicity : No data available

12.2. Persistence and degradability

Persistence and degradability : No data available

12.3. Bioaccumulative potential

Bioaccumulative potential : No data available

12.4. Mobility in soil

Mobility in soil : No data available

12.5. Results of PBT and vPvB assessment

Results of PBT and vPvB assessment : No data available

12.6. Other adverse effects

Other adverse effects : No data available

SECTION 13 : Disposal considerations

13.1. Waste treatment methods

Waste disposal recommendations : Dispose in a safe manner in accordance with local/national regulations
: Dispose of. contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation,
: Please dispose by using one of the following methods
: 1. Neutralize, hydrolyze, oxidize, or restore it.
: 2. Incinerate or melt it in high temperature
: 3. Solidify it.

Ecology - waste materials : Avoid release to the environment.

: Consider all cautions specified in all applicable regulations of Waste Management Law

SECTION 14 : Transport information

14.1. UN number

UN number : No data available

14.2. UN proper shipping name

UN proper shipping name : No data available

14.3. Transport hazard class(es)

Transport hazard class(es) : No data available

14.4. Packing group

Packing group : No data available

14.5. Environmental hazards

Environmental hazards : No data available

14.6. Special precautions for user

Other adverse effects : No data available

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code : No data available



VEHS01-01LB

Safety Data Sheet

In accordance with Regulation (EC) No. 1907/2006 of the European Parliament and the Council (REACH) and Commission Regulation (EU) No. 830/2015

Date of issue : 07/22/2010

Revision date : 05/17/2019

Revision No : 1.6

Page 9/10

SECTION 15 : Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU Regulations

Classification according to Regulation (EC) No 1272/2008 (CLP)

- : The substances in the mixture are not subject to Authorisation under Title VII or Restrictions under Title VIII of Regulation (EC) No. 1907/2006.
- : COMMISSION REGULATION (EU) No 830/2015 of 28 May 2015 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH)

Candidate List of Substances of Very High Concern for Authorisation (Annex XVII)

- : Not classified
- : Substances which appear in Part 3 of Annex VI to Regulation (EC) No 1272/2008 classified as toxic to reproduction category 1A or 1B (Table 3.1) or toxic to reproduction category 1 or 2 (Table 3.2) and listed
Carcinogen category 1A (Table 3.1)/ carcinogen category 1 (Table 3.2) listed in Appendix 1
Carcinogen category 1B (Table 3.1)/ carcinogen category 2 (Table 3.2) listed in Appendix 2
- : Without prejudice to the implementation of other Community provisions relating to the classification, packaging and labelling of substances and mixtures, suppliers shall ensure before the placing on the market that the packaging of such substances and mixtures is marked visibly, legibly and indelibly as follows : 'Restricted to professional users'.

Authorisation list (Annex XIV)

- : Not classified

Classification according to Directive 1999/45/EC (DPD)

- : Not classified

National Regulations

Korea

- The Korea Industrial Safety and Health Act : No data available
- The Enforcement Decree of Toxic Chemicals Control Act : No data available
- The Safety Control of Dangerous Substances Act :

Ingredients	CAS No.	Regulations
2-methoxy-1-methylethyl Acetate	108-65-6	Class 4 Group 2 petroleum, Insoluble 1000g
cyclohexanone	108-94-1	Class 4 Group 2 petroleum, Insoluble 1000g

The Waste Management Law

- : No data available

Other regulations

- : No data available

15.2. Chemical safety assessment

- Chemical safety assessment : Chemical safety assessment has not been carried out for this mixture

SECTION 16 : Other information

Data of issue

- : 22. Jul. 2010

Latest Revision and Revision data

- : [Revision] 1.6 [Date] 17.May. 2019

Instructions for the training

- : Product handling instruction shall be included into the educational system about the safety work (Initial training, training at the workplace, repeated training) according to specific conditions at the workplace

Recommended restrictions on use

(i.e. non-statutory recommendations by supplier)

- : Mixture should not be used for any other purpose than for which is appointed (point 1.2). Because of the fact that specific conditions of use of mixture are out of supplier's control, It is responsibility of the user to adjust the prescribed warnings to local laws and regulations. Safety information describes the product in terms of safety and it cannot be considered as technical information about product



VEHS01-01LB

Safety Data Sheet

In accordance with Regulation (EC) No. 1907/2006 of the European Parliament and the Council (REACH) and Commission Regulation (EU) No. 830/2015

Date of issue : 07/22/2010

Revision date : 05/17/2019

Revision No : 1.6

Page 10/10

Sources of key data used to compile the Safety Data Sheet	: SDS was elaborated according to requirements set in Annex II of Regulation (EC) No 1907/2006 of the European Parliament and of the Council. SDS was prepared using data from the producer.
Purpose of SDS	: Purpose of this SDS is to provide relevant information for users of product to ensure proper handling and control of risks/hazards.
Classification according to NFPA Rating	: National Fire Protection Association : No data available