

### SECTION 1 : Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product Name : FR170-B01LB

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses : UV Curable ink for inkjet printer

Uses advised against : Do not use for the other application. Restricted to professional users

#### 1.3. Details of the supplier of the safety data sheet

Company Name : InkTec Co.,Ltd.

Address : #108, Neungan-ro, Danwon-gu, Ansan-city, Gyeonggi-do, 425-839, Korea

Tel : +82-31-494-0001

Fax : +82-31-492-2041

Website : <http://kr.inktec.com/>

#### 1.4. Emergency telephone number

Emergency number : Centro Antiveleni (Poisons Centre)

: Dipartimento di Tossicologia Clinica Università Cattolica del Sacro Cuore Roma

Emergency Telephone Number : +39 06 305 4343

### SECTION 2 : Hazards identification

#### 2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 (CLP)

: Acute toxicity, oral Category 4

: Skin corrosion/irritation Category 2

: Sensitisation, Skin Category 1

: Serious eye damage/eye irritation Category 1

: Specific target organ toxicity, single exposure; Respiratory tract irritation Category 1

: Reproductive toxicity Category 2

: Hazardous to the aquatic environment, acute hazard Category 1

: Hazardous to the aquatic environment, long-term hazard Category 1

: Xi; R38,R41,R43, Repr. Cat. 3; R62, R43

Classification according to Directive 1999/45/EC (DPD)

#### 2.2. Label elements

Labeling according to Regulation (EC) No 1272/2008 (CLP)

Hazard symbols :



GHS05

GHS07

GHS08

GHS09

Signal word

: Warning

Hazard statements

: H302

Harmful if swallowed

: H312

Harmful in contact with skin

: H315

Causes skin irritation

: H317

May cause an allergic skin reaction

: H318

Causes serious eye damage.

: H319

Causes serious eye irritation

: H335

May cause respiratory irritation

: H361

Suspected of damaging fertility or the unborn child

: H372

Causes damage to organs through prolonged or repeated exposure.

: H400

Very toxic to aquatic life

: H401

Toxic to aquatic life



# FR170-B01LB

## Safety Data Sheet

In accordance with Regulation (EC) No. 1907/2006 of the European Parliament and the Council (REACH) and Commission Regulation (EU) No. 830/2015

Date of issue : 01/10/2022

Revision date : 01/10/2022

Revision No : 1.0

Page 2/11

	: H410	Very toxic to aquatic life with long lasting effects
	: H411	Toxic to aquatic life with long lasting effects.
Precautionary statements		
Precautionary	: P201	Obtain special instructions before use.
	: P202	Do not handle until all safety precautions have been read and understood.
	: P260	Do not breathe dust/fume/gas/mist/vapours/spray.
	: P261	Avoid breathing dust/fume/gas/mist/vapours/spray
	: P264	Wash ... thoroughly after handling
	: P270	Do not eat, drink or smoke when using this product.
	: P271	Use only outdoors or in a well-ventilated area.
	: P272	Contaminated work clothing should not be allowed out of the workplace.
	: P273	Avoid release to the environment
	: P280	Wear protective gloves/protective clothing/eye protection/face protection.
	: P281	Use personal protective equipment as required.
Countermeasure	: P301+P312	IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell.
	: P302+P352	IF ON SKIN: Wash with plenty of soap and water.
	: P304+P340	IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
	: P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
	: P308+P313	IF exposed or concerned: Get medical advice/attention
	: P310	Immediately call a POISON CENTER or doctor/physician.
	: P312	Call a POISON CENTER or doctor/physician if you feel unwell
	: P314	Get medical advice/attention if you feel unwell.
	: P321	Specific treatment (see ... on this label).
	: P322	Specific measures (see ... on this label).
	: P330	Rinse mouth.
	: P332+P313	If skin irritation occurs: Get medical advice/attention.
	: P333+P313	If skin irritation or rash occurs: Get medical advice/attention.
	: P362	Take off contaminated clothing and wash before reuse.
	: P363	Wash contaminated clothing before reuse.
	: P391	Collect spillage.
Storage	: P403+P233	Store in a well-ventilated place. Keep container tightly closed.
	: P405	Store locked up...
Disposal	: P501	Dispose of contents/container to... in accordance with local/regional/national/international regulation(to be specified).

### 2.3. Other hazards

Other hazards : No information available

## SECTION 3 : Composition/information on ingredients

### 3.1. Substance

Substances : No information available

### 3.2. Mixture

Ingredients	% By weight	CAS No.	EC No.	EU Classification				Note
				67/548/ EEC (DSD)	CLP			
					Hazard class and category codes	Hazard statement codes	Pictogram/ Signal word codes	
CARBON BLACK	1-5	Proprietary	Proprietary					

Ingredients	% By weight	CAS No.	EC No.	EU Classification				Note
				67/548/ EEC (DSD)	CLP			
					Hazard class and category codes	Hazard statement codes	Pictogram/ Signal word codes	
OXYBIS(METHYL-2,1-ETHANEDIYL) DIACRYLATE	5-15	57472-68-1	260-754-3	Xi; R38 Xi; R41 R43	Skin Irrit. 2 Skin Sens. 1 Eye Dam. 1	H315 H317 H318	GHS05 Dg	
1-VINYLSHEXAHYDRO -2H-AZEPIN-2-ONE	10-20	2235-00-9	218-787-6	-	Acute Tox. 4 Skin Sens. 1B Eye Irrit. 2A STOT RE 1	H302 H312 H317 H319 H372	GHS08 GHS07 Dgr	
ISOBONYL ACRYLATE	5-15	5888-33-5	227-561-6		Skin Irrit. 2 Skin Sens. 1 Eye Irrit. 2 STOT SE 3 Aquatic Acute 1 Aquatic Chronic 1	H315 H317 H319 H335 H400 H410	GHS07 GHS09 wng	
TETRAHYDROFURFURYL ACRYLATE	10-20	2399-48-6	219-268-7		Skin Irrit. 2 Eye Irrit. 2	H315 H319	GHS07 Wng	
2-PHENOXYETHYL ACRYLATE	20-30	48145-04-6	256-360-6		Skin Sens. 1A Aquatic Chronic 2	H317 H411	GHS09 GHS07 Wng	
2-(2-ethoxyethoxy)ethyl acrylate	5-15	7328-17-8	230-811-7	-	Skin Irrit. 2	H319	GHS07 wng	
MULTIFUNCTIONAL ACRYLATE	1-10	-	-					
2-ISOPROPYL-THIOXANTHONE	1-5	5495-84-1	83846-86-0		Acute Tox. 4 Skin Sens. 1	H302 H317	GHS07 wng	
DIPHENYL(2,4,6-TRIMETHYLBENZOYL) - PHOSPHINE OXIDE	1-10	75980-60-8	278-355-8	Repr. Cat. 3; R62	Skin Sens. 1B Repr. 2 Aquatic Acute 2 Aquatic Chronic 2	H317 H361 H401 H411	GHS09 GHS08 GHS07 Wng	
Additive	0.1-5	-	-					

※ Substance is classified in terms of Regulation (EC) No. 1272/2008 Annex VI.

※ Substance with workplace exposure limits.

※ Substance is included in the Candidate List of Substances of Very High Concern for Authorisation.

## SECTION 4 : First aid measures

### 4.1. Description of first aid measures

First-aid measures general : If you feel unwell, seek medical advice.

First-aid measures after inhalation : If breathing is difficult, give oxygen.

	<ul style="list-style-type: none"> <li>: Give artificial respiration if not breathing, and get immediate medical attention.</li> <li>: If the person develops a symptom, move him to an area where fresh air is available.</li> <li>: If the person develops a side effect, move him to an area free of contamination.</li> <li>: Get medical attention.</li> </ul>
First-aid measures after skin contact	<ul style="list-style-type: none"> <li>: Get medical attention, if needed.</li> <li>: Wash skin with soap and plenty of water for at least 15 minutes</li> <li>: Thoroughly clean and dry contaminated clothing and shoes before reuse.</li> <li>: Remove contaminated clothing and shoes and wash skin with water and soap for at least 15 minutes.</li> <li>: If skin is irritated or shows other symptoms, get medical attention.</li> </ul>
First-aid measures after eye contact	<ul style="list-style-type: none"> <li>: While lifting upper eyelid, flush eyes with plenty of water for at least 15 minutes and then get immediate medical attention.</li> </ul>
First-aid measures after ingestion	<ul style="list-style-type: none"> <li>: Get medical attention.</li> <li>: Never make an unconscious person vomit or drink fluids.</li> <li>: If vomiting occurs, keep head lower than hips to help prevent aspiration.</li> <li>: If person is unconscious, turn head to side.</li> <li>: If the person has swallowed a large quantity, let him get medical attention.</li> </ul>

#### 4.2. Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in section 2 and/or in section 11.

#### 4.3. Indication of any immediate medical attention and special treatment needed

Other Information : Treat symptomatically.

### SECTION 5 : Firefighting measures

#### 5.1. Extinguishing media

Suitable extinguishing media	<ul style="list-style-type: none"> <li>: Powder fire extinguishing agent.</li> <li>: Spray stream.</li> <li>: Carbon dioxide</li> <li>: General foam extinguishing agent</li> <li>: Alcohol resistant foam extinguishing agent</li> <li>: Water spray.</li> </ul>
Unsuitable extinguishing media	<ul style="list-style-type: none"> <li>: No data available.</li> </ul>

#### 5.2. Special hazards arising from the substance or mixture

Fire and explosion hazards	<ul style="list-style-type: none"> <li>: There's a small change of fire.</li> <li>: A mixture of vapor and air can be explosive at above a certain ignition point</li> <li>: Vapor or gas can spread instantly after being ignited from a distanced ignition point.</li> <li>: Vapor is heavier than air.</li> <li>: Halogen gas can be produced when it contacts metal</li> <li>: May develop irritating, corrosive, or toxic gases by fire.</li> </ul>
Hazardous combustion products	<ul style="list-style-type: none"> <li>: Discharge of toxic smoke, like carbon oxide, sulfur compounds, acrolein and nitrooxide.</li> </ul>

#### 5.3. Advice for firefighters

Precautionary measures fire	<ul style="list-style-type: none"> <li>: Exposure to fume/heat : keep upwind.</li> <li>: Exposure to fume/heat : have neighbourhood close doors and windows</li> <li>: Move containers from fire area if it can be done without risk.</li> <li>: Do not approach both ends of the tank</li> <li>: Withdraw immediately in case of rising sound from safety devices due to the fire or discoloration of tank.</li> </ul>
Firefighting instructions	<ul style="list-style-type: none"> <li>: Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire-fighting water from entering environment.</li> <li>: Cool container with flooding quantities of water until well after fire is out.</li> <li>: When there's a fire in shipping and unloading or storage area : Cool container with flooding</li> </ul>



# FR170-B01LB

## Safety Data Sheet

In accordance with Regulation (EC) No. 1907/2006 of the European Parliament and the Council (REACH) and Commission Regulation (EU) No. 830/2015

Date of issue : 01/10/2022

Revision date : 01/10/2022

Revision No : 1.0

Page 5/11

### Protection during firefighting

- : quantities of water until well after fire is out by using unmanned hose holders or monitor nozzles.
- : If that is not possible, consider following preventive measures
- : Keep unnecessary people away, isolate hazard area and deny entry.
- : And allow the fire to burn itself out.
- : Flood with fine water spray.
- : Do not scatter spilled material with high-pressure water streams
- : Cool containers with water spray until well after the fire is out.
- : Stay upwind and keep out of low areas.
- : Dike for later disposal.
- : Use extinguishing agent appropriate for surrounding fire. : Flood with fine water spray.
- : The most effect measures would be removing fuel source and suffocating by blocking air supply.
- : Do not enter fire area without proper protective equipment, including respiratory protection.
- : Fire involving tank, rail, car, or tank truck : Evacuation for 0.8Km (1/2 mile) in all directions.
- : Shut off the source of the leakage before trying to extinguish fire.
- : Apply water from a protected location or from a safe distance.
- : Avoid inhalation of material or combustion by-products.
- : Dike for later disposal.

## SECTION 6 : Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

#### For non-emergency personnel

- Protective equipment : Gloves, Protective clothing, see "Material-Handling" to select protective clothing
- Emergency procedures : Evacuate unnecessary personnel.

#### For emergency responders

- Protective equipment : Equip cleanup crew with proper protection.
- Emergency procedures : Ventilate area
- : Absorb with paper.
- : Ventilate to eliminate all vapors, and burn papers.
- : Eliminate all ignition sources.
- : Absorb with dry earth, sand or other non-combustible material, and place in a container.
- : Ventilate a closed area before entering.
- : Use water spray to reduce vapors.
- : Store in an area separated from water supply and sewer
- : Check shipping information and included documents, and contact related agencies and companies to find detailed information on the material.
- : Keep unnecessary people away, isolate hazard area and deny entry.
- : Keep away from heat, fire, flame and other sources of ignition
- : Stop leak if without risk.
- : Deny entry to an area within 25~50m radius from leak, and keep unnecessary people away
- : Stop leak, if it can be done without risk to worker.
- : Stay upwind.
- : Place leaked material in an appropriate container to dispose.

### 6.2. Environmental precautions

- Environmental precautions : Prevent entry to sewers and public waters. Store in an area separated from water supply and sewer.
- : Notify authorities if liquid enters sewers or public waters. Avoid release to the environment.

### 6.3. Methods and material for containment and cleaning up

- Cleaning Methods : Collect spillage. Store away from other materials.
- : Place leaked material in an appropriate container to dispose.
- : Absorb with dry earth, sand or other non-combustible material.

- |             |  |
|-------------|--|
| Containment | <ul style="list-style-type: none"> <li>: Prevent entry into waterways, sewers, basements or confined areas.</li> <li>: Stay upwind and keep out of low areas.</li> <li>: Dike for later disposal.</li> <li>: Keep unnecessary people away, isolate hazard area and deny entry.</li> <li>: Do not touch a damaged container or spilled material without wearing proper protective gears.</li> <li>: Notify the central government and local independent commission for discharge of amounts greater than or equal to the standard..</li> <li>: Keep unnecessary people away, isolate hazard area and deny entry.</li> </ul> |
|-------------|--|

#### 6.4. Reference to other sections

- |                |  |
|----------------|--|
| Other sections | <ul style="list-style-type: none"> <li>: See Section 7 for information on safe handling.</li> <li>: See Section 8 for information on personal protection equipment.</li> <li>: See Section 13 for disposal information.</li> </ul> |
|----------------|--|

### SECTION 7 : Handling and storage

#### 7.1. Precautions for safe handling

- |                               |  |
|-------------------------------|--|
| Precautions for safe handling | <ul style="list-style-type: none"> <li>: Wash hands and other exposed areas with mild soap and water before eating, drinking</li> <li>: Do not press, cut, weld, solder, join, perforate, grind, or heat.</li> <li>: An empty container containing residues (liquid, steam) can be dangerous.</li> <li>: Store by closing a container.</li> <li>: Store in a closed container.</li> <li>: Do not inhale dust, steam, mist or gas.</li> <li>: Minimize development and accumulation of dust.</li> <li>: Use spark-proof tools and explosion-proof equipment.</li> <li>: Do not inhale or ingest.</li> <li>: Wash hands before eating.</li> <li>: Remove contaminated clothing and wash before reuse.</li> <li>: Perform proper ventilation.</li> <li>: Wash thoroughly after handling.</li> <li>: Use only in a well ventilated area.</li> <li>: Handle according to current laws and regulations.</li> <li>: Do not get in eyes, on skin and clothing.</li> <li>: Avoid flame, sparks, static electricity and other ignition sources.</li> </ul> |
|-------------------------------|--|

#### 7.2. Conditions for safe storage, including any incompatibilities

- |                               |   |
|-------------------------------|---|
| Storage conditions            | <ul style="list-style-type: none"> <li>: Keep only in the original container in a cool, well ventilated place away from : Ignition sources, Incompatible materials. Keep container closed when not in use.</li> <li>: Keep container closed when not in use.</li> <li>: Store and handle in accordance with all current regulations and standards.</li> </ul> |
| Incompatible products         | <ul style="list-style-type: none"> <li>: Avoid contacting strong oxidizer.</li> </ul>   |
| Incompatible materials        | <ul style="list-style-type: none"> <li>: Sources of ignition. Direct sunlight.</li> <li>: Keep separated from incompatible substances</li> </ul>  |
| Heat and ignition sources     | <ul style="list-style-type: none"> <li>: Keep substance away from heat source</li> <li>: Keep away from sources of ignition.</li> </ul>   |
| Prohibitions on mixed storage | <ul style="list-style-type: none"> <li>: Keep substance away from oxidizing agents</li> <li>: Avoid contacting halogen or halogen compounds.</li> </ul>   |
| Storage area                  | <ul style="list-style-type: none"> <li>: Store in a cool, dry place.</li> <li>: Store at ambient temperature</li> </ul>   |
| Special rules on packing      | <ul style="list-style-type: none"> <li>: Special requirements closing, clean, correctly labelled, meet the legal requirements.</li> <li>: Secure fragile packagings in solid container.</li> </ul>  |
| Packaging materials           | <ul style="list-style-type: none"> <li>: Suitable material : No data available</li> <li>: Material to avoid : No data available</li> </ul>  |

#### 7.3. Specific end use(s)

- |                     |                     |
|---------------------|---------------------|
| Specific end use(s) | : No data available |
|---------------------|---------------------|

## SECTION 8 : Exposure controls/personal protection

### 8.1. Control parameters

Ingredients	CAS No.	Workplace exposure limit				Notation
		Long-term exposure limit (8-hour TWA reference period)		Short-term exposure limit (15-minute reference period)		
		ppm	mg/m³	ppm	mg/m³	
Carbon Black	1333-86-4	-	3.5	-	7	EH40/2005

※ Workplace exposure limits for substances contained in the mixture

### 8.2. Exposure controls

Personal protective equipment	: Avoid all unnecessary exposure.
Hand protection	: Protective gloves are not required.
	: Wear appropriate chemical resistant gloves.
Eye protection	: Provide an emergency eye wash fountain and quick drench shower in the immediate work area.
	: Wear splash-proof eye goggles.
	: Wear splash resistant safety goggles with a face shield.
Respiratory protection	: Consider warning properties before use.
	: None required under normal operating conditions.
	: None required under normal operating conditions.
	: Respiratory protection is ranked in order from minimum to maximum.
	: Wear respiratory protection that has received the Korea Occupational Safety and Health Agency's black "Safety" mark
Body protection	: Body protection clothing is not required
	: Wear appropriate chemical resistant clothing.
Environmental exposure controls	: Do not allow to enter sewers, surface and ground water
Other information	: Do not eat, drink or smoke during use.

## SECTION 9 : Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Properties	Data	Properties	Data
Appearance	Black liquid	Upper/lower flammability or explosive limits	No data available
Odor	Characteristic	Vapor pressure	<1mmHg at 25 °C
Odor threshold	No data available	Vapor density	No data available
pH	No data available	Relative density	1.00 – 1.15 at 25 °C
Melting point/ Freezing point	No data available	Solubility in water	Not readily soluble in water
Boiling point	>130 °C	Partition coefficient n-octanol/water	No data available
Flash point	> 105 °C	Auto ignition temperature	No data available
Evaporation rate	<0.05 (BuAc=1)	Decomposition temperature	No data available
Flammability (Solid/Gas)	No data available	Viscosity	8-12 cP at 25 °C

### 9.2. Other information

Other information : No data available

### SECTION 10 : Stability and reactivity

#### 10.1. Reactivity

Reactivity : No data available

#### 10.2. Chemical stability

Chemical stability : Do not store for an extended period, or store or use in an area in direct contact with air and sun and above room temperature.  
: May form explosive peroxides.  
: Stable at room temperature and atmospheric pressure.

#### 10.3. Possibility of hazardous reactions

Possibility of hazardous reactions : Stable at room temperature and atmospheric pressure.  
: Polymerization will not occur.

#### 10.4. Conditions to avoid

Conditions to avoid : Avoid heat, flames, sparks and other sources of ignition.  
: Keep separated from incompatible substances.  
: If container is exposed to heat, it may rupture or explode

#### 10.5. Incompatible materials

Incompatible materials : acid, base, oxidizing agents, metallic oxide, peroxides, reducing agents, halogen,  
: inflammables, mineral salt.

#### 10.6. Hazardous decomposition products

Hazardous decomposition products : Produce carbon oxide and sulfur compounds during thermal decomposition.  
: Variety of organic matters, cyanide compounds, ammonia, nitrogen oxide.

### SECTION 11 : Toxicological information

#### 11.1. Information on toxicological effects

Acute toxicity : Not classified

Ingredients	CAS No.	Oral	Eye	Inhalation
1-VINYLHEXAHYDRO -2H-AZEPIN-2-ONE	2235-00-9	LD50 830 mg/kg Rat	No data available	No data available
OXYBIS(METHYL-2,1-ETHANEDIYL) DIACRYLATE	57472-68-1	LD50 4600 mg/kg Rat	LD50>2000 mg/kg Rabbit	No data available
ISOBONYL ACRYLATE	5888-33-5	LD50 4890 mg/kg Rat	LD50>5000 mg/kg Rat	No data available
2-PHENOXYETHYL ACRYLATE	48145-04-6	LD50 4916 mg/kg Rat	LD50 2680 mg/kg Rat	No data available
DIPHENYL(2,4,6-TRIMETHYLBENZOYL) - PHOSPHINE OXIDE	75980-60-8	LD50>5000 mg/kg Rat	No data available	No data available

Skin corrosion/irritation : Skin rabbit, according to skin Irritation test.  
Serious eye damage/irritation : According to rabbit tests, it can develop corneal opacity with pain to human, .  
: but it was recovered in a few days.  
Respiratory or skin sensitization : Not classified  
Germ cell mutagenicity : Not classified  
Carcinogenicity : Not classified  
Reproductive toxicity : Not classified





# FR170-B01LB

## Safety Data Sheet

In accordance with Regulation (EC) No. 1907/2006 of the European Parliament and the Council (REACH) and Commission Regulation (EU) No. 830/2015

Date of issue : 01/10/2022

Revision date : 01/10/2022

Revision No : 1.0

Page 9/11

Specific target organ toxicity (STOT-single exposure)	: It develops lethargy, dizziness, dyspnea, metabolic acidosis, hematuria, or liver disease : When it is inhaled, it irritates nose and neck : It develops repetitive respiratory irritation
Specific target organ toxicity (STOT-repeated exposure)	: According to animal tests, inhalation can cause toxic effects on blood.
Aspiration hazard	: Not classified
Potential Adverse human health effects and Symptoms	: Not classified

### SECTION 12 : Ecological information

#### 12.1. Toxicity

Toxicity : No data available

#### 12.2. Persistence and degradability

Persistence and degradability : No data available

#### 12.3. Bioaccumulative potential

Bioaccumulative potential : No data available

#### 12.4. Mobility in soil

Mobility in soil : No data available

#### 12.5. Results of PBT and vPvB assessment

Results of PBT and vPvB assessment : No data available

#### 12.6. Other adverse effects

Other adverse effects : No data available

### SECTION 13 : Disposal considerations

#### 13.1. Waste treatment methods

Waste disposal recommendations : Dispose in a safe manner in accordance with local/national regulations  
: Dispose of. contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation,  
: Please dispose by using one of the following methods  
: 1. Neutralize, hydrolyze, oxidize, or restore it.  
: 2. Incinerate or melt it in high temperature  
: 3. Solidify it.

Ecology - waste materials : Avoid release to the environment.  
: Consider all cautions specified in all applicable regulations of Waste Management Law

### SECTION 14 : Transport information

#### 14.1. UN number

UN number : No data available

#### 14.2. UN proper shipping name

UN proper shipping name : No data available

#### 14.3. Transport hazard class(es)

Transport hazard class(es) : No data available

#### 14.4. Packing group

Packing group : No data available

#### 14.5. Environmental hazards

Environmental hazards : No data available

#### 14.6. Special precautions for user

Other adverse effects



# FR170-B01LB

## Safety Data Sheet

In accordance with Regulation (EC) No. 1907/2006 of the European Parliament and the Council (REACH) and Commission Regulation (EU) No. 830/2015

Date of issue : 01/10/2022

Revision date : 01/10/2022

Revision No : 1.0

Page 10/11

Ingredients	CAS No.	UN number	Transport hazard class	Packing group
TETRAHYDROFURFURYL ACRYLATE	2399-48-6	3334	9	-

### 14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Transport in bulk according to Annex II : No data available  
of MARPOL 73/78 and the IBC Code

## SECTION 15 : Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### EU Regulations

##### Classification according to Regulation (EC) No 1272/2008 (CLP)

- : The substances in the mixture are not subject to Authorisation under Title VII or Restrictions under Title VIII of Regulation (EC) No. 1907/2006.
- : COMMISSION REGULATION (EU) No 830/2015 of 28 May 2015 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH)

Candidate List of Substances of Very High Concern for Authorisation (Annex XVII)

- : Not classified
- : Substances which appear in Part 3 of Annex VI to Regulation (EC) No 1272/2008 classified as toxic to reproduction category 1A or 1B (Table 3.1) or toxic to reproduction category 1 or 2 (Table 3.2) and listed  
Carcinogen category 1A (Table 3.1)/ carcinogen category 1 (Table 3.2) listed in Appendix 1  
Carcinogen category 1B (Table 3.1)/ carcinogen category 2 (Table 3.2) listed in Appendix 2
- : Without prejudice to the implementation of other Community provisions relating to the classification, packaging and labelling of substances and mixtures, suppliers shall ensure before the placing on the market that the packaging of such substances and mixtures is marked visibly, legibly and indelibly as follows : 'Restricted to professional users'.

Authorisation list (Annex XIV)

- : Not classified

##### Classification according to Directive 1999/45/EC (DPD)

- : Not classified

#### National Regulations

##### Korea

The Korea Industrial Safety and Health Act : No data available  
The Enforcement Decree of : No data available  
Toxic Chemicals Control Act  
The Safety Control of Dangerous Substances Act :

Ingredients	CAS No.	Regulations
ISOBONYL ACRYLATE	5888-33-5	Class 4 Group 3 petroleum, Insoluble 2000
TETRAHYDROFURFURYL ACRYLATE	2399-48-6	Class 4 Group 3 petroleum, Insoluble 2000

The Waste Management Law

Ingredients	CAS No.	Regulations
TETRAHYDROFURFURYL ACRYLATE	2399-48-6	Authorized waste
BIS(2,4,6-TRIMETHYLBENZOYL)-PHENYL PHOSPHINE OXIDE	162881-26-7	Authorized waste

Other regulations : No data available



# FR170-B01LB

## Safety Data Sheet

In accordance with Regulation (EC) No. 1907/2006 of the European Parliament and the Council (REACH) and Commission Regulation (EU) No. 830/2015

Date of issue : 01/10/2022

Revision date : 01/10/2022

Revision No : 1.0

Page 11/11

### 15.2. Chemical safety assessment

Chemical safety assessment : Chemical safety assessment has not been carried out for this mixture

### SECTION 16 : Other information

Data of issue : 10. January. 2022

Latest Revision and Revision data : [Revision] 1.0 [Date] 10. January. 2022

Instructions for the training : Product handling instruction shall be included into the educational system about the safety work (Initial training, training at the workplace, repeated training) according to specific conditions at the workplace

Recommended restrictions on use : Mixture should not be used for any other purpose than for which is appointed (point 1.2).  
(i.e. non-statutory recommendations by supplier) Because of the fact that specific conditions of use of mixture are out of supplier's control, It is responsibility of the user to adjust the prescribed warnings to local laws and regulations. Safety information describes the product in terms of safety and it cannot be considered as technical information about product

Sources of key data used to compile the Safety Data Sheet : SDS was elaborated according to requirements set in Annex II of Regulation (EC) No 1907/2006 of the European Parliament and of the Council. SDS was prepared using data from the producer.

Purpose of SDS : Purpose of this SDS is to provide relevant information for users of product to ensure proper handling and control of risks/hazards.

Classification according to : National Fire Protection Association

NFPA Rating : No data available.

### SECTION 1 : Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product Name : FR170-B01LC

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses : UV Curable ink for inkjet printer

Uses advised against : Do not use for the other application. Restricted to professional users

#### 1.3. Details of the supplier of the safety data sheet

Company Name : InkTec Co.,Ltd.

Address : #108, Neungan-ro, Danwon-gu, Ansan-city, Gyeonggi-do, 425-839, Korea

Tel : +82-31-494-0001

Fax : +82-31-492-2041

Website : <http://kr.inktec.com/>

#### 1.4. Emergency telephone number

Emergency number : Centro Antiveleni (Poisons Centre)

: Dipartimento di Tossicologia Clinica Università Cattolica del Sacro Cuore Roma

Emergency Telephone Number : +39 06 305 4343

### SECTION 2 : Hazards identification

#### 2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 (CLP)

: Acute toxicity, oral Category 4

: Skin corrosion/irritation Category 2

: Sensitisation, Skin Category 1

: Serious eye damage/eye irritation Category 1

: Specific target organ toxicity, single exposure; Respiratory tract irritation Category 1

: Reproductive toxicity Category 2

: Hazardous to the aquatic environment, acute hazard Category 1

: Hazardous to the aquatic environment, long-term hazard Category 1

: Xi; R38,R41,R43, Repr. Cat. 3; R62, R43,

Classification according to Directive 1999/45/EC (DPD)

#### 2.2. Label elements

Labeling according to Regulation (EC) No 1272/2008 (CLP)

Hazard symbols :



GHS05

GHS07

GHS08

GHS09

Signal word

: Warning

Hazard statements

: H302

Harmful if swallowed

: H312

Harmful in contact with skin

: H315

Causes skin irritation

: H317

May cause an allergic skin reaction

: H318

Causes serious eye damage.

: H319

Causes serious eye irritation

: H335

May cause respiratory irritation

: H361

Suspected of damaging fertility or the unborn child

: H372

Causes damage to organs through prolonged or repeated exposure.

: H400

Very toxic to aquatic life

: H401

Toxic to aquatic life



# FR170-B01LC

## Safety Data Sheet

In accordance with Regulation (EC) No. 1907/2006 of the European Parliament and the Council (REACH) and Commission Regulation (EU) No. 830/2015

Date of issue : 01/10/2022

Revision date : 01/10/2022

Revision No : 1.0

Page 2/11

	: H410	Very toxic to aquatic life with long lasting effects
	: H411	Toxic to aquatic life with long lasting effects.
Precautionary statements		
Precautionary	: P201	Obtain special instructions before use.
	: P202	Do not handle until all safety precautions have been read and understood.
	: P260	Do not breathe dust/fume/gas/mist/vapours/spray.
	: P261	Avoid breathing dust/fume/gas/mist/vapours/spray
	: P264	Wash ... thoroughly after handling
	: P270	Do not eat, drink or smoke when using this product.
	: P271	Use only outdoors or in a well-ventilated area.
	: P272	Contaminated work clothing should not be allowed out of the workplace.
	: P273	Avoid release to the environment
	: P280	Wear protective gloves/protective clothing/eye protection/face protection.
	: P281	Use personal protective equipment as required.
Countermeasure	: P301+P312	IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell.
	: P302+P352	IF ON SKIN: Wash with plenty of soap and water.
	: P304+P340	IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
	: P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
	: P308+P313	IF exposed or concerned: Get medical advice/attention
	: P310	Immediately call a POISON CENTER or doctor/physician.
	: P312	Call a POISON CENTER or doctor/physician if you feel unwell
	: P314	Get medical advice/attention if you feel unwell.
	: P321	Specific treatment (see ... on this label).
	: P322	Specific measures (see ... on this label).
	: P330	Rinse mouth.
	: P332+P313	If skin irritation occurs: Get medical advice/attention.
	: P333+P313	If skin irritation or rash occurs: Get medical advice/attention.
	: P362	Take off contaminated clothing and wash before reuse.
	: P363	Wash contaminated clothing before reuse.
	: P391	Collect spillage.
Storage	: P403+P233	Store in a well-ventilated place. Keep container tightly closed.
	: P405	Store locked up...
Disposal	: P501	Dispose of contents/container to... in accordance with local/regional/national/international regulation(to be specified).

### 2.3. Other hazards

Other hazards : No information available

## SECTION 3 : Composition/information on ingredients

### 3.1. Substance

Substances : No information available

### 3.2. Mixture

Ingredients	% By weight	CAS No.	EC No.	EU Classification				Note
				67/548/ EEC (DSD)	CLP			
					Hazard class and category codes	Hazard statement codes	Pictogram/ Signal word codes	
ORGANIC PIGMENT BLUE	1-5	Proprietary	Proprietary					

Ingredients	% By weight	CAS No.	EC No.	EU Classification				Note
				67/548/EEC (DSD)	CLP			
					Hazard class and category codes	Hazard statement codes	Pictogram/Signal word codes	
OXYBIS(METHYL-2,1-ETHANEDIYL) DIACRYLATE	5-15	57472-68-1	260-754-3	Xi; R38 Xi; R41 R43	Skin Irrit. 2 Skin Sens. 1 Eye Dam. 1	H315 H317 H318	GHS05 Dg	
1-VINYLHEXAHYDRO -2H-AZEPIN-2-ONE	10-20	2235-00-9	218-787-6	-	Acute Tox. 4 Skin Sens. 1B Eye Irrit. 2A STOT RE 1	H302 H312 H317 H319 H372	GHS08 GHS07 Dgr	
ISOBONYL ACRYLATE	5-15	5888-33-5	227-561-6		Skin Irrit. 2 Skin Sens. 1 Eye Irrit. 2 STOT SE 3 Aquatic Acute 1 Aquatic Chronic 1	H315 H317 H319 H335 H400 H410	GHS07 GHS09 wng	
TETRAHYDROFURFURYL ACRYLATE	10-20	2399-48-6	219-268-7		Skin Irrit. 2 Eye Irrit. 2	H315 H319	GHS07 Wng	
2-PHENOXYETHYL ACRYLATE	20-30	48145-04-6	256-360-6		Skin Sens. 1A Aquatic Chronic 2	H317 H411	GHS09 GHS07 Wng	
2-(2-ethoxyethoxy)ethyl acrylate	5-15	7328-17-8	230-811-7	-	Skin Irrit. 2	H319	GHS07 wng	
MULTIFUNCTIONAL ACRYLATE	1-10	-	-					
DIPHENYL(2,4,6-TRIMETHYLBENZOYL) - PHOSPHINE OXIDE	1-10	75980-60-8	278-355-8	Repr. Cat. 3; R62	Skin Sens. 1B Repr. 2 Aquatic Acute 2 Aquatic Chronic 2	H317 H361 H401 H411	GHS09 GHS08 GHS07 Wng	
Additive	0.1-5	-	-					

\* Substance is classified in terms of Regulation (EC) No. 1272/2008 Annex VI.

\* Substance with workplace exposure limits.

\* Substance is included in the Candidate List of Substances of Very High Concern for Authorisation.

## SECTION 4 : First aid measures

### 4.1. Description of first aid measures

First-aid measures general

: If you feel unwell, seek medical advice.

First-aid measures after inhalation

: If breathing is difficult, give oxygen.

: Give artificial respiration if not breathing, and get immediate medical attention.

	: If the person develops a symptom, move him to an area where fresh air is available.
	: If the person develops a side effect, move him to an area free of contamination.
	: Get medical attention.
First-aid measures after skin contact	: Get medical attention, if needed.
	: Wash skin with soap and plenty of water for at least 15 minutes
	: Thoroughly clean and dry contaminated clothing and shoes before reuse.
	: Remove contaminated clothing and shoes and wash skin with water and soap for at least 15 minutes.
	: If skin is irritated or shows other symptoms, get medical attention.
First-aid measures after eye contact	: While lifting upper eyelid, flush eyes with plenty of water for at least 15 minutes and then get immediate medical attention.
First-aid measures after ingestion	: Get medical attention.
	: Never make an unconscious person vomit or drink fluids.
	: If vomiting occurs, keep head lower than hips to help prevent aspiration.
	: If person is unconscious, turn head to side.
	: If the person has swallowed a large quantity, let him get medical attention.

### 4.2. Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in section 2 and/or in section 11.

### 4.3. Indication of any immediate medical attention and special treatment needed

Other Information : Treat symptomatically.

## SECTION 5 : Firefighting measures

### 5.1. Extinguishing media

Suitable extinguishing media	: Powder fire extinguishing agent.
	: Spray stream.
	: Carbon dioxide
	: General foam extinguishing agent
	: Alcohol resistant foam extinguishing agent
	: Water spray.
Unsuitable extinguishing media	: No data available.

### 5.2. Special hazards arising from the substance or mixture

Fire and explosion hazards	: There's a small change of fire.
	: A mixture of vapor and air can be explosive at above a certain ignition point
	: Vapor or gas can spread instantly after being ignited from a distanced ignition point.
	: Vapor is heavier than air.
	: Halogen gas can be produced when it contacts metal
	: May develop irritating, corrosive, or toxic gases by fire.
Hazardous combustion products	: Discharge of toxic smoke, like carbon oxide, sulfur compounds, acrolein and nitrooxide.

### 5.3. Advice for firefighters

Precautionary measures fire	: Exposure to fume/heat : keep upwind.
	: Exposure to fume/heat : have neighbourhood close doors and windows
	: Move containers from fire area if it can be done without risk.
	: Do not approach both ends of the tank
	: Withdraw immediately in case of rising sound from safety devices due to the fire or discoloration of tank.
Firefighting instructions	: Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire-fighting water from entering environment.
	: Cool container with flooding quantities of water until well after fire is out.
	: When there's a fire in shipping and unloading or storage area : Cool container with flooding
	: quantities of water until well after fire is out by using unmanned hose holders or monitor nozzles.



# FR170-B01LC

## Safety Data Sheet

In accordance with Regulation (EC) No. 1907/2006 of the European Parliament and the Council (REACH) and Commission Regulation (EU) No. 830/2015

Date of issue : 01/10/2022

Revision date : 01/10/2022

Revision No : 1.0

Page 5/11

### Protection during firefighting

- : If that is not possible, consider following preventive measures
- : Keep unnecessary people away, isolate hazard area and deny entry.
- : And allow the fire to burn itself out.
- : Flood with fine water spray.
- : Do not scatter spilled material with high-pressure water streams
- : Cool containers with water spray until well after the fire is out.
- : Stay upwind and keep out of low areas.
- : Dike for later disposal.
- : Use extinguishing agent appropriate for surrounding fire. : Flood with fine water spray.
- : The most effect measures would be removing fuel source and suffocating by blocking air supply.
- : Do not enter fire area without proper protective equipment, including respiratory protection.
- : Fire involving tank, rail, car, or tank truck : Evacuation for 0.8Km (1/2 mile) in all directions.
- : Shut off the source of the leakage before trying to extinguish fire.
- : Apply water from a protected location or from a safe distance.
- : Avoid inhalation of material or combustion by-products.
- : Dike for later disposal.

## SECTION 6 : Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

#### For non-emergency personnel

- Protective equipment : Gloves, Protective clothing, see "Material-Handling" to select protective clothing
- Emergency procedures : Evacuate unnecessary personnel.

#### For emergency responders

- Protective equipment : Equip cleanup crew with proper protection.
- Emergency procedures : Ventilate area
- : Absorb with paper.
- : Ventilate to eliminate all vapors, and burn papers.
- : Eliminate all ignition sources.
- : Absorb with dry earth, sand or other non-combustible material, and place in a container.
- : Ventilate a closed area before entering.
- : Use water spray to reduce vapors.
- : Store in an area separated from water supply and sewer
- : Check shipping information and included documents, and contact related agencies and companies to find detailed information on the material.
- : Keep unnecessary people away, isolate hazard area and deny entry.
- : Keep away from heat, fire, flame and other sources of ignition
- : Stop leak if without risk.
- : Deny entry to an area within 25-50m radius from leak, and keep unnecessary people away
- : Stop leak, if it can be done without risk to worker.
- : Stay upwind.
- : Place leaked material in an appropriate container to dispose.

### 6.2. Environmental precautions

- Environmental precautions : Prevent entry to sewers and public waters. Store in an area separated from water supply and sewer.
- : Notify authorities if liquid enters sewers or public waters Avoid release to the environment.

### 6.3. Methods and material for containment and cleaning up

- Cleaning Methods : Collect spillage. Store away from other materials.
- : Place leaked material in an appropriate container to dispose.



Containment	<ul style="list-style-type: none"> <li>: Absorb with dry earth, sand or other non-combustible material.</li> <li>: Prevent entry into waterways, sewers, basements or confined areas.</li> <li>: Stay upwind and keep out of low areas.</li> <li>: Dike for later disposal.</li> <li>: Keep unnecessary people away, isolate hazard area and deny entry.</li> <li>: Do not touch a damaged container or spilled material without wearing proper protective gears.</li> <li>: Notify the central government and local independent commission for discharge of amounts greater than or equal to the standard..</li> <li>: Keep unnecessary people away, isolate hazard area and deny entry.</li> </ul>
-------------	--

### 6.4. Reference to other sections

Other sections	<ul style="list-style-type: none"> <li>: See Section 7 for information on safe handling.</li> <li>: See Section 8 for information on personal protection equipment.</li> <li>: See Section 13 for disposal information.</li> </ul>
----------------	--

## SECTION 7 : Handling and storage

### 7.1. Precautions for safe handling

Precautions for safe handling	<ul style="list-style-type: none"> <li>: Wash hands and other exposed areas with mild soap and water before eating, drinking</li> <li>: Do not press, cut, weld, solder, join, perforate, grind, or heat.</li> <li>: An empty container containing residues (liquid, steam) can be dangerous.</li> <li>: Store by closing a container.</li> <li>: Store in a closed container.</li> <li>: Do not inhale dust, steam, mist or gas.</li> <li>: Minimize development and accumulation of dust.</li> <li>: Use spark-proof tools and explosion-proof equipment.</li> <li>: Do not inhale or ingest.</li> <li>: Wash hands before eating.</li> <li>: Remove contaminated clothing and wash before reuse.</li> <li>: Perform proper ventilation.</li> <li>: Wash thoroughly after handling.</li> <li>: Use only in a well ventilated area.</li> <li>: Handle according to current laws and regulations.</li> <li>: Do not get in eyes, on skin and clothing.</li> <li>: Avoid flame, sparks, static electricity and other ignition sources.</li> </ul>
-------------------------------	--

### 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions	<ul style="list-style-type: none"> <li>: Keep only in the original container in a cool, well ventilated place away from : Ignition sources, Incompatible materials. Keep container closed when not in use.</li> <li>: Keep container closed when not in use.</li> <li>: Store and handle in accordance with all current regulations and standards.</li> </ul>
Incompatible products	<ul style="list-style-type: none"> <li>: Avoid contacting strong oxidizer.</li> </ul>
Incompatible materials	<ul style="list-style-type: none"> <li>: Sources of ignition. Direct sunlight.</li> <li>: Keep separated from incompatible substances</li> </ul>
Heat and ignition sources	<ul style="list-style-type: none"> <li>: Keep substance away from heat source</li> <li>: Keep away from sources of ignition.</li> </ul>
Prohibitions on mixed storage	<ul style="list-style-type: none"> <li>: Keep substance away from oxidizing agents</li> <li>: Avoid contacting halogen or halogen compounds.</li> </ul>
Storage area	<ul style="list-style-type: none"> <li>: Store in a cool, dry place.</li> <li>: Store at ambient temperature</li> </ul>
Special rules on packing	<ul style="list-style-type: none"> <li>: Special requirements closing, clean, correctly labelled, meet the legal requirements.</li> <li>: Secure fragile packagings in solid container.</li> </ul>
Packaging materials	<ul style="list-style-type: none"> <li>: Suitable material : No data available</li> <li>: Material to avoid : No data available</li> </ul>

### 7.3. Specific end use(s)

Specific end use(s)	: No data available
---------------------	---------------------



# FR170-B01LC

## Safety Data Sheet

In accordance with Regulation (EC) No. 1907/2006 of the European Parliament and the Council (REACH) and Commission Regulation (EU) No. 830/2015

Date of issue : 01/10/2022

Revision date : 01/10/2022

Revision No : 1.0

Page 7/11

### SECTION 8 : Exposure controls/personal protection

#### 8.1. Control parameters

Ingredients	CAS No.	Workplace exposure limit				Notation
		Long-term exposure limit (8-hour TWA reference period)		Short-term exposure limit (15-minute reference period)		
		ppm	mg/m³	ppm	mg/m³	

※ Workplace exposure limits for substances contained in the mixture

#### 8.2. Exposure controls

Personal protective equipment	: Avoid all unnecessary exposure.
Hand protection	: Protective gloves are not required.
	: Wear appropriate chemical resistant gloves.
Eye protection	: Provide an emergency eye wash fountain and quick drench shower in the immediate work area.
	: Wear splash-proof eye goggles.
	: Wear splash resistant safety goggles with a face shield.
Respiratory protection	: Consider warning properties before use.
	: None required under normal operating conditions.
	: None required under normal operating conditions.
	: Respiratory protection is ranked in order from minimum to maximum.
	: Wear respiratory protection that has received the Korea Occupational Safety and Health Agency's black "Safety" mark
Body protection	: Body protection clothing is not required
	: Wear appropriate chemical resistant clothing.
Environmental exposure controls	: Do not allow to enter sewers, surface and ground water
Other information	: Do not eat, drink or smoke during use.

### SECTION 9 : Physical and chemical properties

#### 9.1. Information on basic physical and chemical properties

Properties	Data	Properties	Data
Appearance	Cyan liquid	Upper/lower flammability or explosive limits	No data available
Odor	Characteristic	Vapor pressure	<1mmHg at 25 °C
Odor threshold	No data available	Vapor density	No data available
pH	No data available	Relative density	1.00 – 1.15 at 25 °C
Melting point/ Freezing point	No data available	Solubility in water	Not readily soluble in water
Boiling point	>130 °C	Partition coefficient n-octanol/water	No data available
Flash point	> 105 °C	Auto ignition temperature	No data available
Evaporation rate	<0.05 (BuAc=1)	Decomposition temperature	No data available
Flammability (Solid/Gas)	No data available	Viscosity	8-12 cP at 25 °C

#### 9.2. Other information

Other information	: No data available
-------------------	---------------------

### SECTION 10 : Stability and reactivity

#### 10.1. Reactivity

Reactivity : No data available

#### 10.2. Chemical stability

Chemical stability : Do not store for an extended period, or store or use in an area in direct contact with air and sun and above room temperature.  
: May form explosive peroxides.  
: Stable at room temperature and atmospheric pressure.

#### 10.3. Possibility of hazardous reactions

Possibility of hazardous reactions : Stable at room temperature and atmospheric pressure.  
: Polymerization will not occur.

#### 10.4. Conditions to avoid

Conditions to avoid : Avoid heat, flames, sparks and other sources of ignition.  
: Keep separated from incompatible substances.  
: If container is exposed to heat, it may rupture or explode

#### 10.5. Incompatible materials

Incompatible materials : acid, base, oxidizing agents, metallic oxide, peroxides, reducing agents, halogen,  
: inflammables, mineral salt.

#### 10.6. Hazardous decomposition products

Hazardous decomposition products : Produce carbon oxide and sulfur compounds during thermal decomposition.  
: Variety of organic matters, cyanide compounds, ammonia, nitrogen oxide.

### SECTION 11 : Toxicological information

#### 11.1. Information on toxicological effects

Acute toxicity : Not classified

Ingredients	CAS No.	Oral	Eye	Inhalation
1-VINYLOXAHYDRO -2H-AZEPIN-2-ONE	2235-00-9	LD50 830 mg/kg Rat	No data available	No data available
OXYBIS(METHYL-2,1-ETHANEDIYL) DIACRYLATE	57472-68-1	LD50 4600 mg/kg Rat	LD50>2000 mg/kg Rabbit	No data available
ISOBONYL ACRYLATE	5888-33-5	LD50 4890 mg/kg Rat	LD50>5000 mg/kg Rat	No data available
2-PHENOXYETHYL ACRYLATE	48145-04-6	LD50 4916 mg/kg Rat	LD50 2680 mg/kg Rat	No data available
DIPHENYL(2,4,6-TRIMETHYLBENZOYL) - PHOSPHINE OXIDE	75980-60-8	LD50>5000 mg/kg Rat	No data available	No data available

Skin corrosion/irritation : Skin rabbit, according to skin Irritation test.

Serious eye damage/irritation : According to rabbit tests, it can develop corneal opacity with pain to human, .  
: but it was recovered in a few days.

Respiratory or skin sensitization : Not classified

Germ cell mutagenicity : Not classified

Carcinogenicity : Not classified

Reproductive toxicity : Not classified



# FR170-B01LC

## Safety Data Sheet

In accordance with Regulation (EC) No. 1907/2006 of the European Parliament and the Council (REACH) and Commission Regulation (EU) No. 830/2015

Date of issue : 01/10/2022

Revision date : 01/10/2022

Revision No : 1.0

Page 9/11

Specific target organ toxicity (STOT-single exposure)	: It develops lethargy, dizziness, dyspnea, metabolic acidosis, hematuria, or liver disease : When it is inhaled, it irritates nose and neck : It develops repetitive respiratory irritation
Specific target organ toxicity (STOT-repeated exposure)	: According to animal tests, inhalation can cause toxic effects on blood.
Aspiration hazard	: Not classified
Potential Adverse human health effects and Symptoms	: Not classified

### SECTION 12 : Ecological information

#### 12.1. Toxicity

Toxicity : No data available

#### 12.2. Persistence and degradability

Persistence and degradability : No data available

#### 12.3. Bioaccumulative potential

Bioaccumulative potential : No data available

#### 12.4. Mobility in soil

Mobility in soil : No data available

#### 12.5. Results of PBT and vPvB assessment

Results of PBT and vPvB assessment : No data available

#### 12.6. Other adverse effects

Other adverse effects : No data available

### SECTION 13 : Disposal considerations

#### 13.1. Waste treatment methods

Waste disposal recommendations : Dispose in a safe manner in accordance with local/national regulations  
: Dispose of. contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation,  
: Please dispose by using one of the following methods  
: 1. Neutralize, hydrolyze, oxidize, or restore it.  
: 2. Incinerate or melt it in high temperature  
: 3. Solidify it.

Ecology - waste materials : Avoid release to the environment.  
: Consider all cautions specified in all applicable regulations of Waste Management Law

### SECTION 14 : Transport information

#### 14.1. UN number

UN number : No data available

#### 14.2. UN proper shipping name

UN proper shipping name : No data available

#### 14.3. Transport hazard class(es)

Transport hazard class(es) : No data available

#### 14.4. Packing group

Packing group : No data available

#### 14.5. Environmental hazards

Environmental hazards : No data available

#### 14.6. Special precautions for user

Other adverse effects : No data available



# FR170-B01LC

## Safety Data Sheet

In accordance with Regulation (EC) No. 1907/2006 of the European Parliament and the Council (REACH) and Commission Regulation (EU) No. 830/2015

Date of issue : 01/10/2022

Revision date : 01/10/2022

Revision No : 1.0

Page 10/11

Ingredients	CAS No.	UN number	Transport hazard class	Packing group
TETRAHYDROFURFURYL ACRYLATE	2399-48-6	3334	9	-

### 14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code : No data available

## SECTION 15 : Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### EU Regulations

##### Classification according to Regulation (EC) No 1272/2008 (CLP)

- : The substances in the mixture are not subject to Authorisation under Title VII or Restrictions under Title VIII of Regulation (EC) No. 1907/2006.
- : COMMISSION REGULATION (EU) No 830/2015 of 28 May 2015 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH)

Candidate List of Substances of Very High Concern for Authorisation (Annex XVII)

- : Not classified
- : Substances which appear in Part 3 of Annex VI to Regulation (EC) No 1272/2008 classified as toxic to reproduction category 1A or 1B (Table 3.1) or toxic to reproduction category 1 or 2 (Table 3.2) and listed  
Carcinogen category 1A (Table 3.1)/ carcinogen category 1 (Table 3.2) listed in Appendix 1  
Carcinogen category 1B (Table 3.1)/ carcinogen category 2 (Table 3.2) listed in Appendix 2
- : Without prejudice to the implementation of other Community provisions relating to the classification, packaging and labelling of substances and mixtures, suppliers shall ensure before the placing on the market that the packaging of such substances and mixtures is marked visibly, legibly and indelibly as follows : 'Restricted to professional users'.

Authorisation list (Annex XIV)

- : Not classified

##### Classification according to Directive 1999/45/EC (DPD)

- : Not classified

#### National Regulations

##### Korea

The Korea Industrial Safety and Health Act : No data available  
The Enforcement Decree of Toxic Chemicals Control Act : No data available  
The Safety Control of Dangerous Substances Act :

Ingredients	CAS No.	Regulations
ISOBONYL ACRYLATE	5888-33-5	Class 4 Group 3 petroleum, Insoluble 2000
TETRAHYDROFURFURYL ACRYLATE	2399-48-6	Class 4 Group 3 petroleum, Insoluble 2000

The Waste Management Law

Ingredients	CAS No.	Regulations
TETRAHYDROFURFURYL ACRYLATE	2399-48-6	Authorized waste
BIS(2,4,6-TRIMETHYLBENZOYL)-PHENYL PHOSPHINEOXIDE	162881-26-7	Authorized waste



# FR170-B01LC

## Safety Data Sheet

In accordance with Regulation (EC) No. 1907/2006 of the European Parliament and the Council (REACH) and Commission Regulation (EU) No. 830/2015

Date of issue : 01/10/2022

Revision date : 01/10/2022

Revision No : 1.0

Page 11/11

Other regulations : No data available

### 15.2. Chemical safety assessment

Chemical safety assessment : Chemical safety assessment has not been carried out for this mixture

## SECTION 16 : Other information

Data of issue : 10. January. 2022

Latest Revision and Revision data : [Revision] 1.0 [Date]10. January. 2022

Instructions for the training : Product handling instruction shall be included into the educational system about the safety work (Initial training, training at the workplace, repeated training) according to specific conditions at the workplace

Recommended restrictions on use : Mixture should not be used for any other purpose than for which is appointed (point 1.2).  
(i.e. non-statutory recommendations by supplier) Because of the fact that specific conditions of use of mixture are out of supplier's control, It is responsibility of the user to adjust the prescribed warnings to local laws and regulations. Safety information describes the product in terms of safety and it cannot be considered as technical information about product

Sources of key data used to compile the Safety Data Sheet : SDS was elaborated according to requirements set in Annex II of Regulation (EC) No 1907/2006 of the European Parliament and of the Council. SDS was prepared using data from the producer.

Purpose of SDS : Purpose of this SDS is to provide relevant information for users of product to ensure proper handling and control of risks/hazards.

Classification according to : National Fire Protection Association

NFPA Rating : No data available

### SECTION 1 : Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product Name : FR170-B01LLC

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses : UV Curable ink for inkjet printer

Uses advised against : Do not use for the other application. Restricted to professional users

#### 1.3. Details of the supplier of the safety data sheet

Company Name : InkTec Co.,Ltd.

Address : #108, Neungan-ro, Danwon-gu, Ansan-city, Gyeonggi-do, 425-839, Korea

Tel : +82-31-494-0001

Fax : +82-31-492-2041

Website : <http://kr.inktec.com/>

#### 1.4. Emergency telephone number

Emergency number : Centro Antiveleni (Poisons Centre)

: Dipartimento di Tossicologia Clinica Universita Cattolica del Sacro Cuore Roma

Emergency Telephone Number : +39 06 305 4343

### SECTION 2 : Hazards identification

#### 2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 (CLP)

: Acute toxicity, oral Category 4

: Skin corrosion/irritation Category 2

: Sensitisation, Skin Category 1

: Serious eye damage/eye irritation Category 1

: Specific target organ toxicity, single exposure; Respiratory tract irritation Category 1

: Reproductive toxicity Category 2

: Hazardous to the aquatic environment, acute hazard Category 1

: Hazardous to the aquatic environment, long-term hazard Category 1

: Xi; R38,R41,R43, Repr. Cat. 3; R62, R43,

Classification according to Directive 1999/45/EC (DPD)

#### 2.2. Label elements

Labeling according to Regulation (EC) No 1272/2008 (CLP)

Hazard symbols :



GHS05

GHS07

GHS08

GHS09

Signal word

: Warning

Hazard statements

: H302 Harmful if swallowed  
 : H312 Harmful in contact with skin  
 : H315 Causes skin irritation  
 : H317 May cause an allergic skin reaction  
 : H318 Causes serious eye damage.  
 : H319 Causes serious eye irritation  
 : H335 May cause respiratory irritation  
 : H361 Suspected of damaging fertility or the unborn child  
 : H372 Causes damage to organs through prolonged or repeated exposure.  
 : H400 Very toxic to aquatic life  
 : H401 Toxic to aquatic life



# FR170-B01LLC

## Safety Data Sheet

In accordance with Regulation (EC) No. 1907/2006 of the European Parliament and the Council (REACH) and Commission Regulation (EU) No. 830/2015

Date of issue : 01/10/2022

Revision date : 01/10/2022

Revision No : 1.0

Page 2/11

	: H410	Very toxic to aquatic life with long lasting effects
	: H411	Toxic to aquatic life with long lasting effects.
Precautionary statements		
Precautionary	: P201	Obtain special instructions before use.
	: P202	Do not handle until all safety precautions have been read and understood.
	: P260	Do not breathe dust/fume/gas/mist/vapours/spray.
	: P261	Avoid breathing dust/fume/gas/mist/vapours/spray
	: P264	Wash ... thoroughly after handling
	: P270	Do not eat, drink or smoke when using this product.
	: P271	Use only outdoors or in a well-ventilated area.
	: P272	Contaminated work clothing should not be allowed out of the workplace.
	: P273	Avoid release to the environment
	: P280	Wear protective gloves/protective clothing/eye protection/face protection.
	: P281	Use personal protective equipment as required.
Countermeasure	: P301+P312	IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell.
	: P302+P352	IF ON SKIN: Wash with plenty of soap and water.
	: P304+P340	IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
	: P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
	: P308+P313	IF exposed or concerned: Get medical advice/attention
	: P310	Immediately call a POISON CENTER or doctor/physician.
	: P312	Call a POISON CENTER or doctor/physician if you feel unwell
	: P314	Get medical advice/attention if you feel unwell.
	: P321	Specific treatment (see ... on this label).
	: P322	Specific measures (see ... on this label).
	: P330	Rinse mouth.
	: P332+P313	If skin irritation occurs: Get medical advice/attention.
	: P333+P313	If skin irritation or rash occurs: Get medical advice/attention.
	: P362	Take off contaminated clothing and wash before reuse.
	: P363	Wash contaminated clothing before reuse.
	: P391	Collect spillage.
Storage	: P403+P233	Store in a well-ventilated place. Keep container tightly closed.
	: P405	Store locked up...
Disposal	: P501	Dispose of contents/container to... in accordance with local/regional/national/international regulation(to be specified).

### 2.3. Other hazards

Other hazards : No information available

## SECTION 3 : Composition/information on ingredients

### 3.1. Substance

Substances : No information available

### 3.2. Mixture

Ingredients	% By weight	CAS No.	EC No.	EU Classification				Note
				67/548/ EEC (DSD)	CLP			
					Hazard class and category codes	Hazard statement codes	Pictogram/ Signal word codes	
ORGANIC PIGMENT BLUE	0.1-3	Proprietary	Proprietary					



Ingredients	% By weight	CAS No.	EC No.	EU Classification				Note
				67/548/EEC (DSD)	CLP			
					Hazard class and category codes	Hazard statement codes	Pictogram/Signal word codes	
OXYBIS(METHYL-2,1-ETHANEDIYL) DIACRYLATE	5-15	57472-68-1	260-754-3	Xi; R38 Xi; R41 R43	Skin Irrit. 2 Skin Sens. 1 Eye Dam. 1	H315 H317 H318	GHS05 Dg	
1-VINYLSHEXAHYDRO-2H-AZEPIN-2-ONE	10-20	2235-00-9	218-787-6	-	Acute Tox. 4 Skin Sens. 1B Eye Irrit. 2A STOT RE 1	H302 H312 H317 H319 H372	GHS08 GHS07 Dgr	
ISOBONYL ACRYLATE	5-15	5888-33-5	227-561-6		Skin Irrit. 2 Skin Sens. 1 Eye Irrit. 2 STOT SE 3 Aquatic Acute 1 Aquatic Chronic 1	H315 H317 H319 H335 H400 H410	GHS07 GHS09 wng	
TETRAHYDROFURFURYL ACRYLATE	10-20	2399-48-6	219-268-7		Skin Irrit. 2 Eye Irrit. 2	H315 H319	GHS07 Wng	
2-PHENOXYETHYL ACRYLATE	20-30	48145-04-6	256-360-6		Skin Sens. 1A Aquatic Chronic 2	H317 H411	GHS09 GHS07 Wng	
2-(2-ethoxyethoxy)ethyl acrylate	5-15	7328-17-8	230-811-7	-	Skin Irrit. 2	H319	GHS07 wng	
MULTIFUNCTIONAL ACRYLATE	1-10	-	-					
DIPHENYL(2,4,6-TRIMETHYLBENZOYL) - PHOSPHINE OXIDE	1-10	75980-60-8	278-355-8	Repr. Cat. 3; R62	Skin Sens. 1B Repr. 2 Aquatic Acute 2 Aquatic Chronic 2	H317 H361 H401 H411	GHS09 GHS08 GHS07 Wng	
Additive	0.1-5	-	-					

※ Substance is classified in terms of Regulation (EC) No. 1272/2008 Annex VI.

※ Substance with workplace exposure limits.

※ Substance is included in the Candidate List of Substances of Very High Concern for Authorisation.

## SECTION 4 : First aid measures

### 4.1. Description of first aid measures

First-aid measures general

: If you feel unwell, seek medical advice.

First-aid measures after inhalation

: If breathing is difficult, give oxygen.

: Give artificial respiration if not breathing, and get immediate medical attention.

: If the person develops a symptom, move him to an area where fresh air is available.



# FR170-B01LLC

## Safety Data Sheet

In accordance with Regulation (EC) No. 1907/2006 of the European Parliament and the Council (REACH) and Commission Regulation (EU) No. 830/2015

Date of issue : 01/10/2022

Revision date : 01/10/2022

Revision No : 1.0

Page 4/11

	: If the person develops a side effect, move him to an area free of contamination.
	: Get medical attention.
First-aid measures after skin contact	: Get medical attention, if needed.
	: Wash skin with soap and plenty of water for at least 15 minutes
	: Thoroughly clean and dry contaminated clothing and shoes before reuse.
	: Remove contaminated clothing and shoes and wash skin with water and soap for at least 15 minutes.
First-aid measures after eye contact	: If skin is irritated or shows other symptoms, get medical attention.
	: While lifting upper eyelid, flush eyes with plenty of water for at least 15 minutes and then get immediate medical attention.
First-aid measures after ingestion	: Get medical attention.
	: Never make an unconscious person vomit or drink fluids.
	: If vomiting occurs, keep head lower than hips to help prevent aspiration.
	: If person is unconscious, turn head to side.
	: If the person has swallowed a large quantity, let him get medical attention.

### 4.2. Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in section 2 and/or in section 11.

### 4.3. Indication of any immediate medical attention and special treatment needed

Other Information : Treat symptomatically.

## SECTION 5 : Firefighting measures

### 5.1. Extinguishing media

Suitable extinguishing media	: Powder fire extinguishing agent.
	: Spray stream.
	: Carbon dioxide
	: General foam extinguishing agent
	: Alcohol resistant foam extinguishing agent
	: Water spray.
Unsuitable extinguishing media	: No data available.

### 5.2. Special hazards arising from the substance or mixture

Fire and explosion hazards	: There's a small change of fire.
	: A mixture of vapor and air can be explosive at above a certain ignition point
	: Vapor or gas can spread instantly after being ignited from a distanced ignition point.
	: Vapor is heavier than air.
	: Halogen gas can be produced when it contacts metal
	: May develop irritating, corrosive, or toxic gases by fire.
Hazardous combustion products	: Discharge of toxic smoke, like carbon oxide, sulfur compounds, acrolein and nitroxide.

### 5.3. Advice for firefighters

Precautionary measures fire	: Exposure to fume/heat : keep upwind.
	: Exposure to fume/heat : have neighbourhood close doors and windows
	: Move containers from fire area if it can be done without risk.
	: Do not approach both ends of the tank
	: Withdraw immediately in case of rising sound from safety devices due to the fire or discoloration of tank.
Firefighting instructions	: Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire-fighting water from entering environment.
	: Cool container with flooding quantities of water until well after fire is out.
	: When there's a fire in shipping and unloading or storage area : Cool container with flooding quantities of water until well after fire is out by using unmanned hose holders or monitor nozzles.
	: If that is not possible, consider following preventive measures



# FR170-B01LLC

## Safety Data Sheet

In accordance with Regulation (EC) No. 1907/2006 of the European Parliament and the Council (REACH) and Commission Regulation (EU) No. 830/2015

Date of issue : 01/10/2022

Revision date : 01/10/2022

Revision No : 1.0

Page 5/11

### Protection during firefighting

- : Keep unnecessary people away, isolate hazard area and deny entry.
- : And allow the fire to burn itself out.
- : Flood with fine water spray.
- : Do not scatter spilled material with high-pressure water streams
- : Cool containers with water spray until well after the fire is out.
- : Stay upwind and keep out of low areas.
- : Dike for later disposal.
- : Use extinguishing agent appropriate for surrounding fire. : Flood with fine water spray.
- : The most effect measures would be removing fuel source and suffocating by blocking air supply.
- : Do not enter fire area without proper protective equipment, including respiratory protection.
- : Fire involving tank, rail, car, or tank truck : Evacuation for 0.8Km (1/2 mile) in all directions.
- : Shut off the source of the leakage before trying to extinguish fire.
- : Apply water from a protected location or from a safe distance.
- : Avoid inhalation of material or combustion by-products.
- : Dike for later disposal.

## SECTION 6 : Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

#### For non-emergency personnel

- Protective equipment : Gloves, Protective clothing, see "Material-Handling" to select protective clothing
- Emergency procedures : Evacuate unnecessary personnel.

#### For emergency responders

- Protective equipment : Equip cleanup crew with proper protection.
- Emergency procedures : Ventilate area
- : Absorb with paper.
- : Ventilate to eliminate all vapors, and burn papers.
- : Eliminate all ignition sources.
- : Absorb with dry earth, sand or other non-combustible material, and place in a container.
- : Ventilate a closed area before entering.
- : Use water spray to reduce vapors.
- : Store in an area separated from water supply and sewer
- : Check shipping information and included documents, and contact related agencies and companies to find detailed information on the material.
- : Keep unnecessary people away, isolate hazard area and deny entry.
- : Keep away from heat, fire, flame and other sources of ignition
- : Stop leak if without risk.
- : Deny entry to an area within 25~50m radius from leak, and keep unnecessary people away
- : Stop leak, if it can be done without risk to worker.
- : Stay upwind.
- : Place leaked material in an appropriate container to dispose.

### 6.2. Environmental precautions

- Environmental precautions : Prevent entry to sewers and public waters. Store in an area separated from water supply and sewer.
- : Notify authorities if liquid enters sewers or public waters Avoid release to the environment.

### 6.3. Methods and material for containment and cleaning up

- Cleaning Methods : Collect spillage. Store away from other materials.
- : Place leaked material in an appropriate container to dispose.
- : Absorb with dry earth, sand or other non-combustible material.



# FR170-B01LLC

## Safety Data Sheet

In accordance with Regulation (EC) No. 1907/2006 of the European Parliament and the Council (REACH) and Commission Regulation (EU) No. 830/2015

Date of issue : 01/10/2022

Revision date : 01/10/2022

Revision No : 1.0

Page 6/11

- |             |  |
|-------------|--|
| Containment | <ul style="list-style-type: none"><li>: Prevent entry into waterways, sewers, basements or confined areas.</li><li>: Stay upwind and keep out of low areas.</li><li>: Dike for later disposal.</li><li>: Keep unnecessary people away, isolate hazard area and deny entry.</li><li>: Do not touch a damaged container or spilled material without wearing proper protective gears.</li><li>: Notify the central government and local independent commission for discharge of amounts greater than or equal to the standard..</li><li>: Keep unnecessary people away, isolate hazard area and deny entry.</li></ul> |
|-------------|--|

### 6.4. Reference to other sections

- |                |  |
|----------------|--|
| Other sections | <ul style="list-style-type: none"><li>: See Section 7 for information on safe handling.</li><li>: See Section 8 for information on personal protection equipment.</li><li>: See Section 13 for disposal information.</li></ul> |
|----------------|--|

## SECTION 7 : Handling and storage

### 7.1. Precautions for safe handling

- |                               |  |
|-------------------------------|--|
| Precautions for safe handling | <ul style="list-style-type: none"><li>: Wash hands and other exposed areas with mild soap and water before eating, drinking</li><li>: Do not press, cut, weld, solder, join, perforate, grind, or heat.</li><li>: An empty container containing residues (liquid, steam) can be dangerous.</li><li>: Store by closing a container.</li><li>: Store in a closed container.</li><li>: Do not inhale dust, steam, mist or gas.</li><li>: Minimize development and accumulation of dust.</li><li>: Use spark-proof tools and explosion-proof equipment.</li><li>: Do not inhale or ingest.</li><li>: Wash hands before eating.</li><li>: Remove contaminated clothing and wash before reuse.</li><li>: Perform proper ventilation.</li><li>: Wash thoroughly after handling.</li><li>: Use only in a well ventilated area.</li><li>: Handle according to current laws and regulations.</li><li>: Do not get in eyes, on skin and clothing.</li><li>: Avoid flame, sparks, static electricity and other ignition sources.</li></ul> |
|-------------------------------|--|

### 7.2. Conditions for safe storage, including any incompatibilities

- |                               |   |
|-------------------------------|---|
| Storage conditions            | <ul style="list-style-type: none"><li>: Keep only in the original container in a cool, well ventilated place away from : Ignition sources, Incompatible materials. Keep container closed when not in use.</li><li>: Keep container closed when not in use.</li><li>: Store and handle in accordance with all current regulations and standards.</li></ul> |
| Incompatible products         | <ul style="list-style-type: none"><li>: Avoid contacting strong oxidizer.</li></ul>   |
| Incompatible materials        | <ul style="list-style-type: none"><li>: Sources of ignition. Direct sunlight.</li><li>: Keep separated from incompatible substances</li></ul>   |
| Heat and ignition sources     | <ul style="list-style-type: none"><li>: Keep substance away from heat source</li><li>: Keep away from sources of ignition.</li></ul>  |
| Prohibitions on mixed storage | <ul style="list-style-type: none"><li>: Keep substance away from oxidizing agents</li><li>: Avoid contacting halogen or halogen compounds.</li></ul>  |
| Storage area                  | <ul style="list-style-type: none"><li>: Store in a cool, dry place.</li><li>: Store at ambient temperature</li></ul>  |
| Special rules on packing      | <ul style="list-style-type: none"><li>: Special requirements closing, clean, correctly labelled, meet the legal requirements.</li><li>: Secure fragile packagings in solid container.</li></ul>   |
| Packaging materials           | <ul style="list-style-type: none"><li>: Suitable material : No data available</li><li>: Material to avoid : No data available</li></ul>   |

### 7.3. Specific end use(s)

- |                     |                     |
|---------------------|---------------------|
| Specific end use(s) | : No data available |
|---------------------|---------------------|

## SECTION 8 : Exposure controls/personal protection



# FR170-B01LLC

## Safety Data Sheet

In accordance with Regulation (EC) No. 1907/2006 of the European Parliament and the Council (REACH) and Commission Regulation (EU) No. 830/2015

Date of issue : 01/10/2022

Revision date : 01/10/2022

Revision No : 1.0

Page 7/11

### 8.1. Control parameters

Ingredients	CAS No.	Workplace exposure limit				Notation
		Long-term exposure limit (8-hour TWA reference period)		Short-term exposure limit (15-minute reference period)		
		ppm	mg/m³	ppm	mg/m³	

※ Workplace exposure limits for substances contained in the mixture

### 8.2. Exposure controls

Personal protective equipment	: Avoid all unnecessary exposure.
Hand protection	: Protective gloves are not required.
	: Wear appropriate chemical resistant gloves.
Eye protection	: Provide an emergency eye wash fountain and quick drench shower in the immediate work area.
	: Wear splash-proof eye goggles.
	: Wear splash resistant safety goggles with a face shield.
Respiratory protection	: Consider warning properties before use.
	: None required under normal operating conditions.
	: None required under normal operating conditions.
	: Respiratory protection is ranked in order from minimum to maximum.
	: Wear respiratory protection that has received the Korea Occupational Safety and Health Agency's black "Safety" mark
Body protection	: Body protection clothing is not required
	: Wear appropriate chemical resistant clothing.
Environmental exposure controls	: Do not allow to enter sewers, surface and ground water
Other information	: Do not eat, drink or smoke during use.

## SECTION 9 : Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Properties	Data	Properties	Data
Appearance	Cyan liquid	Upper/lower flammability or explosive limits	No data available
Odor	Characteristic	Vapor pressure	<1mmHg at 25 °C
Odor threshold	No data available	Vapor density	No data available
pH	No data available	Relative density	1.00 – 1.15 at 25 °C
Melting point/ Freezing point	No data available	Solubility in water	Not readily soluble in water
Boiling point	>130 °C	Partition coefficient n-octanol/water	No data available
Flash point	> 105 °C	Auto ignition temperature	No data available
Evaporation rate	<0.05 (BuAc=1)	Decomposition temperature	No data available
Flammability (Solid/Gas)	No data available	Viscosity	8-12 cP at 25 °C

### 9.2. Other information

Other information : No data available

## SECTION 10 : Stability and reactivity



# FR170-B01LLC

## Safety Data Sheet

In accordance with Regulation (EC) No. 1907/2006 of the European Parliament and the Council (REACH) and Commission Regulation (EU) No. 830/2015

Date of issue : 01/10/2022

Revision date : 01/10/2022

Revision No : 1.0

Page 8/11

### 10.1. Reactivity

Reactivity : No data available

### 10.2. Chemical stability

Chemical stability : Do not store for an extended period, or store or use in an area in direct contact with air and sun and above room temperature.  
: May form explosive peroxides.  
: Stable at room temperature and atmospheric pressure.

### 10.3. Possibility of hazardous reactions

Possibility of hazardous reactions : Stable at room temperature and atmospheric pressure.  
: Polymerization will not occur.

### 10.4. Conditions to avoid

Conditions to avoid : Avoid heat, flames, sparks and other sources of ignition.  
: Keep separated from incompatible substances.  
: If container is exposed to heat, it may rupture or explode

### 10.5. Incompatible materials

Incompatible materials : acid, base, oxidizing agents, metallic oxide, peroxides, reducing agents, halogen,  
: inflammables, mineral salt.

### 10.6. Hazardous decomposition products

Hazardous decomposition products : Produce carbon oxide and sulfur compounds during thermal decomposition.  
: Variety of organic matters, cyanide compounds, ammonia, nitrogen oxide.

## SECTION 11 : Toxicological information

### 11.1. Information on toxicological effects

Acute toxicity : Not classified

Ingredients	CAS No.	Oral	Eye	Inhalation
1-VINYLHEXAHYDRO -2H-AZEPIN-2-ONE	2235-00-9	LD50 830 mg/kg Rat	No data available	No data available
OXYBIS(METHYL-2,1-ETHANEDIYL) DIACRYLATE	57472-68-1	LD50 4600 mg/kg Rat	LD50>2000 mg/kg Rabbit	No data available
ISOBONYL ACRYLATE	5888-33-5	LD50 4890 mg/kg Rat	LD50>5000 mg/kg Rat	No data available
2-PHENOXYETHYL ACRYLATE	48145-04-6	LD50 4916 mg/kg Rat	LD50 2680 mg/kg Rat	No data available
DIPHENYL(2,4,6-TRIMETHYLBENZOYL) - PHOSPHINE OXIDE	75980-60-8	LD50>5000 mg/kg Rat	No data available	No data available

Skin corrosion/irritation : Skin rabbit, according to skin Irritation test.

Serious eye damage/irritation : According to rabbit tests, it can develop corneal opacity with pain to human, .  
: but it was recovered in a few days.

Respiratory or skin sensitization : Not classified

Germ cell mutagenicity : Not classified

Carcinogenicity : Not classified

Reproductive toxicity : Not classified

Specific target organ toxicity : It develops lethargy, dizziness, dyspnea, metabolic acidosis, hematuria, or liver disease  
(STOT-single exposure) : When it is inhaled, it irritates nose and neck



# FR170-B01LLC

## Safety Data Sheet

In accordance with Regulation (EC) No. 1907/2006 of the European Parliament and the Council (REACH) and Commission Regulation (EU) No. 830/2015

Date of issue : 01/10/2022

Revision date : 01/10/2022

Revision No : 1.0

Page 9/11

	: It develops repetitive respiratory irritation
Specific target organ toxicity (STOT-repeated exposure)	: According to animal tests, inhalation can cause toxic effects on blood.
Aspiration hazard	: Not classified
Potential Adverse human health effects and Symptoms	: Not classified

### SECTION 12 : Ecological information

#### 12.1. Toxicity

Toxicity	: No data available
----------	---------------------

#### 12.2. Persistence and degradability

Persistence and degradability	: No data available
-------------------------------	---------------------

#### 12.3. Bioaccumulative potential

Bioaccumulative potential	: No data available
---------------------------	---------------------

#### 12.4. Mobility in soil

Mobility in soil	: No data available
------------------	---------------------

#### 12.5. Results of PBT and vPvB assessment

Results of PBT and vPvB assessment	: No data available
------------------------------------	---------------------

#### 12.6. Other adverse effects

Other adverse effects	: No data available
-----------------------	---------------------

### SECTION 13 : Disposal considerations

#### 13.1. Waste treatment methods

Waste disposal recommendations	: Dispose in a safe manner in accordance with local/national regulations
	: Dispose of. contents/container to hazardous or special waste collection point, in accordance with local,
	: regional, national and/or international regulation,
	: Please dispose by using one of the following methods
	: 1. Neutralize, hydrolyze, oxidize, or restore it.
	: 2. Incinerate or melt it in high temperature
	: 3. Solidify it.
Ecology - waste materials	: Avoid release to the environment.
	: Consider all cautions specified in all applicable regulations of Waste Management Law

### SECTION 14 : Transport information

#### 14.1. UN number

UN number	: No data available
-----------	---------------------

#### 14.2. UN proper shipping name

UN proper shipping name	: No data available
-------------------------	---------------------

#### 14.3. Transport hazard class(es)

Transport hazard class(es)	: No data available
----------------------------	---------------------

#### 14.4. Packing group

Packing group	: No data available
---------------	---------------------

#### 14.5. Environmental hazards

Environmental hazards	: No data available
-----------------------	---------------------

#### 14.6. Special precautions for user

Other adverse effects	: No data available
-----------------------	---------------------



# FR170-B01LLC

## Safety Data Sheet

In accordance with Regulation (EC) No. 1907/2006 of the European Parliament and the Council (REACH) and Commission Regulation (EU) No. 830/2015

Date of issue : 01/10/2022

Revision date : 01/10/2022

Revision No : 1.0

Page 10/11

Ingredients	CAS No.	UN number	Transport hazard class	Packing group
TETRAHYDROFURFURYL ACRYLATE	2399-48-6	3334	9	-

### 14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code : No data available

## SECTION 15 : Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### EU Regulations

##### Classification according to Regulation (EC) No 1272/2008 (CLP)

- : The substances in the mixture are not subject to Authorisation under Title VII or Restrictions under Title VIII of Regulation (EC) No. 1907/2006.
- : COMMISSION REGULATION (EU) No 830/2015 of 28 May 2015 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH)

Candidate List of Substances of Very High Concern for Authorisation (Annex XVII)

- : Not classified
- : Substances which appear in Part 3 of Annex VI to Regulation (EC) No 1272/2008 classified as toxic to reproduction category 1A or 1B (Table 3.1) or toxic to reproduction category 1 or 2 (Table 3.2) and listed  
Carcinogen category 1A (Table 3.1)/ carcinogen category 1 (Table 3.2) listed in Appendix 1  
Carcinogen category 1B (Table 3.1)/ carcinogen category 2 (Table 3.2) listed in Appendix 2
- : Without prejudice to the implementation of other Community provisions relating to the classification, packaging and labelling of substances and mixtures, suppliers shall ensure before the placing on the market that the packaging of such substances and mixtures is marked visibly, legibly and indelibly as follows : 'Restricted to professional users'.

Authorisation list (Annex XIV)

- : Not classified

##### Classification according to Directive 1999/45/EC (DPD)

- : Not classified

#### National Regulations

##### Korea

The Korea Industrial Safety and Health Act : No data available  
The Enforcement Decree of Toxic Chemicals Control Act : No data available  
The Safety Control of Dangerous Substances Act :

Ingredients	CAS No.	Regulations
ISOBONYL ACRYLATE	5888-33-5	Class 4 Group 3 petroleum, Insoluble 2000
TETRAHYDROFURFURYL ACRYLATE	2399-48-6	Class 4 Group 3 petroleum, Insoluble 2000

The Waste Management Law

Ingredients	CAS No.	Regulations
TETRAHYDROFURFURYL ACRYLATE	2399-48-6	Authorized waste
BIS(2,4,6-TRIMETHYLBENZOYL)-PHENYL PHOSPHINEOXIDE	162881-26-7	Authorized waste





# FR170-B01LLC

## Safety Data Sheet

In accordance with Regulation (EC) No. 1907/2006 of the European Parliament and the Council (REACH) and Commission Regulation (EU) No. 830/2015

Date of issue : 01/10/2022

Revision date : 01/10/2022

Revision No : 1.0

Page 11/11

Other regulations : No data available

### 15.2. Chemical safety assessment

Chemical safety assessment : Chemical safety assessment has not been carried out for this mixture

## SECTION 16 : Other information

Data of issue : 10. January. 2022

Latest Revision and Revision data : [Revision] 1.0 [Date] 10. January. 2022

Instructions for the training : Product handling instruction shall be included into the educational system about the safety work (Initial training, training at the workplace, repeated training) according to specific conditions at the workplace

Recommended restrictions on use : Mixture should not be used for any other purpose than for which is appointed (point 1.2).  
(i.e. non-statutory recommendations by supplier) Because of the fact that specific conditions of use of mixture are out of supplier's control, It is responsibility of the user to adjust the prescribed warnings to local laws and regulations. Safety information describes the product in terms of safety and it cannot be considered as technical information about product

Sources of key data used to compile the Safety Data Sheet : SDS was elaborated according to requirements set in Annex II of Regulation (EC) No 1907/2006 of the European Parliament and of the Council. SDS was prepared using data from the producer.

Purpose of SDS : Purpose of this SDS is to provide relevant information for users of product to ensure proper handling and control of risks/hazards.

Classification according to : National Fire Protection Association

NFPA Rating : No data available

### SECTION 1 : Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product Name : FR170-B01LLM

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses : UV Curable ink for inkjet printer

Uses advised against : Do not use for the other application. Restricted to professional users

#### 1.3. Details of the supplier of the safety data sheet

Company Name : InkTec Co.,Ltd.

Address : #108, Neungan-ro, Danwon-gu, Ansan-city, Gyeonggi-do, 425-839, Korea

Tel : +82-31-494-0001

Fax : +82-31-492-2041

Website : <http://kr.inktec.com/>

#### 1.4. Emergency telephone number

Emergency number : Centro Antiveleni (Poisons Centre)

: Dipartimento di Tossicologia Clinica Università Cattolica del Sacro Cuore Roma

Emergency Telephone Number : +39 06 305 4343

### SECTION 2 : Hazards identification

#### 2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 (CLP)

: Acute toxicity, oral Category 4

: Skin corrosion/irritation Category 2

: Sensitisation, Skin Category 1

: Serious eye damage/eye irritation Category 1

: Specific target organ toxicity, single exposure; Respiratory tract irritation Category 1

: Reproductive toxicity Category 2

: Hazardous to the aquatic environment, acute hazard Category 1

: Hazardous to the aquatic environment, long-term hazard Category 1

: Xi; R38,R41,R43, Repr. Cat. 3; R62, R43

Classification according to Directive 1999/45/EC (DPD)

#### 2.2. Label elements

Labeling according to Regulation (EC) No 1272/2008 (CLP)

Hazard symbols :



GHS05

GHS07

GHS08

GHS09

Signal word

: Warning

Hazard statements

: H302 Harmful if swallowed  
 : H312 Harmful in contact with skin  
 : H315 Causes skin irritation  
 : H317 May cause an allergic skin reaction  
 : H318 Causes serious eye damage.  
 : H319 Causes serious eye irritation  
 : H335 May cause respiratory irritation  
 : H361 Suspected of damaging fertility or the unborn child  
 : H372 Causes damage to organs through prolonged or repeated exposure.  
 : H400 Very toxic to aquatic life  
 : H401 Toxic to aquatic life



# FR170-B01LLM

## Safety Data Sheet

In accordance with Regulation (EC) No. 1907/2006 of the European Parliament and the Council (REACH) and Commission Regulation (EU) No. 830/2015

Date of issue : 01/10/2022

Revision date : 01/10/2022

Revision No : 1.0

Page 2/11

	: H410	Very toxic to aquatic life with long lasting effects
	: H411	Toxic to aquatic life with long lasting effects.
Precautionary statements		
Precautionary	: P201	Obtain special instructions before use.
	: P202	Do not handle until all safety precautions have been read and understood.
	: P260	Do not breathe dust/fume/gas/mist/vapours/spray.
	: P261	Avoid breathing dust/fume/gas/mist/vapours/spray
	: P264	Wash ... thoroughly after handling
	: P270	Do not eat, drink or smoke when using this product.
	: P271	Use only outdoors or in a well-ventilated area.
	: P272	Contaminated work clothing should not be allowed out of the workplace.
	: P273	Avoid release to the environment
	: P280	Wear protective gloves/protective clothing/eye protection/face protection.
	: P281	Use personal protective equipment as required.
Countermeasure	: P301+P312	IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell.
	: P302+P352	IF ON SKIN: Wash with plenty of soap and water.
	: P304+P340	IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
	: P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
	: P308+P313	IF exposed or concerned: Get medical advice/attention
	: P310	Immediately call a POISON CENTER or doctor/physician.
	: P312	Call a POISON CENTER or doctor/physician if you feel unwell
	: P314	Get medical advice/attention if you feel unwell.
	: P321	Specific treatment (see ... on this label).
	: P322	Specific measures (see ... on this label).
	: P330	Rinse mouth.
	: P332+P313	If skin irritation occurs: Get medical advice/attention.
	: P333+P313	If skin irritation or rash occurs: Get medical advice/attention.
	: P362	Take off contaminated clothing and wash before reuse.
	: P363	Wash contaminated clothing before reuse.
	: P391	Collect spillage.
Storage	: P403+P233	Store in a well-ventilated place. Keep container tightly closed.
	: P405	Store locked up...
Disposal	: P501	Dispose of contents/container to... in accordance with local/regional/national/international regulation(to be specified).

### 2.3. Other hazards

Other hazards : No information available

## SECTION 3 : Composition/information on ingredients

### 3.1. Substance

Substances : No information available

### 3.2. Mixture

Ingredients	% By weight	CAS No.	EC No.	EU Classification				Note
				67/548/ EEC (DSD)	CLP			
					Hazard class and category codes	Hazard statement codes	Pictogram/ Signal word codes	
ORGANIC PIGMENT RED	0.1-3	Proprietary	Proprietary					

Ingredients	% By weight	CAS No.	EC No.	EU Classification				Note
				67/548/EEC (DSD)	CLP			
					Hazard class and category codes	Hazard statement codes	Pictogram/Signal word codes	
OXYBIS(METHYL-2,1-ETHANEDIYL) DIACRYLATE	5-15	57472-68-1	260-754-3	Xi; R38 Xi; R41 R43	Skin Irrit. 2 Skin Sens. 1 Eye Dam. 1	H315 H317 H318	GHS05 Dg	
1-VINYLHEXAHYDRO -2H-AZEPIN-2-ONE	10-20	2235-00-9	218-787-6	-	Acute Tox. 4 Skin Sens. 1B Eye Irrit. 2A STOT RE 1	H302 H312 H317 H319 H372	GHS08 GHS07 Dgr	
ISOBONYL ACRYLATE	5-15	5888-33-5	227-561-6		Skin Irrit. 2 Skin Sens. 1 Eye Irrit. 2 STOT SE 3 Aquatic Acute 1 Aquatic Chronic 1	H315 H317 H319 H335 H400 H410	GHS07 GHS09 wng	
TETRAHYDROFURFURYL ACRYLATE	10-20	2399-48-6	219-268-7		Skin Irrit. 2 Eye Irrit. 2	H315 H319	GHS07 Wng	
2-PHENOXYETHYL ACRYLATE	20-30	48145-04-6	256-360-6		Skin Sens. 1A Aquatic Chronic 2	H317 H411	GHS09 GHS07 Wng	
2-(2-ethoxyethoxy)ethyl acrylate	5-15	7328-17-8	230-811-7	-	Skin Irrit. 2	H319	GHS07 wng	
MULTIFUNCTIONAL ACRYLATE	1-10	-	-					
DIPHENYL(2,4,6-TRIMETHYLBENZOYL) - PHOSPHINE OXIDE	1-10	75980-60-8	278-355-8	Repr. Cat. 3; R62	Skin Sens. 1B Repr. 2 Aquatic Acute 2 Aquatic Chronic 2	H317 H361 H401 H411	GHS09 GHS08 GHS07 Wng	
Additive	0.1-5	-	-					

\* Substance is classified in terms of Regulation (EC) No. 1272/2008 Annex VI.

\* Substance with workplace exposure limits.

\* Substance is included in the Candidate List of Substances of Very High Concern for Authorisation.

## SECTION 4 : First aid measures

### 4.1. Description of first aid measures

First-aid measures general

: If you feel unwell, seek medical advice.

First-aid measures after inhalation

: If breathing is difficult, give oxygen.

: Give artificial respiration if not breathing, and get immediate medical attention.

: If the person develops a symptom, move him to an area where fresh air is available.

: If the person develops a side effect, move him to an area free of contamination.

First-aid measures after skin contact	<ul style="list-style-type: none"> <li>: Get medical attention.</li> <li>: Get medical attention, if needed.</li> <li>: Wash skin with soap and plenty of water for least 15 minutes</li> <li>: Thoroughly clean and dry contaminated clothing and shoes before reuse.</li> <li>: Remove contaminated clothing and shoes and wash skin with water and soap for at least 15 minutes.</li> <li>: If skin is irritated or shows other symptoms, get medical attention.</li> </ul>
First-aid measures after eye contact	<ul style="list-style-type: none"> <li>: While lifting upper eyelid, flush eyes with plenty of water for at least 15 minutes and then get immediate medical attention.</li> </ul>
First-aid measures after ingestion	<ul style="list-style-type: none"> <li>: Get medical attention.</li> <li>: Never make an unconscious person vomit or drink fluids.</li> <li>: If vomiting occurs, keep head lower than hips to help prevent aspiration.</li> <li>: If person is unconscious, turn head to side.</li> <li>: If the person has swallowed a large quantity, let him get medical attention.</li> </ul>

#### 4.2. Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in section 2 and/or in section 11.

#### 4.3. Indication of any immediate medical attention and special treatment needed

Other Information : Treat symptomatically.

### SECTION 5 : Firefighting measures

#### 5.1. Extinguishing media

Suitable extinguishing media	<ul style="list-style-type: none"> <li>: Powder fire extinguishing agent.</li> <li>: Spray stream.</li> <li>: Carbon dioxide</li> <li>: General foam extinguishing agent</li> <li>: Alcohol resistant foam extinguishing agent</li> <li>: Water spray.</li> </ul>
Unsuitable extinguishing media	<ul style="list-style-type: none"> <li>: No data available.</li> </ul>

#### 5.2. Special hazards arising from the substance or mixture

Fire and explosion hazards	<ul style="list-style-type: none"> <li>: There's a small change of fire.</li> <li>: A mixture of vapor and air can be explosive at above a certain ignition point</li> <li>: Vapor or gas can spread instantly after being ignited from a distanced ignition point.</li> <li>: Vapor is heavier than air.</li> <li>: Halogen gas can be produced when it contacts metal</li> <li>: May develop irritating, corrosive, or toxic gases by fire.</li> </ul>
Hazardous combustion products	<ul style="list-style-type: none"> <li>: Discharge of toxic smoke, like carbon oxide, sulfur compounds, acrolein and nitrooxide.</li> </ul>

#### 5.3. Advice for firefighters

Precautionary measures fire	<ul style="list-style-type: none"> <li>: Exposure to fure/heat : keep upwind.</li> <li>: Exposure to fure/heat : have neighbourhood close doors and windows</li> <li>: Move containers from fire area if it can be done without risk.</li> <li>: Do not approach both ends of the tank</li> <li>: Withdraw immediately in case of rising sound from safety devices due to the fire or discoloration discoloration of tank.</li> </ul>
Firefighting instructions	<ul style="list-style-type: none"> <li>: Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire-fighting water from entering environment.</li> <li>: Cool container with flooding quantities of water until well after fire is out.</li> <li>: When there's a fire in shipping and unloading or storage area : Cool container with flooding quantities of water until well after fire is out by using unmanned hose holders or monitor nozzles.</li> <li>: If that is not possible, consider following preventive measures</li> <li>: Keep unnecessary people away, isolate hazard area and deny entry.</li> </ul>



# FR170-B01LLM

## Safety Data Sheet

In accordance with Regulation (EC) No. 1907/2006 of the European Parliament and the Council (REACH) and Commission Regulation (EU) No. 830/2015

Date of issue : 01/10/2022

Revision date : 01/10/2022

Revision No : 1.0

Page 5/11

### Protection during firefighting

- : And allow the fire to burn itself out.
- : Flood with fine water spray.
- : Do not scatter spilled material with high-pressure water streams
- : Cool containers with water spray until well after the fire is out.
- : Stay upwind and keep out of low areas.
- : Dike for later disposal.
- : Use extinguishing agent appropriate for surrounding fire. : Flood with fine water spray.
- : The most effect measures would be removing fuel source and suffocating by blocking air supply.
- : Do not enter fire area without proper protective equipment, including respiratory protection.
- : Fire involving tank, rail, car, or tank truck : Evacuation for 0.8Km (1/2 mile) in all directions.
- : Shut off the source of the leakage before trying to extinguish fire.
- : Apply water from a protected location or from a safe distance.
- : Avoid inhalation of material or combustion by-products.
- : Dike for later disposal.

## SECTION 6 : Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

#### For non-emergency personnel

- Protective equipment : Gloves, Protective clothing, see "Material-Handling" to select protective clothing
- Emergency procedures : Evacuate unnecessary personnel.

#### For emergency responders

- Protective equipment : Equip cleanup crew with proper protection.
- Emergency procedures : Ventilate area
- : Absorb with paper.
- : Ventilate to eliminate all vapors, and burn papers.
- : Eliminate all ignition sources.
- : Absorb with dry earth, sand or other non-combustible material, and place in a container.
- : Ventilate a closed area before entering.
- : Use water spray to reduce vapors.
- : Store in an area separated from water supply and sewer
- : Check shipping information and included documents, and contact related agencies and
- : companies to find detailed information on the material.
- : Keep unnecessary people away, isolate hazard area and deny entry.
- : Keep away from heat, fire, flame and other sources of ignition
- : Stop leak if without risk.
- : Deny entry to an area within 25~50m radius from leak, and keep unnecessary people away
- : Stop leak, if it can be done without risk to worker.
- : Stay upwind.
- : Place leaked material in an appropriate container to dispose.

### 6.2. Environmental precautions

- Environmental precautions : Prevent entry to sewers and public waters. Store in an area separated from water supply and sewer.
- : Notify authorities if liquid enters sewers or public waters Avoid release to the environment.

### 6.3. Methods and material for containment and cleaning up

- Cleaning Methods : Collect spillage. Store away from other materials.
- : Place leaked material in an appropriate container to dispose.
- : Absorb with dry earth, sand or other non-combustible material.
- : Prevent entry into waterways, sewers, basements or confined areas.
- : Stay upwind and keep out of low areas.
- : Dike for later disposal.



# FR170-B01LLM

## Safety Data Sheet

In accordance with Regulation (EC) No. 1907/2006 of the European Parliament and the Council (REACH) and Commission Regulation (EU) No. 830/2015

Date of issue : 01/10/2022

Revision date : 01/10/2022

Revision No : 1.0

Page 6/11

- |             |   |
|-------------|---|
| Containment | : Keep unnecessary people away, isolate hazard area and deny entry.   |
|             | : Do not touch a damaged container or spilled material without wearing proper protective gears.                                   |
|             | : Notify the central government and local independent commission for discharge of amounts greater than or equal to the standard.. |
|             | : Keep unnecessary people away, isolate hazard area and deny entry.   |

### 6.4. Reference to other sections

- |                |   |
|----------------|---|
| Other sections | : See Section 7 for information on safe handling.                 |
|                | : See Section 8 for information on personal protection equipment. |
|                | : See Section 13 for disposal information.                        |

## SECTION 7 : Handling and storage

### 7.1. Precautions for safe handling

- |                               |   |
|-------------------------------|---|
| Precautions for safe handling | : Wash hands and other exposed areas with mild soap and water before eating, drinking |
|                               | : Do not press, cut, weld, solder, join, perforate, grind, or heat.                   |
|                               | : An empty container containing residues (liquid, steam) can be dangerous.            |
|                               | : Store by closing a container.   |
|                               | : Store in a closed container.  |
|                               | : Do not inhale dust, steam, mist or gas.   |
|                               | : Minimize development and accumulation of dust.                                      |
|                               | : Use spark-proof tools and explosion-proof equipment.                                |
|                               | : Do not inhale or ingest.  |
|                               | : Wash hands before eating.   |
|                               | : Remove contaminated clothing and wash before reuse.                                 |
|                               | : Perform proper ventilation.   |
|                               | : Wash thoroughly after handling.   |
|                               | : Use only in a well ventilated area.   |
|                               | : Handle according to current laws and regulations.                                   |
|                               | : Do not get in eyes, on skin and clothing.   |
|                               | : Avoid flame, sparks, static electricity and other ignition sources.                 |

### 7.2. Conditions for safe storage, including any incompatibilities

- |                               |   |
|-------------------------------|---|
| Storage conditions            | : Keep only in the original container in a cool, well ventilated place away from : Ignition sources, Incompatible materials. Keep container closed when not in use. |
|                               | : Keep container closed when not in use.  |
|                               | : Store and handle in accordance with all current regulations and standards.  |
| Incompatible products         | : Avoid contacting strong oxidizer.   |
| Incompatible materials        | : Sources of ignition. Direct sunlight.   |
|                               | : Keep separated from incompatible substances   |
| Heat and ignition sources     | : Keep substance away from heat source  |
|                               | : Keep away from sources of ignition.   |
| Prohibitions on mixed storage | : Keep substance away from oxidizing agents   |
|                               | : Avoid contacting halogen or halogen compounds.  |
| Storage area                  | : Store in a cool, dry place.   |
|                               | : Store at ambient temperature  |
| Special rules on packing      | : Special requirements closing, clean, correctly labelled, meet the legal requirements.   |
|                               | : Secure fragile packagings in solid container.   |
| Packaging materials           | : Suitable material : No data available   |
|                               | : Material to avoid : No data available   |

### 7.3. Specific end use(s)

- |                     |                     |
|---------------------|---------------------|
| Specific end use(s) | : No data available |
|---------------------|---------------------|

## SECTION 8 : Exposure controls/personal protection



# FR170-B01LLM

## Safety Data Sheet

In accordance with Regulation (EC) No. 1907/2006 of the European Parliament and the Council (REACH) and Commission Regulation (EU) No. 830/2015

Date of issue : 01/10/2022

Revision date : 01/10/2022

Revision No : 1.0

Page 7/11

### 8.1. Control parameters

Ingredients	CAS No.	Workplace exposure limit				Notation
		Long-term exposure limit (8-hour TWA reference period)		Short-term exposure limit (15-minute reference period)		
		ppm	mg/m³	ppm	mg/m³	

※ Workplace exposure limits for substances contained in the mixture

### 8.2. Exposure controls

Personal protective equipment	: Avoid all unnecessary exposure.
Hand protection	: Protective gloves are not required.
	: Wear appropriate chemical resistant gloves.
Eye protection	: Provide an emergency eye wash fountain and quick drench shower in the immediate work area.
	: Wear splash-proof eye goggles.
	: Wear splash resistant safety goggles with a face shield.
Respiratory protection	: Consider warning properties before use.
	: None required under normal operating conditions.
	: None required under normal operating conditions.
	: Respiratory protection is ranked in order from minimum to maximum.
	: Wear respiratory protection that has received the Korea Occupational Safety and Health Agency's black "Safety" mark
Body protection	: Body protection clothing is not required
	: Wear appropriate chemical resistant clothing.
Environmental exposure controls	: Do not allow to enter sewers, surface and ground water
Other information	: Do not eat, drink or smoke during use.

## SECTION 9 : Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Properties	Data	Properties	Data
Appearance	Cyan liquid	Upper/lower flammability or explosive limits	No data available
Odor	Characteristic	Vapor pressure	<1mmHg at 25 °C
Odor threshold	No data available	Vapor density	No data available
pH	No data available	Relative density	1.00 – 1.15 at 25 °C
Melting point/ Freezing point	No data available	Solubility in water	Not readily soluble in water
Boiling point	>130 °C	Partition coefficient n-octanol/water	No data available
Flash point	> 105 °C	Auto ignition temperature	No data available
Evaporation rate	<0.05 (BuAc=1)	Decomposition temperature	No data available
Flammability (Solid/Gas)	No data available	Viscosity	8-12 cP at 25 °C

### 9.2. Other information

Other information	: No data available
-------------------	---------------------

## SECTION 10 : Stability and reactivity



### 10.1. Reactivity

Reactivity : No data available

### 10.2. Chemical stability

Chemical stability : Do not store for an extended period, or store or use in an area in direct contact with air and sun and above room temperature.  
: May form explosive peroxides.  
: Stable at room temperature and atmospheric pressure.

### 10.3. Possibility of hazardous reactions

Possibility of hazardous reactions : Stable at room temperature and atmospheric pressure.  
: Polymerization will not occur.

### 10.4. Conditions to avoid

Conditions to avoid : Avoid heat, flames, sparks and other sources of ignition.  
: Keep separated from incompatible substances.  
: If container is exposed to heat, it may rupture or explode

### 10.5. Incompatible materials

Incompatible materials : acid, base, oxidizing agents, metallic oxide, peroxides, reducing agents, halogen,  
: inflammables, mineral salt.

### 10.6. Hazardous decomposition products

Hazardous decomposition products : Produce carbon oxide and sulfur compounds during thermal decomposition.  
: Variety of organic matters, cyanide compounds, ammonia, nitrogen oxide.

## SECTION 11 : Toxicological information

### 11.1. Information on toxicological effects

Acute toxicity : Not classified

Ingredients	CAS No.	Oral	Eye	Inhalation
1-VINYLBHEXAHYDRO -2H-AZEPIN-2-ONE	2235-00-9	LD50 830 mg/kg Rat	No data available	No data available
OXYBIS(METHYL-2,1-ETHANEDIYL) DIACRYLATE	57472-68-1	LD50 4600 mg/kg Rat	LD50>2000 mg/kg Rabbit	No data available
ISOBONYL ACRYLATE	5888-33-5	LD50 4890 mg/kg Rat	LD50>5000 mg/kg Rat	No data available
2-PHENOXYETHYL ACRYLATE	48145-04-6	LD50 4916 mg/kg Rat	LD50 2680 mg/kg Rat	No data available
DIPHENYL(2,4,6-TRIMETHYLBENZOYL) - PHOSPHINE OXIDE	75980-60-8	LD50>5000 mg/kg Rat	No data available	No data available

Skin corrosion/irritation : Skin rabbit, according to skin Irritation test.

Serious eye damage/irritation : According to rabbit tests, it can develop corneal opacity with pain to human, .  
: but it was recovered in a few days.

Respiratory or skin sensitization : Not classified

Germ cell mutagenicity : Not classified

Carcinogenicity : Not classified

Reproductive toxicity : Not classified

Specific target organ toxicity (STOT-single exposure) : It develops lethargy, dizziness, dyspnea, metabolic acidosis, hematuria, or liver disease  
: When it is inhaled, it irritates nose and neck  
: It develops repetitive respiratory irritation



# FR170-B01LLM

## Safety Data Sheet

In accordance with Regulation (EC) No. 1907/2006 of the European Parliament and the Council (REACH) and Commission Regulation (EU) No. 830/2015

Date of issue : 01/10/2022

Revision date : 01/10/2022

Revision No : 1.0

Page 9/11

Specific target organ toxicity (STOT-repeated exposure)	: According to animal tests, inhalation can cause toxic effects on blood.
Aspiration hazard	: Not classified
Potential Adverse human health effects and Symptoms	: Not classified

## SECTION 12 : Ecological information

### 12.1. Toxicity

Toxicity : No data available

### 12.2. Persistence and degradability

Persistence and degradability : No data available

### 12.3. Bioaccumulative potential

Bioaccumulative potential : No data available

### 12.4. Mobility in soil

Mobility in soil : No data available

### 12.5. Results of PBT and vPvB assessment

Results of PBT and vPvB assessment : No data available

### 12.6. Other adverse effects

Other adverse effects : No data available

## SECTION 13 : Disposal considerations

### 13.1. Waste treatment methods

Waste disposal recommendations : Dispose in a safe manner in accordance with local/national regulations  
: Dispose of. contents/container to hazardous or special waste collection point, in accordance with local,  
: regional, national and/or international regulation,  
: Please dispose by using one of the following methods  
: 1. Neutralize, hydrolyze, oxidize, or restore it.  
: 2. Incinerate or melt it in high temperature  
: 3. Solidify it.

Ecology - waste materials : Avoid release to the environment.  
: Consider all cautions specified in all applicable regulations of Waste Management Law

## SECTION 14 : Transport information

### 14.1. UN number

UN number : No data available

### 14.2. UN proper shipping name

UN proper shipping name : No data available

### 14.3. Transport hazard class(es)

Transport hazard class(es) : No data available

### 14.4. Packing group

Packing group : No data available

### 14.5. Environmental hazards

Environmental hazards : No data available

### 14.6. Special precautions for user

Other adverse effects : No data available



# FR170-B01LLM

## Safety Data Sheet

In accordance with Regulation (EC) No. 1907/2006 of the European Parliament and the Council (REACH) and Commission Regulation (EU) No. 830/2015

Date of issue : 01/10/2022

Revision date : 01/10/2022

Revision No : 1.0

Page 10/11

Ingredients	CAS No.	UN number	Transport hazard class	Packing group
TETRAHYDROFURFURYL ACRYLATE	2399-48-6	3334	9	-

### 14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code : No data available

## SECTION 15 : Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### EU Regulations

##### Classification according to Regulation (EC) No 1272/2008 (CLP)

- : The substances in the mixture are not subject to Authorisation under Title VII or Restrictions under Title VIII of Regulation (EC) No. 1907/2006.
- : COMMISSION REGULATION (EU) No 830/2015 of 28 May 2015 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH)

Candidate List of Substances of Very High Concern for Authorisation (Annex XVII)

- : Not classified
- : Substances which appear in Part 3 of Annex VI to Regulation (EC) No 1272/2008 classified as toxic to reproduction category 1A or 1B (Table 3.1) or toxic to reproduction category 1 or 2 (Table 3.2) and listed  
Carcinogen category 1A (Table 3.1)/ carcinogen category 1 (Table 3.2) listed in Appendix 1  
Carcinogen category 1B (Table 3.1)/ carcinogen category 2 (Table 3.2) listed in Appendix 2
- : Without prejudice to the implementation of other Community provisions relating to the classification, packaging and labelling of substances and mixtures, suppliers shall ensure before the placing on the market that the packaging of such substances and mixtures is marked visibly, legibly and indelibly as follows : 'Restricted to professional users'.

Authorisation list (Annex XIV)

- : Not classified

##### Classification according to Directive 1999/45/EC (DPD)

- : Not classified

#### National Regulations

##### Korea

The Korea Industrial Safety and Health Act : No data available  
The Enforcement Decree of Toxic Chemicals Control Act : No data available  
The Safety Control of Dangerous Substances Act :

Ingredients	CAS No.	Regulations
ISOBONYL ACRYLATE	5888-33-5	Class 4 Group 3 petroleum, Insoluble 2000 <del>l</del>
TETRAHYDROFURFURYL ACRYLATE	2399-48-6	Class 4 Group 3 petroleum, Insoluble 2000 <del>l</del>

The Waste Management Law

Ingredients	CAS No.	Regulations
TETRAHYDROFURFURYL ACRYLATE	2399-48-6	Authorized waste



# FR170-B01LLM

## Safety Data Sheet

In accordance with Regulation (EC) No. 1907/2006 of the European Parliament and the Council (REACH) and Commission Regulation (EU) No. 830/2015

Date of issue : 01/10/2022

Revision date : 01/10/2022

Revision No : 1.0

Page 11/11

BIS(2,4,6-TRIMETHYLBENZOYL)-PHENYL PHOSPHINEOXIDE	162881-26-7	Authorized waste
---	-------------	------------------

Other regulations : No data available

### 15.2. Chemical safety assessment

Chemical safety assessment : Chemical safety assessment has not been carried out for this mixture

### SECTION 16 : Other information

Data of issue : 10. January. 2022

Latest Revision and Revision data : [Revision] 1.0 [Date] 10. January. 2022

Instructions for the training : Product handling instruction shall be included into the educational system about the safety work (Initial training, training at the workplace, repeated training) according to specific conditions at the workplace

Recommended restrictions on use : Mixture should not be used for any other purpose than for which is appointed (point 1.2).  
(i.e. non-statutory recommendations by supplier) Because of the fact that specific conditions of use of mixture are out of supplier's control, It is responsibility of the user to adjust the prescribed warnings to local laws and regulations. Safety information describes the product in terms of safety and it cannot be considered as technical information about product

Sources of key data used to compile the Safety Data Sheet : SDS was elaborated according to requirements set in Annex II of Regulation (EC) No 1907/2006 of the European Parliament and of the Council. SDS was prepared using data from the producer.

Purpose of SDS : Purpose of this SDS is to provide relevant information for users of product to ensure proper handling and control of risks/hazards.

Classification according to : National Fire Protection Association

NFPA Rating : No data available

### SECTION 1 : Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product Name : FR170-B01LM

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses : UV Curable ink for inkjet printer

Uses advised against : Do not use for the other application. Restricted to professional users

#### 1.3. Details of the supplier of the safety data sheet

Company Name : InkTec Co.,Ltd.

Address : #108, Neungan-ro, Danwon-gu, Ansan-city, Gyeonggi-do, 425-839, Korea

Tel : +82-31-494-0001

Fax : +82-31-492-2041

Website : <http://kr.inktec.com/>

#### 1.4. Emergency telephone number

Emergency number : Centro Antiveleni (Poisons Centre)

: Dipartimento di Tossicologia Clinica Universita Cattolica del Sacro Cuore Roma

Emergency Telephone Number : +39 06 305 4343

### SECTION 2 : Hazards identification

#### 2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 (CLP)

: Acute toxicity, oral Category 4

: Skin corrosion/irritation Category 2

: Sensitisation, Skin Category 1

: Serious eye damage/eye irritation Category 1

: Specific target organ toxicity, single exposure; Respiratory tract irritation Category 1

: Reproductive toxicity Category 2

: Hazardous to the aquatic environment, acute hazard Category 1

: Hazardous to the aquatic environment, long-term hazard Category 1

: Xi; R38,R41,R43, Repr. Cat. 3; R62, R43

Classification according to Directive 1999/45/EC (DPD)

#### 2.2. Label elements

Labeling according to Regulation (EC) No 1272/2008 (CLP)

Hazard symbols :



GHS05

GHS07

GHS08

GHS09

Signal word

: Warning

Hazard statements

: H302 Harmful if swallowed  
 : H312 Harmful in contact with skin  
 : H315 Causes skin irritation  
 : H317 May cause an allergic skin reaction  
 : H318 Causes serious eye damage.  
 : H319 Causes serious eye irritation  
 : H335 May cause respiratory irritation  
 : H361 Suspected of damaging fertility or the unborn child  
 : H372 Causes damage to organs through prolonged or repeated exposure.  
 : H400 Very toxic to aquatic life  
 : H401 Toxic to aquatic life



# FR170-B01LM

## Safety Data Sheet

In accordance with Regulation (EC) No. 1907/2006 of the European Parliament and the Council (REACH) and Commission Regulation (EU) No. 830/2015

Date of issue : 01/10/2022

Revision date : 01/10/2022

Revision No : 1.0

Page 2/11

	: H410	Very toxic to aquatic life with long lasting effects
	: H411	Toxic to aquatic life with long lasting effects.
Precautionary statements		
Precautionary	: P201	Obtain special instructions before use.
	: P202	Do not handle until all safety precautions have been read and understood.
	: P260	Do not breathe dust/fume/gas/mist/vapours/spray.
	: P261	Avoid breathing dust/fume/gas/mist/vapours/spray
	: P264	Wash ... thoroughly after handling
	: P270	Do not eat, drink or smoke when using this product.
	: P271	Use only outdoors or in a well-ventilated area.
	: P272	Contaminated work clothing should not be allowed out of the workplace.
	: P273	Avoid release to the environment
	: P280	Wear protective gloves/protective clothing/eye protection/face protection.
	: P281	Use personal protective equipment as required.
Countermeasure	: P301+P312	IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell.
	: P302+P352	IF ON SKIN: Wash with plenty of soap and water.
	: P304+P340	IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
	: P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
	: P308+P313	IF exposed or concerned: Get medical advice/attention
	: P310	Immediately call a POISON CENTER or doctor/physician.
	: P312	Call a POISON CENTER or doctor/physician if you feel unwell
	: P314	Get medical advice/attention if you feel unwell.
	: P321	Specific treatment (see ... on this label).
	: P322	Specific measures (see ... on this label).
	: P330	Rinse mouth.
	: P332+P313	If skin irritation occurs: Get medical advice/attention.
	: P333+P313	If skin irritation or rash occurs: Get medical advice/attention.
	: P362	Take off contaminated clothing and wash before reuse.
	: P363	Wash contaminated clothing before reuse.
	: P391	Collect spillage.
Storage	: P403+P233	Store in a well-ventilated place. Keep container tightly closed.
	: P405	Store locked up...
Disposal	: P501	Dispose of contents/container to... in accordance with local/regional/national/international regulation(to be specified).

### 2.3. Other hazards

Other hazards : No information available

## SECTION 3 : Composition/information on ingredients

### 3.1. Substance

Substances : No information available

### 3.2. Mixture

Ingredients	% By weight	CAS No.	EC No.	EU Classification				Note
				67/548/ EEC (DSD)	CLP			
					Hazard class and category codes	Hazard statement codes	Pictogram/ Signal word codes	
ORGANIC PIGMENT RED	1-5	Proprietary	Proprietary					

Ingredients	% By weight	CAS No.	EC No.	EU Classification				Note
				67/548/EEC (DSD)	CLP			
					Hazard class and category codes	Hazard statement codes	Pictogram/Signal word codes	
OXYBIS(METHYL-2,1-ETHANEDIYL) DIACRYLATE	5-15	57472-68-1	260-754-3	Xi; R38 Xi; R41 R43	Skin Irrit. 2 Skin Sens. 1 Eye Dam. 1	H315 H317 H318	GHS05 Dg	
1-VINYLHEXAHYDRO -2H-AZEPIN-2-ONE	10-20	2235-00-9	218-787-6	-	Acute Tox. 4 Skin Sens. 1B Eye Irrit. 2A STOT RE 1	H302 H312 H317 H319 H372	GHS08 GHS07 Dgr	
ISOBONYL ACRYLATE	5-15	5888-33-5	227-561-6		Skin Irrit. 2 Skin Sens. 1 Eye Irrit. 2 STOT SE 3 Aquatic Acute 1 Aquatic Chronic 1	H315 H317 H319 H335 H400 H410	GHS07 GHS09 wng	
TETRAHYDROFURFURYL ACRYLATE	10-20	2399-48-6	219-268-7		Skin Irrit. 2 Eye Irrit. 2	H315 H319	GHS07 Wng	
2-PHENOXYETHYL ACRYLATE	20-30	48145-04-6	256-360-6		Skin Sens. 1A Aquatic Chronic 2	H317 H411	GHS09 GHS07 Wng	
2-(2-ethoxyethoxy)ethyl acrylate	5-15	7328-17-8	230-811-7	-	Skin Irrit. 2	H319	GHS07 wng	
MULTIFUNCTIONAL ACRYLATE	1-10	-	-					
DIPHENYL(2,4,6-TRIMETHYLBENZOYL) - PHOSPHINE OXIDE	1-10	75980-60-8	278-355-8	Repr. Cat. 3; R62	Skin Sens. 1B Repr. 2 Aquatic Acute 2 Aquatic Chronic 2	H317 H361 H401 H411	GHS09 GHS08 GHS07 Wng	
Additive	0.1-5	-	-					

\* Substance is classified in terms of Regulation (EC) No. 1272/2008 Annex VI.

\* Substance with workplace exposure limits.

\* Substance is included in the Candidate List of Substances of Very High Concern for Authorisation.

## SECTION 4 : First aid measures

### 4.1. Description of first aid measures

First-aid measures general

: If you feel unwell, seek medical advice.

First-aid measures after inhalation

: If breathing is difficult, give oxygen.

: Give artificial respiration if not breathing, and get immediate medical attention.

: If the person develops a symptom, move him to an area where fresh air is available.

: If the person develops a side effect, move him to an area free of contamination.

First-aid measures after skin contact	<ul style="list-style-type: none"> <li>: Get medical attention.</li> <li>: Get medical attention, if needed.</li> <li>: Wash skin with soap and plenty of water for least 15 minutes</li> <li>: Thoroughly clean and dry contaminated clothing and shoes before reuse.</li> <li>: Remove contaminated clothing and shoes and wash skin with water and soap for at least 15 minutes.</li> <li>: If skin is irritated or shows other symptoms, get medical attention.</li> </ul>
First-aid measures after eye contact	<ul style="list-style-type: none"> <li>: While lifting upper eyelid, flush eyes with plenty of water for at least 15 minutes and then get immediate medical attention.</li> </ul>
First-aid measures after ingestion	<ul style="list-style-type: none"> <li>: Get medical attention.</li> <li>: Never make an unconscious person vomit or drink fluids.</li> <li>: If vomiting occurs, keep head lower than hips to help prevent aspiration.</li> <li>: If person is unconscious, turn head to side.</li> <li>: If the person has swallowed a large quantity, let him get medical attention.</li> </ul>

#### 4.2. Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in section 2 and/or in section 11.

#### 4.3. Indication of any immediate medical attention and special treatment needed

Other Information : Treat symptomatically.

### SECTION 5 : Firefighting measures

#### 5.1. Extinguishing media

Suitable extinguishing media	<ul style="list-style-type: none"> <li>: Powder fire extinguishing agent.</li> <li>: Spray stream.</li> <li>: Carbon dioxide</li> <li>: General foam extinguishing agent</li> <li>: Alcohol resistant foam extinguishing agent</li> <li>: Water spray.</li> </ul>
Unsuitable extinguishing media	<ul style="list-style-type: none"> <li>: No data available.</li> </ul>

#### 5.2. Special hazards arising from the substance or mixture

Fire and explosion hazards	<ul style="list-style-type: none"> <li>: There's a small change of fire.</li> <li>: A mixture of vapor and air can be explosive at above a certain ignition point</li> <li>: Vapor or gas can spread instantly after being ignited from a distanced ignition point.</li> <li>: Vapor is heavier than air.</li> <li>: Halogen gas can be produced when it contacts metal</li> <li>: May develop irritating, corrosive, or toxic gases by fire.</li> </ul>
Hazardous combustion products	<ul style="list-style-type: none"> <li>: Discharge of toxic smoke, like carbon oxide, sulfur compounds, acrolein and nitroxide.</li> </ul>

#### 5.3. Advice for firefighters

Precautionary measures fire	<ul style="list-style-type: none"> <li>: Exposure to fume/heat : keep upwind.</li> <li>: Exposure to fume/heat : have neighbourhood close doors and windows</li> <li>: Move containers from fire area if it can be done without risk.</li> <li>: Do not approach both ends of the tank</li> <li>: Withdraw immediately in case of rising sound from safety devices due to the fire or discoloration discoloration of tank.</li> </ul>
Firefighting instructions	<ul style="list-style-type: none"> <li>: Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire-fighting water from entering environment.</li> <li>: Cool container with flooding quantities of water until well after fire is out.</li> <li>: When there's a fire in shipping and unloading or storage area : Cool container with flooding quantities of water until well after fire is out by using unmanned hose holders or monitor nozzles.</li> <li>: If that is not possible, consider following preventive measures</li> <li>: Keep unnecessary people away, isolate hazard area and deny entry.</li> </ul>





# FR170-B01LM

## Safety Data Sheet

In accordance with Regulation (EC) No. 1907/2006 of the European Parliament and the Council (REACH) and Commission Regulation (EU) No. 830/2015

Date of issue : 01/10/2022

Revision date : 01/10/2022

Revision No : 1.0

Page 5/11

### Protection during firefighting

- : And allow the fire to burn itself out.
- : Flood with fine water spray.
- : Do not scatter spilled material with high-pressure water streams
- : Cool containers with water spray until well after the fire is out.
- : Stay upwind and keep out of low areas.
- : Dike for later disposal.
- : Use extinguishing agent appropriate for surrounding fire. : Flood with fine water spray.
- : The most effect measures would be removing fuel source and suffocating by blocking air supply.
- : Do not enter fire area without proper protective equipment, including respiratory protection.
- : Fire involving tank, rail, car, or tank truck : Evacuation for 0.8Km (1/2 mile) in all directions.
- : Shut off the source of the leakage before trying to extinguish fire.
- : Apply water from a protected location or from a safe distance.
- : Avoid inhalation of material or combustion by-products.
- : Dike for later disposal.

## SECTION 6 : Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

#### For non-emergency personnel

- Protective equipment : Gloves, Protective clothing, see "Material-Handling" to select protective clothing
- Emergency procedures : Evacuate unnecessary personnel.

#### For emergency responders

- Protective equipment : Equip cleanup crew with proper protection.
- Emergency procedures : Ventilate area
- : Absorb with paper.
- : Ventilate to eliminate all vapors, and burn papers.
- : Eliminate all ignition sources.
- : Absorb with dry earth, sand or other non-combustible material, and place in a container.
- : Ventilate a closed area before entering.
- : Use water spray to reduce vapors.
- : Store in an area separated from water supply and sewer
- : Check shipping information and included documents, and contact related agencies and
- : companies to find detailed information on the material.
- : Keep unnecessary people away, isolate hazard area and deny entry.
- : Keep away from heat, fire, flame and other sources of ignition
- : Stop leak if without risk.
- : Deny entry to an area within 25~50m radius from leak, and keep unnecessary people away
- : Stop leak, if it can be done without risk to worker.
- : Stay upwind.
- : Place leaked material in an appropriate container to dispose.

### 6.2. Environmental precautions

- Environmental precautions : Prevent entry to sewers and public waters. Store in an area separated from water supply and sewer.
- : Notify authorities if liquid enters sewers or public waters Avoid release to the environment.

### 6.3. Methods and material for containment and cleaning up

- Cleaning Methods : Collect spillage. Store away from other materials.
- : Place leaked material in an appropriate container to dispose.
- : Absorb with dry earth, sand or other non-combustible material.
- : Prevent entry into waterways, sewers, basements or confined areas.
- : Stay upwind and keep out of low areas.
- : Dike for later disposal.



# FR170-B01LM

## Safety Data Sheet

In accordance with Regulation (EC) No. 1907/2006 of the European Parliament and the Council (REACH) and Commission Regulation (EU) No. 830/2015

Date of issue : 01/10/2022

Revision date : 01/10/2022

Revision No : 1.0

Page 6/11

- |             |   |
|-------------|---|
| Containment | : Keep unnecessary people away, isolate hazard area and deny entry.   |
|             | : Do not touch a damaged container or spilled material without wearing proper protective gears.                                   |
|             | : Notify the central government and local independent commission for discharge of amounts greater than or equal to the standard.. |
|             | : Keep unnecessary people away, isolate hazard area and deny entry.   |

### 6.4. Reference to other sections

- |                |   |
|----------------|---|
| Other sections | : See Section 7 for information on safe handling.                 |
|                | : See Section 8 for information on personal protection equipment. |
|                | : See Section 13 for disposal information.                        |

## SECTION 7 : Handling and storage

### 7.1. Precautions for safe handling

- |                               |   |
|-------------------------------|---|
| Precautions for safe handling | : Wash hands and other exposed areas with mild soap and water before eating, drinking |
|                               | : Do not press, cut, weld, solder, join, perforate, grind, or heat.                   |
|                               | : An empty container containing residues (liquid, steam) can be dangerous.            |
|                               | : Store by closing a container.   |
|                               | : Store in a closed container.  |
|                               | : Do not inhale dust, steam, mist or gas.   |
|                               | : Minimize development and accumulation of dust.                                      |
|                               | : Use spark-proof tools and explosion-proof equipment.                                |
|                               | : Do not inhale or ingest.  |
|                               | : Wash hands before eating.   |
|                               | : Remove contaminated clothing and wash before reuse.                                 |
|                               | : Perform proper ventilation.   |
|                               | : Wash thoroughly after handling.   |
|                               | : Use only in a well ventilated area.   |
|                               | : Handle according to current laws and regulations.                                   |
|                               | : Do not get in eyes, on skin and clothing.   |
|                               | : Avoid flame, sparks, static electricity and other ignition sources.                 |

### 7.2. Conditions for safe storage, including any incompatibilities

- |                               |   |
|-------------------------------|---|
| Storage conditions            | : Keep only in the original container in a cool, well ventilated place away from : Ignition sources, Incompatible materials. Keep container closed when not in use. |
|                               | : Keep container closed when not in use.  |
|                               | : Store and handle in accordance with all current regulations and standards.  |
| Incompatible products         | : Avoid contacting strong oxidizer.   |
| Incompatible materials        | : Sources of ignition. Direct sunlight.   |
|                               | : Keep separated from incompatible substances   |
| Heat and ignition sources     | : Keep substance away from heat source  |
|                               | : Keep away from sources of ignition.   |
| Prohibitions on mixed storage | : Keep substance away from oxidizing agents   |
|                               | : Avoid contacting halogen or halogen compounds.  |
| Storage area                  | : Store in a cool, dry place.   |
|                               | : Store at ambient temperature  |
| Special rules on packing      | : Special requirements closing, clean, correctly labelled, meet the legal requirements.   |
|                               | : Secure fragile packagings in solid container.   |
| Packaging materials           | : Suitable material : No data available   |
|                               | : Material to avoid : No data available   |

### 7.3. Specific end use(s)

- |                     |                     |
|---------------------|---------------------|
| Specific end use(s) | : No data available |
|---------------------|---------------------|

## SECTION 8 : Exposure controls/personal protection



# FR170-B01LM

## Safety Data Sheet

In accordance with Regulation (EC) No. 1907/2006 of the European Parliament and the Council (REACH) and Commission Regulation (EU) No. 830/2015

Date of issue : 01/10/2022

Revision date : 01/10/2022

Revision No : 1.0

Page 7/11

### 8.1. Control parameters

Ingredients	CAS No.	Workplace exposure limit				Notation
		Long-term exposure limit (8-hour TWA reference period)		Short-term exposure limit (15-minute reference period)		
		ppm	mg/m³	ppm	mg/m³	

※ Workplace exposure limits for substances contained in the mixture

### 8.2. Exposure controls

Personal protective equipment	: Avoid all unnecessary exposure.
Hand protection	: Protective gloves are not required.
	: Wear appropriate chemical resistant gloves.
Eye protection	: Provide an emergency eye wash fountain and quick drench shower in the immediate work area.
	: Wear splash-proof eye goggles.
	: Wear splash resistant safety goggles with a face shield.
Respiratory protection	: Consider warning properties before use.
	: None required under normal operating conditions.
	: None required under normal operating conditions.
	: Respiratory protection is ranked in order from minimum to maximum.
	: Wear respiratory protection that has received the Korea Occupational Safety and Health Agency's black "Safety" mark
Body protection	: Body protection clothing is not required
	: Wear appropriate chemical resistant clothing.
Environmental exposure controls	: Do not allow to enter sewers, surface and ground water
Other information	: Do not eat, drink or smoke during use.

## SECTION 9 : Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Properties	Data	Properties	Data
Appearance	Cyan liquid	Upper/lower flammability or explosive limits	No data available
Odor	Characteristic	Vapor pressure	<1mmHg at 25 °C
Odor threshold	No data available	Vapor density	No data available
pH	No data available	Relative density	1.00 – 1.15 at 25 °C
Melting point/ Freezing point	No data available	Solubility in water	Not readily soluble in water
Boiling point	>130 °C	Partition coefficient n-octanol/water	No data available
Flash point	> 105 °C	Auto ignition temperature	No data available
Evaporation rate	<0.05 (BuAc=1)	Decomposition temperature	No data available
Flammability (Solid/Gas)	No data available	Viscosity	8-12 cP at 25 °C

### 9.2. Other information

Other information	: No data available
-------------------	---------------------

## SECTION 10 : Stability and reactivity



# FR170-B01LM

## Safety Data Sheet

In accordance with Regulation (EC) No. 1907/2006 of the European Parliament and the Council (REACH) and Commission Regulation (EU) No. 830/2015

Date of issue : 01/10/2022

Revision date : 01/10/2022

Revision No : 1.0

Page 8/11

### 10.1. Reactivity

Reactivity : No data available

### 10.2. Chemical stability

Chemical stability : Do not store for an extended period, or store or use in an area in direct contact with air and sun and above room temperature.  
: May form explosive peroxides.  
: Stable at room temperature and atmospheric pressure.

### 10.3. Possibility of hazardous reactions

Possibility of hazardous reactions : Stable at room temperature and atmospheric pressure.  
: Polymerization will not occur.

### 10.4. Conditions to avoid

Conditions to avoid : Avoid heat, flames, sparks and other sources of ignition.  
: Keep separated from incompatible substances.  
: If container is exposed to heat, it may rupture or explode

### 10.5. Incompatible materials

Incompatible materials : acid, base, oxidizing agents, metallic oxide, peroxides, reducing agents, halogen,  
: inflammables, mineral salt.

### 10.6. Hazardous decomposition products

Hazardous decomposition products : Produce carbon oxide and sulfur compounds during thermal decomposition.  
: Variety of organic matters, cyanide compounds, ammonia, nitrogen oxide.

## SECTION 11 : Toxicological information

### 11.1. Information on toxicological effects

Acute toxicity : Not classified

Ingredients	CAS No.	Oral	Eye	Inhalation
1-VINYLBHEXAHYDRO -2H-AZEPIN-2-ONE	2235-00-9	LD50 830 mg/kg Rat	No data available	No data available
OXYBIS(METHYL-2,1-ETHANEDIYL) DIACRYLATE	57472-68-1	LD50 4600 mg/kg Rat	LD50>2000 mg/kg Rabbit	No data available
ISOBONYL ACRYLATE	5888-33-5	LD50 4890 mg/kg Rat	LD50>5000 mg/kg Rat	No data available
2-PHENOXYETHYL ACRYLATE	48145-04-6	LD50 4916 mg/kg Rat	LD50 2680 mg/kg Rat	No data available
DIPHENYL(2,4,6-TRIMETHYLBENZOYL) - PHOSPHINE OXIDE	75980-60-8	LD50>5000 mg/kg Rat	No data available	No data available

Skin corrosion/irritation : Skin rabbit, according to skin Irritation test.  
Serious eye damage/irritation : According to rabbit tests, it can develop corneal opacity with pain to human, .  
: but it was recovered in a few days.  
Respiratory or skin sensitization : Not classified  
Germ cell mutagenicity : Not classified  
Carcinogenicity : Not classified  
Reproductive toxicity : Not classified  
Specific target organ toxicity : It develops lethargy, dizziness, dyspnea, metabolic acidosis, hematuria, or liver disease  
(STOT-single exposure) : When it is inhaled, it irritates nose and neck  
: It develops repetitive respiratory irritation



# FR170-B01LM

## Safety Data Sheet

In accordance with Regulation (EC) No. 1907/2006 of the European Parliament and the Council (REACH) and Commission Regulation (EU) No. 830/2015

Date of issue : 01/10/2022

Revision date : 01/10/2022

Revision No : 1.0

Page 9/11

Specific target organ toxicity (STOT-repeated exposure)	: According to animal tests, inhalation can cause toxic effects on blood.
Aspiration hazard	: Not classified
Potential Adverse human health effects and Symptoms	: Not classified

## SECTION 12 : Ecological information

### 12.1. Toxicity

Toxicity : No data available

### 12.2. Persistence and degradability

Persistence and degradability : No data available

### 12.3. Bioaccumulative potential

Bioaccumulative potential : No data available

### 12.4. Mobility in soil

Mobility in soil : No data available

### 12.5. Results of PBT and vPvB assessment

Results of PBT and vPvB assessment : No data available

### 12.6. Other adverse effects

Other adverse effects : No data available

## SECTION 13 : Disposal considerations

### 13.1. Waste treatment methods

Waste disposal recommendations : Dispose in a safe manner in accordance with local/national regulations  
: Dispose of. contents/container to hazardous or special waste collection point, in accordance with local,  
: regional, national and/or international regulation,  
: Please dispose by using one of the following methods  
: 1. Neutralize, hydrolyze, oxidize, or restore it.  
: 2. Incinerate or melt it in high temperature  
: 3. Solidify it.

Ecology - waste materials : Avoid release to the environment.  
: Consider all cautions specified in all applicable regulations of Waste Management Law

## SECTION 14 : Transport information

### 14.1. UN number

UN number : No data available

### 14.2. UN proper shipping name

UN proper shipping name : No data available

### 14.3. Transport hazard class(es)

Transport hazard class(es) : No data available

### 14.4. Packing group

Packing group : No data available

### 14.5. Environmental hazards

Environmental hazards : No data available

### 14.6. Special precautions for user

Other adverse effects : No data available



# FR170-B01LM

## Safety Data Sheet

In accordance with Regulation (EC) No. 1907/2006 of the European Parliament and the Council (REACH) and Commission Regulation (EU) No. 830/2015

Date of issue : 01/10/2022

Revision date : 01/10/2022

Revision No : 1.0

Page 10/11

Ingredients	CAS No.	UN number	Transport hazard class	Packing group
TETRAHYDROFURFURYL ACRYLATE	2399-48-6	3334	9	-

### 14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code : No data available

## SECTION 15 : Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### EU Regulations

##### Classification according to Regulation (EC) No 1272/2008 (CLP)

- : The substances in the mixture are not subject to Authorisation under Title VII or Restrictions under Title VIII of Regulation (EC) No. 1907/2006.
- : COMMISSION REGULATION (EU) No 830/2015 of 28 May 2015 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH)

Candidate List of Substances of Very High Concern for Authorisation (Annex XVII)

- : Not classified
- : Substances which appear in Part 3 of Annex VI to Regulation (EC) No 1272/2008 classified as toxic to reproduction category 1A or 1B (Table 3.1) or toxic to reproduction category 1 or 2 (Table 3.2) and listed  
Carcinogen category 1A (Table 3.1)/ carcinogen category 1 (Table 3.2) listed in Appendix 1  
Carcinogen category 1B (Table 3.1)/ carcinogen category 2 (Table 3.2) listed in Appendix 2
- : Without prejudice to the implementation of other Community provisions relating to the classification, packaging and labelling of substances and mixtures, suppliers shall ensure before the placing on the market that the packaging of such substances and mixtures is marked visibly, legibly and indelibly as follows : 'Restricted to professional users'.

Authorisation list (Annex XIV)

- : Not classified

##### Classification according to Directive 1999/45/EC (DPD)

- : Not classified

#### National Regulations

##### Korea

The Korea Industrial Safety and Health Act : No data available  
The Enforcement Decree of Toxic Chemicals Control Act : No data available  
The Safety Control of Dangerous Substances Act :

Ingredients	CAS No.	Regulations
ISOBONYL ACRYLATE	5888-33-5	Class 4 Group 3 petroleum, Insoluble 2000 <del>l</del>
TETRAHYDROFURFURYL ACRYLATE	2399-48-6	Class 4 Group 3 petroleum, Insoluble 2000 <del>l</del>

The Waste Management Law

Ingredients	CAS No.	Regulations
TETRAHYDROFURFURYL ACRYLATE	2399-48-6	Authorized waste



# FR170-B01LM

## Safety Data Sheet

In accordance with Regulation (EC) No. 1907/2006 of the European Parliament and the Council (REACH) and Commission Regulation (EU) No. 830/2015

Date of issue : 01/10/2022

Revision date : 01/10/2022

Revision No : 1.0

Page 11/11

BIS(2,4,6-TRIMETHYLBENZOYL)-PHENYL PHOSPHINEOXIDE	162881-26-7	Authorized waste
---	-------------	------------------

Other regulations : No data available

### 15.2. Chemical safety assessment

Chemical safety assessment : Chemical safety assessment has not been carried out for this mixture

### SECTION 16 : Other information

Data of issue : 10. January. 2022

Latest Revision and Revision data : [Revision] 1.0 [Date] 10. January. 2022

Instructions for the training : Product handling instruction shall be included into the educational system about the safety work (Initial training, training at the workplace, repeated training) according to specific conditions at the workplace

Recommended restrictions on use : Mixture should not be used for any other purpose than for which is appointed (point 1.2).  
(i.e. non-statutory recommendations by supplier) Because of the fact that specific conditions of use of mixture are out of supplier's control, It is responsibility of the user to adjust the prescribed warnings to local laws and regulations. Safety information describes the product in terms of safety and it cannot be considered as technical information about product

Sources of key data used to compile the Safety Data Sheet : SDS was elaborated according to requirements set in Annex II of Regulation (EC) No 1907/2006 of the European Parliament and of the Council. SDS was prepared using data from the producer.

Purpose of SDS : Purpose of this SDS is to provide relevant information for users of product to ensure proper handling and control of risks/hazards.

Classification according to : National Fire Protection Association

NFPA Rating : No data available

### SECTION 1 : Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product Name : FR170-B01LW

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses : UV Curable ink for inkjet printer

Uses advised against : Do not use for the other application. Restricted to professional users

#### 1.3. Details of the supplier of the safety data sheet

Company Name : InkTec Co.,Ltd.

Address : #108, Neungan-ro, Danwon-gu, Ansan-city, Gyeonggi-do, 425-839, Korea

Tel : +82-31-494-0001

Fax : +82-31-492-2041

Website : <http://kr.inktec.com/>

#### 1.4. Emergency telephone number

Emergency number : Centro Antiveleni (Poisons Centre)

: Dipartimento di Tossicologia Clinica Universita Cattolica del Sacro Cuore Roma

Emergency Telephone Number : +39 06 305 4343

### SECTION 2 : Hazards identification

#### 2.1. Classification of the substance or mixture

##### Classification according to

: Acute Toxicity - Oral Category 4  
Acute Toxicity - Dermal Category 4  
Skin corrosion/irritation Category 2  
Sensitisation, Skin Category 1  
Serious eye damage Category 1  
Serious eye irritation Category 2A

Specific target organ toxicity, single exposure; Respiratory tract irritation Category 1

Reproductive toxicity Category 2

Hazardous to the aquatic environment, long-term hazard Category 2

Hazardous to the aquatic environment, acute hazard Category 1

: Xi; R36/38, Xi; R43, Repr. Cat. 3; R62

##### Classification according to Directive 1999/45/EC (DPD)

#### 2.2. Label elements

##### Labeling according to

##### Regulation (EC) No 1272/2008 (CLP)

Hazard symbols :



GHS07

GHS08

GHS09

Signal word

: Danger

Hazard statements

: H302 Harmful if swallowed.  
: H312 Harmful in contact with skin.  
: H315 Causes skin irritation  
: H317 May cause an allergic skin reaction  
: H319 Causes serious eye irritation  
: H361 Suspected of damaging fertility or the unborn child.  
: H372 Causes damage to organs through prolonged or repeated exposure.  
: H401 Toxic to aquatic life.  
: H411 Toxic to aquatic life with long lasting effects



### Precautionary statements

Precautionary	: P201	Obtain special instructions before use.
	: P202	Do not handle until all safety precautions have been read and understood.
	: P260	Do not breathe dust/fume/gas/mist/vapours/spray.
	: P261	Avoid breathing dust/fume/gas/mist/vapours/spray
	: P264	Wash ... thoroughly after handling
	: P270	Do not eat, drink or smoke when using this product.
	: P272	Contaminated work clothing should not be allowed out of the workplace.
	: P273	Avoid release to the environment
	: P280	Wear protective gloves/protective clothing/eye protection/face protection.
	: P281	Use personal protective equipment as required.
Countermeasure	: P301+P312	IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell.
	: P302+P352	IF ON SKIN: Wash with plenty of soap and water.
	: P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
	: P308+P313	IF exposed or concerned: Get medical advice/attention
	: P310	Immediately call a POISON CENTER or doctor/physician.
	: P312	Call a POISON CENTER or doctor/physician if you feel unwell
	: P314	Get medical advice/attention if you feel unwell.
	: P321	Specific treatment (see ... on this label).
	: P322	Specific measures (see ... on this label).
	: P332+P313	If skin irritation occurs: Get medical advice/attention.
	: P333+P313	If skin irritation or rash occurs: Get medical advice/attention.
	: P337+P313	If eye irritation persists: Get medical advice/attention
Storage	: P362	Take off contaminated clothing and wash before reuse.
	: P363	Wash contaminated clothing before reuse.
Disposal	: P391	Collect spillage.
	: P405	Store locked up...
	: P501	Dispose of contents/container to... in accordance with local/regional/national/international regulation(to be specified).

### 2.3. Other hazards

Other hazards : No information available

## SECTION 3 : Composition/information on ingredients

### 3.1. Substance

Substances : No information available

### 3.2. Mixture

Ingredients	% By weight	CAS No.	EC No.	EU Classification				Note
				67/548/ EEC (DSD)	CLP			
					Hazard class and category codes	Hazard statement codes	Pictogram/ Signal word codes	
INORGANIC PIGMENT WHITE	10-20	Proprietary	Proprietary					
TETRAHYDROFURFURYL ACRYLATE	5-15	2399-48-6	219-268-7		Skin Irrit. 2 Eye Irrit. 2	H315 H319	GHS07 Wng	
Hexamethylene diacrylate	1-10	13048-33-4	235-921-9	Xi; R36/38 Xi; R43	Skin Irrit. 2 Skin Sens. 1 Eye Irrit. 2	H315 H317 H319	GHS07 Wng	

Ingredients	% By weight	CAS No.	EC No.	EU Classification				Note
				67/548/EEC (DSD)	CLP			
					Hazard class and category codes	Hazard statement codes	Pictogram/Signal word codes	
1-VINYLOXAHYDRO -2H-AZEPIN-2-ONE	10-20	2235-00-9	218-787-6	-	Acute Tox. 4 Skin Sens. 1B Eye Irrit. 2A STOT RE 1	H302 H312 H317 H319 H372	GHS08 GHS07 Dgr	
2-PHENOXYETHYL ACRYLATE	20-30	48145-04-6	256-360-6		Skin Sens. 1A Aquatic Chronic 2	H317 H411	GHS09 GHS07 Wng	
MULTIFUNCTIONAL ACRYLATE	1-10	-	-					
DIPHENYL(2,4,6-TRIMETHYLBENZOYL) - PHOSPHINE OXIDE	1-10	75980-60-8	278-355-8	Repr. Cat. 3; R62	Skin Sens. 1B Repr. 2 Aquatic Acute 2 Aquatic Chronic 2	H317 H361 H401 H411	GHS09 GHS08 GHS07 Wng	
Additive	0.1-5	-	-					

※ Substance is classified in terms of Regulation (EC) No. 1272/2008 Annex VI.

※ Substance with workplace exposure limits.

※ Substance is included in the Candidate List of Substances of Very High Concern for Authorisation.

## SECTION 4 : First aid measures

### 4.1. Description of first aid measures

First-aid measures general	: If you feel unwell, seek medical advice.
First-aid measures after inhalation	: If breathing is difficult, give oxygen. : Give artificial respiration if not breathing, and get immediate medical attention. : If the person develops a symptom, move him to an area where fresh air is available. : If the person develops a side effect, move him to an area free of contamination. : Get medical attention.
First-aid measures after skin contact	: Get medical attention, if needed. : Wash skin with soap and plenty of water for least 15 minutes : Thoroughly clean and dry contaminated clothing and shoes before reuse. : Remove contaminated clothing and shoes and wash skin with water and soap for at least 15 minutes. : If skin is irritated or shows other symptoms, get medical attention.
First-aid measures after eye contact	: While lifting upper eyelid, flush eyes with plenty of water for at least 15 minutes and then get immediate medical attention.
First-aid measures after ingestion	: Get medical attention. : Never make an unconscious person vomit or drink fluids. : If vomiting occurs, keep head lower than hips to help prevent aspiration. : If person is unconscious, turn head to side. : If the person has swallowed a large quantity, let him get medical attention.

### 4.2. Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in section 2 and/or in section 11.



# FR170-B01LW

## Safety Data Sheet

In accordance with Regulation (EC) No. 1907/2006 of the European Parliament and the Council (REACH) and Commission Regulation (EU) No. 830/2015

Date of issue : 01/10/2022

Revision date : 04/26/2022

Revision No : 1.1

Page 4/10

### 4.3. Indication of any immediate medical attention and special treatment needed

Other Information : Treat symptomatically.

## SECTION 5 : Firefighting measures

### 5.1. Extinguishing media

Suitable extinguishing media : Powder fire extinguishing agent.  
: Spray stream.  
: Carbon dioxide  
: General foam extinguishing agent  
: Alcohol resistant foam extinguishing agent  
: Water spray.

Unsuitable extinguishing media : No data available.

### 5.2. Special hazards arising from the substance or mixture

Fire and explosion hazards : There's a small change of fire.  
: A mixture of vapor and air can be explosive at above a certain ignition point  
: Vapor or gas can spread instantly after being ignited from a distanced ignition point.  
: Vapor is heavier than air.  
: Halogen gas can be produced when it contacts metal  
: May develop irritating, corrosive, or toxic gases by fire.

Hazardous combustion products : Discharge of toxic smoke, like carbon oxide, sulfur compounds, acrolein and nitroxide.

### 5.3. Advice for firefighters

Precautionary measures fire : Exposure to fure/heat : keep upwind.  
: Exposure to fure/heat : have neighbourhood close doors and windows  
: Move containers from fire area if it can be done without risk.  
: Do not approach both ends of the tank  
: Withdraw immediately in case of rising sound from safety devices due to the fire or discoloration of tank.

Firefighting instructions : Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire-fighting water from entering environment.  
: Cool container with flooding quantities of water until well after fire is out.  
: When there's a fire in shipping and unloading or storage area : Cool container with flooding quantities of water until well after fire is out by using unmanned hose holders or monitor nozzles.  
: If that is not possible, consider following preventive measures  
: Keep unnecessary people away, isolate hazard area and deny entry.  
: And allow the fire to burn itself out.  
: Flood with fine water spray.  
: Do not scatter spilled material with high-pressure water streams  
: Cool containers with water spray until well after the fire is out.  
: Stay upwind and keep out of low areas.  
: Dike for later disposal.  
: Use extinguishing agent appropriate for surrounding fire. : Flood with fine water spray.  
: The most effect measures would be removing fuel source and suffocating by blocking air supply.

Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection.  
: Fire involving tank, rail, car, or tank truck : Evacuation for 0.8Km (1/2 mile) in all directions.  
: Shut off the source of the leakage before trying to extinguish fire.  
: Apply water from a protected location or from a safe distance.  
: Avoid inhalation of material or combustion by-products.  
: Dike for later disposal.



# FR170-B01LW

## Safety Data Sheet

In accordance with Regulation (EC) No. 1907/2006 of the European Parliament and the Council (REACH) and Commission Regulation (EU) No. 830/2015

Date of issue : 01/10/2022

Revision date : 04/26/2022

Revision No : 1.1

Page 5/10

### SECTION 6 : Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

##### For non-emergency personnel

- Protective equipment : Gloves, Protective clothing, see "Material-Handling" to select protective clothing
- Emergency procedures : Evacuate unnecessary personnel.

##### For emergency responders

- Protective equipment : Equip cleanup crew with proper protection.
- Emergency procedures :
  - Ventilate area
  - Absorb with paper.
  - Ventilate to eliminate all vapors, and burn papers.
  - Eliminate all ignition sources.
  - Absorb with dry earth, sand or other non-combustible material, and place in a container.
  - Ventilate a closed area before entering.
  - Use water spray to reduce vapors.
  - Store in an area separated from water supply and sewer
  - Check shipping information and included documents, and contact related agencies and companies to find detailed information on the material.
  - Keep unnecessary people away, isolate hazard area and deny entry.
  - Keep away from heat, fire, flame and other sources of ignition
  - Stop leak if without risk.
  - Deny entry to an area within 25~50m radius from leak, and keep unnecessary people away
  - Stop leak, if it can be done without risk to worker.
  - Stay upwind.
  - Place leaked material in an appropriate container to dispose.

#### 6.2. Environmental precautions

- Environmental precautions :
  - Prevent entry to sewers and public waters. Store in an area separated from water supply and sewer.
  - Notify authorities if liquid enters sewers or public waters. Avoid release to the environment.

#### 6.3. Methods and material for containment and cleaning up

- Cleaning Methods :
  - Collect spillage. Store away from other materials.
  - Place leaked material in an appropriate container to dispose.
  - Absorb with dry earth, sand or other non-combustible material.
  - Prevent entry into waterways, sewers, basements or confined areas.
  - Stay upwind and keep out of low areas.
  - Dike for later disposal.
- Containment :
  - Keep unnecessary people away, isolate hazard area and deny entry.
  - Do not touch a damaged container or spilled material without wearing proper protective gears.
  - Notify the central government and local independent commission for discharge of amounts greater than or equal to the standard..
  - Keep unnecessary people away, isolate hazard area and deny entry.

#### 6.4. Reference to other sections

- Other sections :
  - See Section 7 for information on safe handling.
  - See Section 8 for information on personal protection equipment.
  - See Section 13 for disposal information.

### SECTION 7 : Handling and storage

#### 7.1. Precautions for safe handling

- Precautions for safe handling :
  - Wash hands and other exposed areas with mild soap and water before eating, drinking
  - Do not press, cut, weld, solder, join, perforate, grind, or heat.
  - An empty container containing residues (liquid, steam) can be dangerous.
  - Store by closing a container.
  - Store in a closed container.

- : Do not inhale dust, steam, mist or gas.
- : Minimize development and accumulation of dust.
- : Use spark-proof tools and explosion-proof equipment.
- : Do not inhale or ingest.
- : Wash hands before eating.
- : Remove contaminated clothing and wash before reuse.
- : Perform proper ventilation.
- : Wash thoroughly after handling.
- : Use only in a well ventilated area.
- : Handle according to current laws and regulations.
- : Do not get in eyes, on skin and clothing.
- : Avoid flame, sparks, static electricity and other ignition sources.

### 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions	<ul style="list-style-type: none"> <li>: Keep only in the original container in a cool, well ventilated place away from : Ignition sources, Incompatible materials. Keep container closed when not in use.</li> <li>: Keep container closed when not in use.</li> <li>: Store and handle in accordance with all current regulations and standards.</li> </ul>
Incompatible products	<ul style="list-style-type: none"> <li>: Avoid contacting strong oxidizer.</li> </ul>
Incompatible materials	<ul style="list-style-type: none"> <li>: Sources of ignition. Direct sunlight.</li> </ul>
Heat and ignition sources	<ul style="list-style-type: none"> <li>: Keep separated from incompatible substances</li> <li>: Keep substance away from heat source</li> <li>: Keep away from sources of ignition.</li> </ul>
Prohibitions on mixed storage	<ul style="list-style-type: none"> <li>: Keep substance away from oxidizing agents</li> <li>: Avoid contacting halogen or halogen compounds.</li> </ul>
Storage area	<ul style="list-style-type: none"> <li>: Store in a cool, dry place.</li> <li>: Store at ambient temperature</li> </ul>
Special rules on packing	<ul style="list-style-type: none"> <li>: Special requirements closing, clean, correctly labelled, meet the legal requirements.</li> <li>: Secure fragile packagings in solid container.</li> </ul>
Packaging materials	<ul style="list-style-type: none"> <li>: Suitable material : No data available</li> <li>: Material to avoid : No data available</li> </ul>

### 7.3. Specific end use(s)

Specific end use(s)	: No data available
---------------------	---------------------

## SECTION 8 : Exposure controls/personal protection

### 8.1. Control parameters

Ingredients	CAS No.	Workplace exposure limit				Notation
		Long-term exposure limit (8-hour TWA reference period)		Short-term exposure limit (15-minute reference period)		
		ppm	mg/m³	ppm	mg/m³	
INORGANIC PIGMENT WHITE			10			EH40/2005

※ Workplace exposure limits for substances contained in the mixture

### 8.2. Exposure controls

Personal protective equipment	: Avoid all unnecessary exposure.
Hand protection	<ul style="list-style-type: none"> <li>: Protective gloves are not required.</li> <li>: Wear appropriate chemical resistant gloves.</li> </ul>
Eye protection	<ul style="list-style-type: none"> <li>: Provide an emergency eye wash fountain and quick drench shower in the immediate work area.</li> <li>: Wear splash-proof eye goggles.</li> <li>: Wear splash resistant safety goggles with a face shield.</li> </ul>



# FR170-B01LW

## Safety Data Sheet

In accordance with Regulation (EC) No. 1907/2006 of the European Parliament and the Council (REACH) and Commission Regulation (EU) No. 830/2015

Date of issue : 01/10/2022

Revision date : 04/26/2022

Revision No : 1.1

Page 7/10

Respiratory protection	: Consider warning properties before use. : None required under normal operating conditions. : None required under normal operating conditions. : Respiratory protection is ranked in order from minimum to maximum. : Wear respiratory protection that has received the Korea Occupational Safety and Health Agency's black "Safety" mark
Body protection	: Body protection clothing is not required : Wear appropriate chemical resistant clothing.
Environmental exposure controls	: Do not allow to enter sewers, surface and ground water
Other information	: Do not eat, drink or smoke during use.

## SECTION 9 : Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Properties	Data	Properties	Data
Appearance	White liquid	Upper/lower flammability or explosive limits	No data available
Odor	Characteristic	Vapor pressure	<1mmHg at 25 °C
Odor threshold	No data available	Vapor density	No data available
pH	No data available	Relative density	1.20 – 1.30 at 25 °C
Melting point/ Freezing point	No data available	Solubility in water	Not readily soluble in water
Boiling point	>130 °C	Partition coefficient n-octanol/water	No data available
Flash point	> 105 °C	Auto ignition temperature	No data available
Evaporation rate	<0.05 (BuAc=1)	Decomposition temperature	No data available
Flammability (Solid/Gas)	No data available	Viscosity	8-12 cP at 25 °C

### 9.2. Other information

Other information : No data available

## SECTION 10 : Stability and reactivity

### 10.1. Reactivity

Reactivity : No data available

### 10.2. Chemical stability

Chemical stability : Do not store for an extended period, or store or use in an area in direct contact with air and sun and above room temperature.  
: May form explosive peroxides.  
: Stable at room temperature and atmospheric pressure.

### 10.3. Possibility of hazardous reactions

Possibility of hazardous reactions : Stable at room temperature and atmospheric pressure.  
: Polymerization will not occur.

### 10.4. Conditions to avoid

Conditions to avoid : Avoid heat, flames, sparks and other sources of ignition.



# FR170-B01LW

## Safety Data Sheet

In accordance with Regulation (EC) No. 1907/2006 of the European Parliament and the Council (REACH) and Commission Regulation (EU) No. 830/2015

Date of issue : 01/10/2022

Revision date : 04/26/2022

Revision No : 1.1

Page 8/10

- : Keep separated from incompatible substances.
- : If container is exposed to heat, it may rupture or explode

### 10.5. Incompatible materials

- Incompatible materials
- : acid, base, oxidizing agents, metallic oxide, peroxides, reducing agents, halogen,
  - : inflammables, mineral salt.

### 10.6. Hazardous decomposition products

- Hazardous decomposition products
- : Produce carbon oxide and sulfur compounds during thermal decomposition.
  - : Variety of organic matters, cyanide compounds, ammonia, nitrogen oxide.

## SECTION 11 : Toxicological information

### 11.1. Information on toxicological effects

- Acute toxicity
- : Not classified

Ingredients	CAS No.	Oral	Eye	Inhalation
1-VINYLBHEXAHYDRO -2H-AZEPIN-2-ONE	2235-00-9	LD50 830 mg/kg Rat	No data available	No data available
2-PHENOXYETHYL ACRYLATE	48145-04-6	LD50 4916 mg/kg Rat	LD50 2680 mg/kg Rat	No data available
DIPHENYL(2,4,6-TRIMETHYLBENZOYL) - PHOSPHINE OXIDE	75980-60-8	LD50>5000 mg/kg Rat	No data available	No data available

- Skin corrosion/irritation
- : Skin rabbit, according to skin Irritation test.
- Serious eye damage/irritation
- : According to rabbit tests, it can develop corneal opacity with pain to human, .
  - : but it was recovered in a few days.
- Respiratory or skin sensitization
- : Not classified
- Germ cell mutagenicity
- : Not classified
- Carcinogenicity
- : Not classified
- Reproductive toxicity
- : Not classified
- Specific target organ toxicity (STOT-single exposure)
- : It develops lethargy, dizziness, dyspnea, metabolic acidosis, hematuria, or liver disease
  - : When it is inhaled, it irritates nose and neck
  - : It develops repetitive respiratory irritation
- Specific target organ toxicity (STOT-repeated exposure)
- : According to animal tests, inhalation can cause toxic effects on blood.
- Aspiration hazard
- : Not classified
- Potential Adverse human health effects and Symptoms
- : Not classified

## SECTION 12 : Ecological information

### 12.1. Toxicity

- Toxicity
- : No data available

### 12.2. Persistence and degradability

- Persistence and degradability
- : No data available

### 12.3. Bioaccumulative potential

- Bioaccumulative potential
- : No data available

### 12.4. Mobility in soil



# FR170-B01LW

## Safety Data Sheet

In accordance with Regulation (EC) No. 1907/2006 of the European Parliament and the Council (REACH) and Commission Regulation (EU) No. 830/2015

Date of issue : 01/10/2022

Revision date : 04/26/2022

Revision No : 1.1

Page 9/10

Mobility in soil : No data available

### 12.5. Results of PBT and vPvB assessment

Results of PBT and vPvB assessment : No data available

### 12.6. Other adverse effects

Other adverse effects : No data available

## SECTION 13 : Disposal considerations

### 13.1. Waste treatment methods

Waste disposal recommendations : Dispose in a safe manner in accordance with local/national regulations  
: Dispose of. contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation,  
: Please dispose by using one of the following methods  
: 1. Neutralize, hydrolyze, oxidize, or restore it.  
: 2. Incinerate or melt it in high temperature  
: 3. Solidify it.

Ecology - waste materials : Avoid release to the environment.  
: Consider all cautions specified in all applicable regulations of Waste Management Law

## SECTION 14 : Transport information

### 14.1. UN number

UN number : No data available

### 14.2. UN proper shipping name

UN proper shipping name : No data available

### 14.3. Transport hazard class(es)

Transport hazard class(es) : No data available

### 14.4. Packing group

Packing group : No data available

### 14.5. Environmental hazards

Environmental hazards : No data available

### 14.6. Special precautions for user

Other adverse effects : No data available

Ingredients	CAS No.	UN number	Transport hazard class	Packing group
TETRAHYDROFURFURYL ACRYLATE	2399-48-6	3334	9	-

### 14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code : No data available

## SECTION 15 : Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### EU Regulations

**Classification according to Regulation (EC) No 1272/2008 (CLP)** : The substances in the mixture are not subject to Authorisation under Title VII or Restrictions under Title VIII of Regulation (EC) No. 1907/2006.  
: COMMISSION REGULATION (EU) No 830/2015 of 28 May 2015 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH)

Candidate List of Substances of Very High : Not classified



Concern for Authorisation (Annex XVII) : Substances which appear in Part 3 of Annex VI to Regulation (EC) No 1272/2008 classified as toxic to reproduction category 1A or 1B (Table 3.1) or toxic to reproduction category 1 or 2 (Table 3.2) and listed  
Carcinogen category 1A (Table 3.1)/ carcinogen category 1 (Table 3.2) listed in Appendix 1  
Carcinogen category 1B (Table 3.1)/ carcinogen category 2 (Table 3.2) listed in Appendix 2  
: Without prejudice to the implementation of other Community provisions relating to the classification, packaging and labelling of substances and mixtures, suppliers shall ensure before the placing on the market that the packaging of such substances and mixtures is marked visibly, legibly and indelibly as follows : 'Restricted to professional users'.

Authorisation list (Annex XIV) : Not classified

**Classification according to** : Not classified

**Directive 1999/45/EC (DPD)**

### National Regulations

#### Korea

The Korea Industrial Safety and Health Act : No data available

The Enforcement Decree of : No data available

Toxic Chemicals Control Act

The Safety Control of Dangerous Substances Act :

Ingredients	CAS No.	Regulations
TETRAHYDROFURFURYL ACRYLATE	2399-48-6	Class 4 Group 3 petroleum, Insoluble 2000/

The Waste Management Law : No data available

Ingredients	CAS No.	Regulations
TETRAHYDROFURFURYL ACRYLATE	2399-48-6	Authorized waste

Other regulations : No data available

### 15.2. Chemical safety assessment

Chemical safety assessment : Chemical safety assessment has not been carried out for this mixture

## SECTION 16 : Other information

Data of issue : 10. January. 2022

Latest Revision and Revision data : [Revision] 1.1 [Date] 26. April. 2022

Instructions for the training : Product handling instruction shall be included into the educational system about the safety work (Initial training, training at the workplace, repeated training) according to specific conditions at the workplace

Recommended restrictions on use : Mixture should not be used for any other purpose than for which is appointed (point 1.2).  
(i.e. non-statutory recommendations by supplier) Because of the fact that specific conditions of use of mixture are out of supplier's control, It is responsibility of the user to adjust the prescribed warnings to local laws and regulations. Safety information describes the product in terms of safety and it cannot be considered as technical information about product

Sources of key data used to compile the Safety Data Sheet : SDS was elaborated according to requirements set in Annex II of Regulation (EC) No 1907/2006 of the European Parliament and of the Council. SDS was prepared using data from the producer.

Purpose of SDS : Purpose of this SDS is to provide relevant information for users of product to ensure proper handling and control of risks/hazards.

Classification according to : National Fire Protection Association

NFPA Rating : No data available.

### SECTION 1 : Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product Name : FR170-B01LY

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses : UV Curable ink for inkjet printer

Uses advised against : Do not use for the other application. Restricted to professional users

#### 1.3. Details of the supplier of the safety data sheet

Company Name : InkTec Co.,Ltd.

Address : #108, Neungan-ro, Danwon-gu, Ansan-city, Gyeonggi-do, 425-839, Korea

Tel : +82-31-494-0001

Fax : +82-31-492-2041

Website : <http://kr.inktec.com/>

#### 1.4. Emergency telephone number

Emergency number : Centro Antiveleni (Poisons Centre)

: Dipartimento di Tossicologia Clinica Università Cattolica del Sacro Cuore Roma

Emergency Telephone Number : +39 06 305 4343

### SECTION 2 : Hazards identification

#### 2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 (CLP)

: Acute toxicity, oral Category 4

: Skin corrosion/irritation Category 1B

: Sensitisation, Skin Category 1

: Serious eye damage/eye irritation Category 1

: Specific target organ toxicity, single exposure; Respiratory tract irritation Category 1

: Reproductive toxicity Category 2

: Hazardous to the aquatic environment, acute hazard Category 2

: Hazardous to the aquatic environment, long-term hazard Category 2

: Xi; R38,R41,R43, Repr. Cat. 3; R62, R43

Classification according to Directive 1999/45/EC (DPD)

#### 2.2. Label elements

Labeling according to Regulation (EC) No 1272/2008 (CLP)

Hazard symbols :



GHS05

GHS07

GHS08

GHS09

Signal word

: Warning

Hazard statements

: H302 Harmful if swallowed  
 : H312 Harmful in contact with skin  
 : H315 Causes skin irritation  
 : H317 May cause an allergic skin reaction  
 : H318 Causes serious eye damage.  
 : H319 Causes serious eye irritation  
 : H335 May cause respiratory irritation  
 : H361 Suspected of damaging fertility or the unborn child  
 : H372 Causes damage to organs through prolonged or repeated exposure.  
 : H400 Very toxic to aquatic life  
 : H401 Toxic to aquatic life



# FR170-B01LY

## Safety Data Sheet

In accordance with Regulation (EC) No. 1907/2006 of the European Parliament and the Council (REACH) and Commission Regulation (EU) No. 830/2015

Date of issue : 01/10/2022

Revision date : 01/10/2022

Revision No : 1.0

Page 2/11

	: H410	Very toxic to aquatic life with long lasting effects
	: H411	Toxic to aquatic life with long lasting effects.
Precautionary statements		
Precautionary	: P201	Obtain special instructions before use.
	: P202	Do not handle until all safety precautions have been read and understood.
	: P260	Do not breathe dust/fume/gas/mist/vapours/spray.
	: P261	Avoid breathing dust/fume/gas/mist/vapours/spray
	: P264	Wash ... thoroughly after handling
	: P270	Do not eat, drink or smoke when using this product.
	: P271	Use only outdoors or in a well-ventilated area.
	: P272	Contaminated work clothing should not be allowed out of the workplace.
	: P273	Avoid release to the environment
	: P280	Wear protective gloves/protective clothing/eye protection/face protection.
	: P281	Use personal protective equipment as required.
Countermeasure	: P301+P312	IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell.
	: P302+P352	IF ON SKIN: Wash with plenty of soap and water.
	: P304+P340	IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
	: P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
	: P308+P313	IF exposed or concerned: Get medical advice/attention
	: P310	Immediately call a POISON CENTER or doctor/physician.
	: P312	Call a POISON CENTER or doctor/physician if you feel unwell
	: P314	Get medical advice/attention if you feel unwell.
	: P321	Specific treatment (see ... on this label).
	: P322	Specific measures (see ... on this label).
	: P330	Rinse mouth.
	: P332+P313	If skin irritation occurs: Get medical advice/attention.
	: P333+P313	If skin irritation or rash occurs: Get medical advice/attention.
	: P362	Take off contaminated clothing and wash before reuse.
	: P363	Wash contaminated clothing before reuse.
	: P391	Collect spillage.
Storage	: P403+P233	Store in a well-ventilated place. Keep container tightly closed.
	: P405	Store locked up...
Disposal	: P501	Dispose of contents/container to... in accordance with local/regional/national/international regulation(to be specified).

### 2.3. Other hazards

Other hazards : No information available

## SECTION 3 : Composition/information on ingredients

### 3.1. Substance

Substances : No information available

### 3.2. Mixture

Ingredients	% By weight	CAS No.	EC No.	EU Classification				Note
				67/548/ EEC (DSD)	CLP			
					Hazard class and category codes	Hazard statement codes	Pictogram/ Signal word codes	
ORGANIC PIGMENT YELLOW	1-5	Proprietary	Proprietary					

Ingredients	% By weight	CAS No.	EC No.	EU Classification				Note
				67/548/ EEC (DSD)	CLP			
					Hazard class and category codes	Hazard statement codes	Pictogram/ Signal word codes	
OXYBIS(METHYL-2,1-ETHANEDIYL) DIACRYLATE	5-15	57472-68-1	260-754-3	Xi; R38 Xi; R41 R43	Skin Irrit. 2 Skin Sens. 1 Eye Dam. 1	H315 H317 H318	GHS05 Dg	
1-VINYLBHEXAHYDRO -2H-AZEPIN-2-ONE	10-20	2235-00-9	218-787-6	-	Acute Tox. 4 Skin Sens. 1B Eye Irrit. 2A STOT RE 1	H302 H312 H317 H319 H372	GHS08 GHS07 Dgr	
ISOBONYL ACRYLATE	5-15	5888-33-5	227-561-6		Skin Irrit. 2 Skin Sens. 1 Eye Irrit. 2 STOT SE 3 Aquatic Acute 1 Aquatic Chronic 1	H315 H317 H319 H335 H400 H410	GHS07 GHS09 wng	
TETRAHYDROFURFURYL ACRYLATE	10-20	2399-48-6	219-268-7		Skin Irrit. 2 Eye Irrit. 2	H315 H319	GHS07 Wng	
2-PHENOXYETHYL ACRYLATE	20-30	48145-04-6	256-360-6		Skin Sens. 1A Aquatic Chronic 2	H317 H411	GHS09 GHS07 Wng	
2-(2-ethoxyethoxy)ethyl acrylate	5-15	7328-17-8	230-811-7	-	Skin Irrit. 2	H319	GHS07 wng	
MULTIFUNCTIONAL ACRYLATE	1-10	-	-					
DIPHENYL(2,4,6-TRIMETHYLBENZOYL) - PHOSPHINE OXIDE	1-10	75980-60-8	278-355-8	Repr. Cat. 3; R62	Skin Sens. 1B Repr. 2 Aquatic Acute 2 Aquatic Chronic 2	H317 H361 H401 H411	GHS09 GHS08 GHS07 Wng	
Additive	0.1-5	-	-					

※ Substance is classified in terms of Regulation (EC) No. 1272/2008 Annex VI.

※ Substance with workplace exposure limits.

※ Substance is included in the Candidate List of Substances of Very High Concern for Authorisation.

## SECTION 4 : First aid measures

### 4.1. Description of first aid measures

First-aid measures general

: If you feel unwell, seek medical advice.

First-aid measures after inhalation

: If breathing is difficult, give oxygen.

: Give artificial respiration if not breathing, and get immediate medical attention.

: If the person develops a symptom, move him to an area where fresh air is available.

: If the person develops a side effect, move him to an area free of contamination.

First-aid measures after skin contact	<ul style="list-style-type: none"> <li>: Get medical attention.</li> <li>: Get medical attention, if needed.</li> <li>: Wash skin with soap and plenty of water for least 15 minutes</li> <li>: Thoroughly clean and dry contaminated clothing and shoes before reuse.</li> <li>: Remove contaminated clothing and shoes and wash skin with water and soap for at least 15 minutes.</li> <li>: If skin is irritated or shows other symptoms, get medical attention.</li> </ul>
First-aid measures after eye contact	<ul style="list-style-type: none"> <li>: While lifting upper eyelid, flush eyes with plenty of water for at least 15 minutes and then get immediate medical attention.</li> </ul>
First-aid measures after ingestion	<ul style="list-style-type: none"> <li>: Get medical attention.</li> <li>: Never make an unconscious person vomit or drink fluids.</li> <li>: If vomiting occurs, keep head lower than hips to help prevent aspiration.</li> <li>: If person is unconscious, turn head to side.</li> <li>: If the person has swallowed a large quantity, let him get medical attention.</li> </ul>

#### 4.2. Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in section 2 and/or in section 11.

#### 4.3. Indication of any immediate medical attention and special treatment needed

Other Information : Treat symptomatically.

### SECTION 5 : Firefighting measures

#### 5.1. Extinguishing media

Suitable extinguishing media	<ul style="list-style-type: none"> <li>: Powder fire extinguishing agent.</li> <li>: Spray stream.</li> <li>: Carbon dioxide</li> <li>: General foam extinguishing agent</li> <li>: Alcohol resistant foam extinguishing agent</li> <li>: Water spray.</li> </ul>
Unsuitable extinguishing media	<ul style="list-style-type: none"> <li>: No data available.</li> </ul>

#### 5.2. Special hazards arising from the substance or mixture

Fire and explosion hazards	<ul style="list-style-type: none"> <li>: There's a small change of fire.</li> <li>: A mixture of vapor and air can be explosive at above a certain ignition point</li> <li>: Vapor or gas can spread instantly after being ignited from a distanced ignition point.</li> <li>: Vapor is heavier than air.</li> <li>: Halogen gas can be produced when it contacts metal</li> <li>: May develop irritating, corrosive, or toxic gases by fire.</li> </ul>
Hazardous combustion products	<ul style="list-style-type: none"> <li>: Discharge of toxic smoke, like carbon oxide, sulfur compounds, acrolein and nitrooxide.</li> </ul>

#### 5.3. Advice for firefighters

Precautionary measures fire	<ul style="list-style-type: none"> <li>: Exposure to fume/heat : keep upwind.</li> <li>: Exposure to fume/heat : have neighbourhood close doors and windows</li> <li>: Move containers from fire area if it can be done without risk.</li> <li>: Do not approach both ends of the tank</li> <li>: Withdraw immediately in case of rising sound from safety devices due to the fire or discoloration of tank.</li> </ul>
Firefighting instructions	<ul style="list-style-type: none"> <li>: Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire-fighting water from entering environment.</li> <li>: Cool container with flooding quantities of water until well after fire is out.</li> <li>: When there's a fire in shipping and unloading or storage area : Cool container with flooding quantities of water until well after fire is out by using unmanned hose holders or monitor nozzles.</li> <li>: If that is not possible, consider following preventive measures</li> <li>: Keep unnecessary people away, isolate hazard area and deny entry.</li> </ul>



# FR170-B01LY

## Safety Data Sheet

In accordance with Regulation (EC) No. 1907/2006 of the European Parliament and the Council (REACH) and Commission Regulation (EU) No. 830/2015

Date of issue : 01/10/2022

Revision date : 01/10/2022

Revision No : 1.0

Page 5/11

### Protection during firefighting

- : And allow the fire to burn itself out.
- : Flood with fine water spray.
- : Do not scatter spilled material with high-pressure water streams
- : Cool containers with water spray until well after the fire is out.
- : Stay upwind and keep out of low areas.
- : Dike for later disposal.
- : Use extinguishing agent appropriate for surrounding fire. : Flood with fine water spray.
- : The most effect measures would be removing fuel source and suffocating by blocking air supply.
- : Do not enter fire area without proper protective equipment, including respiratory protection.
- : Fire involving tank, rail, car, or tank truck : Evacuation for 0.8Km (1/2 mile) in all directions.
- : Shut off the source of the leakage before trying to extinguish fire.
- : Apply water from a protected location or from a safe distance.
- : Avoid inhalation of material or combustion by-products.
- : Dike for later disposal.

## SECTION 6 : Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

#### For non-emergency personnel

- Protective equipment : Gloves, Protective clothing, see "Material-Handling" to select protective clothing
- Emergency procedures : Evacuate unnecessary personnel.

#### For emergency responders

- Protective equipment : Equip cleanup crew with proper protection.
- Emergency procedures : Ventilate area
- : Absorb with paper.
- : Ventilate to eliminate all vapors, and burn papers.
- : Eliminate all ignition sources.
- : Absorb with dry earth, sand or other non-combustible material, and place in a container.
- : Ventilate a closed area before entering.
- : Use water spray to reduce vapors.
- : Store in an area separated from water supply and sewer
- : Check shipping information and included documents, and contact related agencies and companies to find detailed information on the material.
- : Keep unnecessary people away, isolate hazard area and deny entry.
- : Keep away from heat, fire, flame and other sources of ignition
- : Stop leak if without risk.
- : Deny entry to an area within 25~50m radius from leak, and keep unnecessary people away
- : Stop leak, if it can be done without risk to worker.
- : Stay upwind.
- : Place leaked material in an appropriate container to dispose.

### 6.2. Environmental precautions

- Environmental precautions : Prevent entry to sewers and public waters. Store in an area separated from water supply and sewer.
- : Notify authorities if liquid enters sewers or public waters Avoid release to the environment.

### 6.3. Methods and material for containment and cleaning up

- Cleaning Methods : Collect spillage. Store away from other materials.
- : Place leaked material in an appropriate container to dispose.
- : Absorb with dry earth, sand or other non-combustible material.
- : Prevent entry into waterways, sewers, basements or confined areas.
- : Stay upwind and keep out of low areas.



# FR170-B01LY

## Safety Data Sheet

In accordance with Regulation (EC) No. 1907/2006 of the European Parliament and the Council (REACH) and Commission Regulation (EU) No. 830/2015

Date of issue : 01/10/2022

Revision date : 01/10/2022

Revision No : 1.0

Page 6/11

- Containment
- : Dike for later disposal.
  - : Keep unnecessary people away, isolate hazard area and deny entry.
  - : Do not touch a damaged container or spilled material without wearing proper protective gears.
  - : Notify the central government and local independent commission for discharge of amounts greater than or equal to the standard..
  - : Keep unnecessary people away, isolate hazard area and deny entry.

### 6.4. Reference to other sections

- Other sections
- : See Section 7 for information on safe handling.
  - : See Section 8 for information on personal protection equipment.
  - : See Section 13 for disposal information.

## SECTION 7 : Handling and storage

### 7.1. Precautions for safe handling

- Precautions for safe handling
- : Wash hands and other exposed areas with mild soap and water before eating, drinking
  - : Do not press, cut, weld, solder, join, perforate, grind, or heat.
  - : An empty container containing residues (liquid, steam) can be dangerous.
  - : Store by closing a container.
  - : Store in a closed container.
  - : Do not inhale dust, steam, mist or gas.
  - : Minimize development and accumulation of dust.
  - : Use spark-proof tools and explosion-proof equipment.
  - : Do not inhale or ingest.
  - : Wash hands before eating.
  - : Remove contaminated clothing and wash before reuse.
  - : Perform proper ventilation.
  - : Wash thoroughly after handling.
  - : Use only in a well ventilated area.
  - : Handle according to current laws and regulations.
  - : Do not get in eyes, on skin and clothing.
  - : Avoid flame, sparks, static electricity and other ignition sources.

### 7.2. Conditions for safe storage, including any incompatibilities

- Storage conditions
- : Keep only in the original container in a cool, well ventilated place away from : Ignition sources, Incompatible materials. Keep container closed when not in use.
  - : Keep container closed when not in use.
  - : Store and handle in accordance with all current regulations and standards.
- Incompatible products
- : Avoid contacting strong oxidizer.
- Incompatible materials
- : Sources of ignition. Direct sunlight.
  - : Keep separated from incompatible substances
- Heat and ignition sources
- : Keep substance away from heat source
  - : Keep away from sources of ignition.
- Prohibitions on mixed storage
- : Keep substance away from oxidizing agents
  - : Avoid contacting halogen or halogen compounds.
- Storage area
- : Store in a cool, dry place.
  - : Store at ambient temperature
- Special rules on packing
- : Special requirements closing, clean, correctly labelled, meet the legal requirements.
  - : Secure fragile packagings in solid container.
- Packaging materials
- : Suitable material : No data available
  - : Material to avoid : No data available

### 7.3. Specific end use(s)

- Specific end use(s)
- : No data available



# FR170-B01LY

## Safety Data Sheet

In accordance with Regulation (EC) No. 1907/2006 of the European Parliament and the Council (REACH) and Commission Regulation (EU) No. 830/2015

Date of issue : 01/10/2022

Revision date : 01/10/2022

Revision No : 1.0

Page 7/11

### SECTION 8 : Exposure controls/personal protection

#### 8.1. Control parameters

Ingredients	CAS No.	Workplace exposure limit				Notation
		Long-term exposure limit (8-hour TWA reference period)		Short-term exposure limit (15-minute reference period)		
		ppm	mg/m³	ppm	mg/m³	

※ Workplace exposure limits for substances contained in the mixture

#### 8.2. Exposure controls

Personal protective equipment	: Avoid all unnecessary exposure.
Hand protection	: Protective gloves are not required.
	: Wear appropriate chemical resistant gloves.
Eye protection	: Provide an emergency eye wash fountain and quick drench shower in the immediate work area.
	: Wear splash-proof eye goggles.
	: Wear splash resistant safety goggles with a face shield.
Respiratory protection	: Consider warning properties before use.
	: None required under normal operating conditions.
	: None required under normal operating conditions.
	: Respiratory protection is ranked in order from minimum to maximum.
	: Wear respiratory protection that has received the Korea Occupational Safety and Health Agency's black "Safety" mark
Body protection	: Body protection clothing is not required
	: Wear appropriate chemical resistant clothing.
Environmental exposure controls	: Do not allow to enter sewers, surface and ground water
Other information	: Do not eat, drink or smoke during use.

### SECTION 9 : Physical and chemical properties

#### 9.1. Information on basic physical and chemical properties

Properties	Data	Properties	Data
Appearance	Yellow liquid	Upper/lower flammability or explosive limits	No data available
Odor	Characteristic	Vapor pressure	<1mmHg at 25 °C
Odor threshold	No data available	Vapor density	No data available
pH	No data available	Relative density	1.00 – 1.15 at 25 °C
Melting point/ Freezing point	No data available	Solubility in water	Not readily soluble in water
Boiling point	>130 °C	Partition coefficient n-octanol/water	No data available
Flash point	> 105 °C	Auto ignition temperature	No data available
Evaporation rate	<0.05 (BuAc=1)	Decomposition temperature	No data available
Flammability (Solid/Gas)	No data available	Viscosity	8-12 cP at 25 °C

#### 9.2. Other information

Other information : No data available

### SECTION 10 : Stability and reactivity



### 10.1. Reactivity

Reactivity : No data available

### 10.2. Chemical stability

Chemical stability : Do not store for an extended period, or store or use in an area in direct contact with air and sun and above room temperature.  
: May form explosive peroxides.  
: Stable at room temperature and atmospheric pressure.

### 10.3. Possibility of hazardous reactions

Possibility of hazardous reactions : Stable at room temperature and atmospheric pressure.  
: Polymerization will not occur.

### 10.4. Conditions to avoid

Conditions to avoid : Avoid heat, flames, sparks and other sources of ignition.  
: Keep separated from incompatible substances.  
: If container is exposed to heat, it may rupture or explode

### 10.5. Incompatible materials

Incompatible materials : acid, base, oxidizing agents, metallic oxide, peroxides, reducing agents, halogen,  
: inflammables, mineral salt.

### 10.6. Hazardous decomposition products

Hazardous decomposition products : Produce carbon oxide and sulfur compounds during thermal decomposition.  
: Variety of organic matters, cyanide compounds, ammonia, nitrogen oxide.

## SECTION 11 : Toxicological information

### 11.1. Information on toxicological effects

Acute toxicity : Not classified

Ingredients	CAS No.	Oral	Eye	Inhalation
1-VINYLOXAHYDRO -2H-AZEPIN-2-ONE	2235-00-9	LD50 830 mg/kg Rat	No data available	No data available
OXYBIS(METHYL-2,1-ETHANEDIYL) DIACRYLATE	57472-68-1	LD50 4600 mg/kg Rat	LD50>2000 mg/kg Rabbit	No data available
ISOBONYL ACRYLATE	5888-33-5	LD50 4890 mg/kg Rat	LD50>5000 mg/kg Rat	No data available
2-PHENOXYETHYL ACRYLATE	48145-04-6	LD50 4916 mg/kg Rat	LD50 2680 mg/kg Rat	No data available
DIPHENYL(2,4,6-TRIMETHYLBENZOYL) - PHOSPHINE OXIDE	75980-60-8	LD50>5000 mg/kg Rat	No data available	No data available

Skin corrosion/irritation : Skin rabbit, according to skin Irritation test.  
Serious eye damage/irritation : According to rabbit tests, it can develop corneal opacity with pain to human, .  
: but it was recovered in a few days.  
Respiratory or skin sensitization : Not classified  
Germ cell mutagenicity : Not classified  
Carcinogenicity : Not classified  
Reproductive toxicity : Not classified  
Specific target organ toxicity (STOT-single exposure) : It develops lethargy, dizziness, dyspnea, metabolic acidosis, hematuria, or liver disease  
: When it is inhaled, it irritates nose and neck  
: It develops repetitive respiratory irritation



# FR170-B01LY

## Safety Data Sheet

In accordance with Regulation (EC) No. 1907/2006 of the European Parliament and the Council (REACH) and Commission Regulation (EU) No. 830/2015

Date of issue : 01/10/2022

Revision date : 01/10/2022

Revision No : 1.0

Page 9/11

Specific target organ toxicity (STOT-repeated exposure)	: According to animal tests, inhalation can cause toxic effects on blood.
Aspiration hazard	: Not classified
Potential Adverse human health effects and Symptoms	: Not classified

### SECTION 12 : Ecological information

#### 12.1. Toxicity

Toxicity	: No data available
----------	---------------------

#### 12.2. Persistence and degradability

Persistence and degradability	: No data available
-------------------------------	---------------------

#### 12.3. Bioaccumulative potential

Bioaccumulative potential	: No data available
---------------------------	---------------------

#### 12.4. Mobility in soil

Mobility in soil	: No data available
------------------	---------------------

#### 12.5. Results of PBT and vPvB assessment

Results of PBT and vPvB assessment	: No data available
------------------------------------	---------------------

#### 12.6. Other adverse effects

Other adverse effects	: No data available
-----------------------	---------------------

### SECTION 13 : Disposal considerations

#### 13.1. Waste treatment methods

Waste disposal recommendations	: Dispose in a safe manner in accordance with local/national regulations
	: Dispose of. contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation,
	: Please dispose by using one of the following methods
	: 1. Neutralize, hydrolyze, oxidize, or restore it.
	: 2. Incinerate or melt it in high temperature
	: 3. Solidify it.
Ecology - waste materials	: Avoid release to the environment.
	: Consider all cautions specified in all applicable regulations of Waste Management Law

### SECTION 14 : Transport information

#### 14.1. UN number

UN number	: No data available
-----------	---------------------

#### 14.2. UN proper shipping name

UN proper shipping name	: No data available
-------------------------	---------------------

#### 14.3. Transport hazard class(es)

Transport hazard class(es)	: No data available
----------------------------	---------------------

#### 14.4. Packing group

Packing group	: No data available
---------------	---------------------

#### 14.5. Environmental hazards

Environmental hazards	: No data available
-----------------------	---------------------

#### 14.6. Special precautions for user

Other adverse effects	: No data available
-----------------------	---------------------



# FR170-B01LY

## Safety Data Sheet

In accordance with Regulation (EC) No. 1907/2006 of the European Parliament and the Council (REACH) and Commission Regulation (EU) No. 830/2015

Date of issue : 01/10/2022

Revision date : 01/10/2022

Revision No : 1.0

Page 10/11

Ingredients	CAS No.	UN number	Transport hazard class	Packing group
TETRAHYDROFURFURYL ACRYLATE	2399-48-6	3334	9	-

### 14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code : No data available

## SECTION 15 : Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### EU Regulations

##### Classification according to Regulation (EC) No 1272/2008 (CLP)

- : The substances in the mixture are not subject to Authorisation under Title VII or Restrictions under Title VIII of Regulation (EC) No. 1907/2006.
- : COMMISSION REGULATION (EU) No 830/2015 of 28 May 2015 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH)

Candidate List of Substances of Very High Concern for Authorisation (Annex XVII)

- : Not classified
- : Substances which appear in Part 3 of Annex VI to Regulation (EC) No 1272/2008 classified as toxic to reproduction category 1A or 1B (Table 3.1) or toxic to reproduction category 1 or 2 (Table 3.2) and listed  
Carcinogen category 1A (Table 3.1)/ carcinogen category 1 (Table 3.2) listed in Appendix 1  
Carcinogen category 1B (Table 3.1)/ carcinogen category 2 (Table 3.2) listed in Appendix 2
- : Without prejudice to the implementation of other Community provisions relating to the classification, packaging and labelling of substances and mixtures, suppliers shall ensure before the placing on the market that the packaging of such substances and mixtures is marked visibly, legibly and indelibly as follows : 'Restricted to professional users'.

Authorisation list (Annex XIV)

- : Not classified

##### Classification according to Directive 1999/45/EC (DPD)

- : Not classified

#### National Regulations

##### Korea

The Korea Industrial Safety and Health Act : No data available  
The Enforcement Decree of Toxic Chemicals Control Act : No data available  
The Safety Control of Dangerous Substances Act :

Ingredients	CAS No.	Regulations
ISOBONYL ACRYLATE	5888-33-5	Class 4 Group 3 petroleum, Insoluble 2000/
TETRAHYDROFURFURYL ACRYLATE	2399-48-6	Class 4 Group 3 petroleum, Insoluble 2000/

The Waste Management Law

Ingredients	CAS No.	Regulations
TETRAHYDROFURFURYL ACRYLATE	2399-48-6	Authorized waste
BIS(2,4,6-TRIMETHYLBENZOYL)-PHENYL PHOSPHINEOXIDE	162881-26-7	Authorized waste



# FR170-B01LY

## Safety Data Sheet

In accordance with Regulation (EC) No. 1907/2006 of the European Parliament and the Council (REACH) and Commission Regulation (EU) No. 830/2015

Date of issue : 01/10/2022

Revision date : 01/10/2022

Revision No : 1.0

Page 11/11

Other regulations : No data available

### 15.2. Chemical safety assessment

Chemical safety assessment : Chemical safety assessment has not been carried out for this mixture

## SECTION 16 : Other information

Data of issue : 10. January. 2022

Latest Revision and Revision data : [Revision] 1.0 [Date] 10. January. 2022

Instructions for the training : Product handling instruction shall be included into the educational system about the safety work (Initial training, training at the workplace, repeated training) according to specific conditions at the workplace

Recommended restrictions on use : Mixture should not be used for any other purpose than for which is appointed (point 1.2).  
(i.e. non-statutory recommendations by supplier) Because of the fact that specific conditions of use of mixture are out of supplier's control, It is responsibility of the user to adjust the prescribed warnings to local laws and regulations. Safety information describes the product in terms of safety and it cannot be considered as technical information about product

Sources of key data used to compile the Safety Data Sheet : SDS was elaborated according to requirements set in Annex II of Regulation (EC) No 1907/2006 of the European Parliament and of the Council. SDS was prepared using data from the producer.

Purpose of SDS : Purpose of this SDS is to provide relevant information for users of product to ensure proper handling and control of risks/hazards.

Classification according to : National Fire Protection Association

NFPA Rating : No data available